







橫截面圖 3-3
Cross-section plan 3-3

第3座與第3A座
TOWER 3 & 3A



圖例

LEGEND



代表香港主水平基準以上的高度(米)

Height in metre above the Hong Kong Principal Datum (mPD).



紅色虛線為該建築物最低住宅樓層水平。

Red dotted line denotes the lowest residential floor.


毗連建築物的一段緊急車輛通道/車道，為香港主水平基準以上16.50米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 16.50 metres above the Hong Kong Principal Datum.



橫截面圖 5-5
Cross-section plan 5-5

第5座與第5A座
TOWER 5 & 5A



圖例

LEGEND



代表香港主水平基準以上的高度(米)

Height in metre above the Hong Kong Principal Datum (mPD).



紅色虛線為該建築物最低住宅樓層水平。

Red dotted line denotes the lowest residential floor.

毗連建築物的一段緊急車輛通道/車道，為香港主水平基準以上16.50米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 16.50 metres above the Hong Kong Principal Datum.



18 期數中的建築物的橫截面圖

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

橫截面圖 35-35
Cross-section plan 35-35



圖例

LEGEND



代表香港主水平基準以上的高度(米)
Height in metre above the Hong Kong Principal Datum (mPD).



紅色虛線為該建築物最低住宅樓層水平。
Red dotted line denotes the lowest residential floor.

毗連建築物的一段緊急車輛通道/車道，為香港主水平基準以上16.50米。

The part of Emergency Vehicular Access / Driveway adjacent to the building is 16.50 metres above the Hong Kong Principal Datum.