FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

1. Exterior finishes

| Item | Description |
|------------------------------------|---|
| (a) External wall | Type of finishes: Save and except for the following houses, external walls of houses and villas are finished with curtain wall, aluminium claddings, aluminium grilles and natural stones. |
| | For the following houses, external walls of houses are finished with curtain wall, aluminium claddings, aluminium grilles, natural stones and artificial granite tiles: - Camellia Avenue: House 1, 2, 8 & 9 - Lily Avenue: House 1, 2, 3, 5, 10 & 11 - Jasmine Avenue: House 1, 2, 3 & 5 - Violet Avenue: House 1, 2, 5, 6, 9 & 10 |
| (b) Window | Material of frame: Aluminium window frames with fluorocarbon coating. |
| | Material of glass: Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in Living Room & Dining Room, Family Room, Bedroom, Bathroom (if windows are provided) and Kitchen. |
| | Save and except for the following houses and villas, Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in Master Bathroom and Junior Master Bathroom (if windows are provided). |
| | For the following houses and villas, acid-etched Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in Master Bathroom: - Lily Avenue: Villa 12 - Jasmine Avenue: House 11 & Villa 1 - Violet Avenue: Villa 1 & 5 |
| | For the following houses, acid-etched Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in Junior Master Bathroom: - Camellia Avenue: House 9 - Lily Avenue: House 1-3 |
| | Acid-etched Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in Ensuite Bathroom, Bathroom, Powder Room & Utility Room (if windows are provided). |
| | Save and except for the following houses, Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in staircase (if windows are provided). |
| | For the following houses, acid-etched Insulated Glazing Unit (IGU) with low-e coating is fitted for windows in staircase: - Camellia Avenue: House 9 - Lily Avenue: House 11 - Jasmine Avenue: House 2 |
| (c) Bay window | Not provided. |
| (d) Planter | Natural stones and artificial granite tiles. |
| (e) Verandah or balcony | Balconies are fitted with laminated glass balustrade with top railing. Floors are finished with natural stones. Walls finished with natural stone and aluminium claddings. Ceilings are finished with aluminium panels. |
| | All balconies are covered. |
| | No verandah. |
| (f) Drying facilities for clothing | Not provided. |

2. Interior finishes

| Item | Description |
|-----------|--|
| (a) Lobby | Houses and Villas Carport Entrance Lobby (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Floors are finished with natural stone flooring and natural stone skirting on exposed surfaces. Save and except for the following house types, walls are finished with emulsion paint on exposed surfaces. Walls are finished with emulsion paint, glass and stainless steel on exposed surfaces for house type C. Ceilings are finished with gypsum board false ceiling in emulsion paint. |
| | Carport Entrance Lobby for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, floors are finished with natural stone flooring and engineered timber skirting with stainless steel strip on exposed surfaces: - Violet Avenue: Villa 3 |
| | For the following villa, floors are finished with natural stone flooring and stainless steel skirting: - Violet Avenue: Villa 5 |
| | For the following villa, walls are finished with natural stone, engineered wood veneer, wallpaper, mirror and stainless steel on exposed surfaces: - Violet Avenue: Villa 3 |
| | For the following villa, walls are finished with natural stone, wallpaper and stainless steel on exposed surfaces: - Violet Avenue: Villa 5 |
| | Ceilings are finished with gypsum board false ceiling in emulsion paint. |
| | Shuttle Lift Lobby at UB/F and UG/F: Floors are finished with natural stone on exposed surfaces. |

2. Interior finishes

| Item | Description |
|-------------------------------|---|
| (a) Lobby | Walls are finished with natural stone and stainless steel on exposed surfaces. |
| (b) Internal wall and ceiling | Ceilings are finished with gypsum board false ceiling in emulsion paint. Living Room & Dining Room and Bedroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): |
| (1) | Save and except for the following house and villa types, walls are finished with emulsion paint on exposed surfaces. Walls are finished with emulsion paint and engineered wood veneer on exposed surfaces in Living & Dining Room for house type A, B1, B2, B2-1, B2a, B2a-1 and villa type A. Walls are finished with emulsion paint, glass, stainless steel and engineered wood veneer on exposed surfaces in |
| | Living & Dining Room for house type C. Walls are finished with emulsion paint and stainless steel framed glass on exposed surfaces in Master Bedroom for house type A, B1, B2, B2-1, B2a and B2a-1 and villa type A. Walls are finished with emulsion paint and glass on exposed surfaces in Ensuite 2 Bedroom for house type A and villa type A. |
| | Ceilings are finished with emulsion paint on exposed surfaces, gypsum board bulkheads and false ceilings are finished with emulsion paint. |
| | Living Room & Dining Room and Bedroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, walls are finished with natural stone, engineered wood veneer, wallpaper, mirror, stainless steel, feature glass panel and emulsion paint on exposed surfaces in Living Room & Dining Room; walls are finished with wallpaper, mirror, stainless steel and faux leather on exposed surfaces in Master Bedroom; walls are finished with engineered wood veneer, wallpaper, mirror, stainless steel, glass, faux leather and fabric panel on exposed surfaces in Ensuite 2; walls are finished with engineered wood veneer, wallpaper, mirror and stainless steel on exposed surfaces in Ensuite 3: - Violet Avenue: Villa 3 |
| | For the following villa, walls are finished with natural stone, engineered wood veneer, wallpaper, stainless steel, feature glass panel and emulsion paint on exposed surfaces in Living Room & Dining Room; wall are finished with wallpaper, stainless steel, glass and fabric panel on exposed surfaces in Master Bedroom; walls are finished with engineered wood veneer, wallpaper, stainless steel, glass, feature glass panel and faux leather on exposed surfaces in Ensuite 2; walls are finished with engineered wood veneer, wallpaper, mirror and stainless steel on exposed surfaces in Ensuite 3: - Violet Avenue: Villa 5 |
| | For the following villa, gypsum board bulkheads and false ceilings are finished with emulsion paint and stainless steel in Living Room & Dining Room; gypsum board bulkheads and false ceilings are finished with emulsion paint in Master Bedroom; gypsum board bulkheads and false ceilings are finished with emulsion paint, wooden strip and engineered wood veneer in Ensuite 2; gypsum board bulkheads and false ceilings are finished with emulsion paint, engineered wood veneer, stainless steel and mirror in Ensuite 3: - Violet Avenue: Villa 3 |
| | For the following villa, gypsum board bulkheads and false ceilings are finished with emulsion paint and stainless steel in Living Room & Dining Room; gypsum board bulkheads and false ceilings are finished with emulsion paint and mirror in Master Bedroom; gypsum board bulkheads and false ceilings are finishes with emulsion paint, wallpaper and stainless steel in Ensuite 2; gypsum board bulkheads and false ceilings are finishes with emulsion paint and wallpaper in Ensuite 3: - Violet Avenue: Villa 5 |
| (c) Internal floor | Living Room & Dining Room (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Floors are finished with natural stone flooring and natural stone skirting on exposed surfaces. |
| | Bedroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Floors are finished with engineered timber flooring and engineered timber skirting on exposed surfaces with natural stone border along the edges where glass doors are provided for access to balconies and flat roofs. |
| | Living Room & Dining Room for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, floors are finished with natural stone flooring and partially finished with engineered timber skirting with stainless steel strip on exposed surfaces: - Violet Avenue: Villa 3 |
| | For the following villa, floors are finished with natural stone flooring and stainless steel skirting on exposed surfaces: - Violet Avenue: Villa 5 |
| | Bedroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, floors are finished with engineered timber flooring and engineered timber skirting with stainless steel strip on exposed surfaces with natural stone border along the edges where glass door are provided for access to balcony: - Violet Avenue: Villa 3 |
| | For the following villa, floors are finished with engineered timber flooring and stainless steel skirting on exposed surfaces in Ensuite 2 and Ensuite 3; floors are finished with carpet and stainless steel skirting on exposed surfaces in Master Bedroom with natural stone border along the edges where glass door are provided for access to balcony: - Violet Avenue: Villa 5 |
| (d) Bathroom | Master Bathroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Floors are finished with natural stone on exposed surfaces. Save and except for the following house types, walls are finished with natural stone, glass, mirror and stainless steel on exposed surfaces up to the false ceiling. Walls are finished with natural stone, mirror and stainless steel on exposed surfaces up to the false ceiling in Master Bathroom for house type C. Ceilings are finished with gypsum board false ceiling in emulsion paint. |
| | Junior Master Bathroom: Floors are finished with natural stone on exposed surfaces. Save and except for the following house types, walls are finished with natural stone, glass, mirror and stainless steel on exposed surfaces up to the false ceiling. Walls are finished with natural stone, glass and stainless steel on exposed surfaces up to the false ceiling in Junior Master Bathroom for house type B1. Ceilings are finished with gypsum board false ceiling in emulsion paint. |

FITTINGS, FINISHES AND APPLIANCES 装置、装修物料及設備

2. Interior finishes

| Item | Description |
|--------------|---|
| (d) Bathroom | Ensuite Bathroom and Bathroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Floors are finished with natural stone on exposed surfaces. Save and except for the following house and villa types, walls are finished with natural stone, glass, mirror and stainless steel on exposed surfaces up to the false ceiling. Walls are finished with natural stone, glass and stainless steel on exposed surfaces up to the false ceiling in Ensuite 2 Bathroom for house type A and villa type A. Ceilings are finished with gypsum board false ceiling in emulsion paint and aluminium panel false ceiling. Master Bathroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Floors are finished with natural stone on exposed surfaces. For the following villa, walls are finished with natural stone, mirror and stainless steel on exposed surfaces up to the false ceiling: - Violet Avenue: Villa 3 For the following villa, walls are finished with natural stone, glass, mirror and stainless steel on exposed surfaces up to the false ceiling: - Violet Avenue: Villa 5 Ceilings are finished with gypsum board false ceiling in emulsion paint. Ensuite Bathroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Floors are finished with natural stone, glass and stainless steel on exposed surfaces up to the false ceiling in Ensuite 2 Bathroom. Walls are finished with natural stone, glass, mirror and stainless steel on exposed surfaces up to the false ceiling in Ensuite 3 Bathroom. |
| (e) Kitchen | Ceilings are finished with gypsum board false ceiling in emulsion paint and aluminium panel false ceiling. Except for Villa 3 Violet Avenue and Villa 5 Violet Avenue, floors are finished with natural stones on exposed surfaces. Save and except for the following house and villa types, walls are finished with natural stones, stainless steel panels and engineered wood veneer on exposed surfaces up to false ceilings. Walls behind kitchen cabinets are finished with ceramic tiles. Walls are finished with natural stones, mirror, stainless steel panels and engineered wood veneer on exposed surfaces up to false ceilings for house type A, C and villa type A. Walls behind kitchen cabinets are finished with ceramic tiles. Ceilings are finished with gypsum board false ceiling in emulsion paint and aluminium panel false ceiling. Cooking benches are finished with solid surfacing. For Villa 3 Violet Avenue and Villa 5 Violet Avenue: Floors are finished with natural stones on exposed surfaces. Walls are finished with natural stones, stainless steel panels, engineered wood veneer and mirror on exposed surfaces up to false ceilings. Walls behind kitchen cabinets are finished with ceramic tiles. Ceilings are finished with gypsum board false ceiling in emulsion paint and aluminium panel false ceiling. Cooking benches are finished with solid surfacing. |

3. Interior fittings

| Item | Description |
|-----------|--|
| (a) Doors | Main Entrance Door (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Outer: Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle and door closer. Inner: Solid core timber door with engineered wood veneer, plastic laminate and stainless steel finishes, fitted with lockset with handle, electromagnetic door contact, door closer, door viewer and door stop. |
| | Main Entrance Door for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Outer: Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle and door closer. Inner: For the following villa, solid core timber door with engineered wood veneer, plastic laminate, stainless steel and faux leather finishes, fitted with lockset with handle, electromagnetic door contact, door closer, door viewer and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer, plastic laminate and stainless steel finishes, fitted with lockset with handle, electromagnetic door contact, door closer, door viewer and door stop: - Violet Avenue: Villa 5 |
| | Carport Entrance Door (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Outer: Solid core timber door with engineered wood veneer, mirror and aluminium cladding finishes, fitted with lockset with handle, electromagnetic door contact, door closer and door stop. Inner: Solid core timber door with engineered wood veneer and stainless steel finishes, fitted with handle, door closer and door stop. |
| | Carport Entrance Door for Violet Avenue Villa 3 and Violet Avenue Villa 5: Outer: Solid core timber door with engineered wood veneer, mirror and aluminium cladding finishes, fitted with lockset with handle, electromagnetic door contact, door closer and door stop. Inner: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with handle, door closer and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with handle, door closer and door stop: - Violet Avenue: Villa 5 |

3. Interior fittings

| Item | Description |
|-----------|---|
| (a) Doors | Master Bedroom, Junior Master Bedroom, Ensuite and Bedroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): |
| | Solid core timber door with engineered wood veneer and stainless steel finishes, fitted with lockset with handle and door stop. |
| | Master Bedroom and Ensuite for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with lockset with handle and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with lockset with handle and door stop: - Violet Avenue: Villa 5 |
| | Kitchen (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Solid core timber door with engineered wood veneer and stainless steel finishes, fitted with fire-rated glass vision panel, handle, door closer and door stop. |
| | Kitchen for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with fire-rated glass vision panel, handle, door closer and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with fire-rated glass vision panel, handle, door closer and door stop: - Violet Avenue: Villa 5 |
| | Master Bathroom and Junior Master Bathroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Stainless steel framed glass door fitted with lockset. |
| | Master Bathroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with lockset: - Violet Avenue: Villa 3 |
| | For the following villa, stainless steel framed glass door fitted with lockset: - Violet Avenue: Villa 5 |
| | Ensuite Bathroom and Bathroom (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Solid core timber door with engineered wood veneer and stainless steel finishes, fitted with timber louvres, lockset with handle and door stop. |
| | Ensuite Bathroom for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with timber louvers, lockset with handle and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with timber louvers, lockset with handle and door closer: - Violet Avenue: Villa 5 |
| | Powder Room (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Save and except for the following house types, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with timber louvres, lockset with handle and door stop. |
| | Powder Room is installed with solid core timber door with engineered wood veneer and stainless steel finishes, fitted with timber louvres and lockset for house type B1, B2, B2-1, B2a and B2a-1. |
| | Powder Room for Villa 3 Violet Avenue and Villa 5 Violet Avenue: For the following villa, solid core timber door with engineered wood veneer, stainless steel and faux leather finishes, fitted with timber louvres, lockset with handle and door stop: - Violet Avenue: Villa 3 |
| | For the following villa, solid core timber door with engineered wood veneer and stainless steel finishes, fitted with timber louvres, lockset with handle and door closer: - Violet Avenue: Villa 5 |
| | Utility Room (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Save and except for the following house types, solid core timber door with engineered wood veneer, mirror and stainless steel finishes, fitted with lockset with handle, door closer and door stop. |
| | Utility Room is installed with solid core timber door with engineered wood veneer finishes, fitted with lockset with handle, door closer and door stop for house type B1, B2, B2-1, B2a and B2a-1. |
| | Utility Room for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Solid core timber door with engineered wood veneer, mirror and stainless steel finishes, fitted with lockset with handle, door closer and door stop. |
| | Lavatory (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Aluminium framed tempered glass door with powder coating. |
| | Lavatory for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Aluminium framed tempered glass door with powder coating. |

FITTINGS, FINISHES AND APPLIANCES 装置、装修物料及設備

3. Interior fittings

| Item | Description |
|--------------|--|
| (a) Doors | Balcony and Flat Roof (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle. |
| | Balcony for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle. |
| | Roof (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle, electromagnetic door contact and door closer. |
| | Roof for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle, electromagnetic door contact and door closer. |
| | Garden (except for Villa 3 Violet Avenue and Villa 5 Violet Avenue): Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle and electromagnetic door contact. |
| | Garden for Villa 3 Violet Avenue and Villa 5 Violet Avenue: Aluminum framed glass door with fluorocarbon coating, fitted with lockset with handle and electromagnetic door contact. |
| | Front Garden (from Kitchen): For the following houses, door leading to Front Garden is installed with aluminum framed glass with fluorocarbon coating, fitted with lockset with handle, electromagnetic door contact and door closer: - Camellia Avenue: House 1 - Lily Avenue: House 11 - Jasmine Avenue: House 1 - Violet Avenue: House 1 & 10 |
| (b) Bathroom | Except for Villa 3 Violet Avenue and Villa 5 Violet Avenue, wooden mirror cabinets with mirror, stainless steel, wood veneer and plastic laminate finishes. |
| | Wooden vanity counters with glass, stainless steel, wood veneer and plastic laminate finishes. Natural stone countertop. |
| | Vitreous china water closet. |
| | Vitreous china wash basin with chrome plated basin mixer. |
| | Shower compartment inside Master Bathroom, Junior Master Bathroom, Ensuite Bathroom and Bathroom: Chrome plated shower set and ceiling mounted shower head. |
| | Bathtub inside Master Bathroom: Save and except for the following house types, enameled cast iron bathtub in size of 1676mm(L) x 914mm(W) x 610mm(H) with chrome plated mixer and shower set is fitted. |
| | Composed stone bathtub in size of 1900mm(L) x 950mm(W) x 830mm(H) with chrome plated mixer and shower set are fitted for house type C. |
| | Bathtub inside Junior Master Bathroom: Save and except for the following house types, enameled cast iron bathtub in size of 1500mm(L) x 750mm(W) x 466mm(H) with chrome plated mixer and shower set is fitted. |
| | Enameled cast iron bathtub in size of 1700mm(L) x 750mm(W) x 470mm(H) with chrome plated mixer and shower set is fitted for house type C. |
| | Other fittings inside Master Bathroom and Junior Master Bathroom: Chrome plated toilet paper holder, polished stainless steel towel bar and chrome plated illuminated mirror. |
| | Other fittings inside Ensuite Bathroom and Bathroom: Chrome plated toilet paper holder and polished stainless steel towel bar. |
| | Copper pipes with thermal insulation for both hot and cold water supply. |
| | For Villa 3 Violet Avenue and Villa 5 Violet Avenue: Wooden mirror cabinets with mirror, stainless steel, wood veneer and plastic laminate finishes. |
| | Wooden vanity counters with glass, stainless steel, wood veneer and plastic laminate finishes. Natural stone countertop. |
| | Vitreous china water closet. |
| | Vitreous china wash basin with chrome plated basin mixer. |
| | Shower compartment inside Master Bathroom and Ensuite Bathroom: Chrome plated shower set and ceiling mounted shower head. |
| | Bathtub inside Master Bathroom: Enameled cast iron bathtub in size of 1676mm(L) x 914mm(W) x 610mm(H) with chrome plated mixer and shower set is fitted. |
| | Other fittings inside Master Bathroom: Chrome plated toilet paper holder, polished stainless steel towel bar and chrome plated illuminated mirror. |

3. Interior fittings

| Item | Description |
|--------------------------------------|--|
| (b) Bathroom | Other fittings inside Ensuite Bathroom: Chrome plated toilet paper holder and polished stainless steel towel bar. |
| | Copper pipes with thermal insulation for both hot and cold water supply. |
| (c) Kitchen | Except for Villa 3 Violet Avenue and Villa 5 Violet Avenue, stainless steel sink and chrome plated sink mixer. |
| | Wooden cabinets fitted with aluminium and high gloss lacquered panels are provided. |
| | Copper pipes with thermal insulation for both hot and cold water supply. |
| | For Villa 3 Violet Avenue and Villa 5 Violet Avenue: Stainless steel sink and chrome plated sink mixer. |
| | Wooden cabinets fitted with aluminium and high gloss lacquered panels are provided. |
| | Copper pipes with thermal insulation for both hot and cold water supply. |
| (d) Bedroom | For the following Villa, built-in wooden wardrobe with wood veneer and stainless steel finishes for Master Bedroom; built-in wooden wardrobe with wood veneer, stainless steel, glass and faux leather finishes for Ensuite 2; built-in wooden wardrobe with wood veneer, stainless steel and glass finishes for Ensuite 3: - Violet Avenue: Villa 3 |
| | For the following Villa, built-in wooden wardrobe with wood veneer, stainless steel and glass finishes for Master Bedroom and Ensuite 2: - Violet Avenue: Villa 5 |
| (e) Telephone | Telephone points are installed in Living Room & Dining Room, Family Room, Master Bedroom, Junior Master Bedroom, Ensuite and Bedroom. |
| | For the location and number of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Properties in the Phase". |
| (f) Aerials | TV/FM points for reception of local TV programme and radio programme are installed in Living Room & Dining Room, Kitchen, Family Room, Master Bedroom, Junior Master Bedroom, Ensuite, Bedroom and Utility Room. |
| | For the location and number of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Properties in the Phase". |
| (g) Electrical installations | Three phase electricity supply with miniature circuit breakers and distribution board are provided. |
| | Conduit wiring for lighting points and power points are partly concealed and partly exposed.* |
| | For the location and number of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Properties in the Phase". |
| (h) Gas supply | Town gas supply pipe is installed at Kitchen and Roof, and connected to gas hob and gas water heater. |
| | For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Properties in the Phase". |
| (i) Washing machine connection point | Drain point and water point are provided for washing machine. |
| point | For the location of connection points, please refer to the "Schedule of Mechanical & Electrical Provisions of Residential Properties in the Phase". |
| (j) Water supply | Copper pipes are partly concealed and partly exposed. * |
| | Hot water supply is available. |
| Note: | |

Note

^{*} Other than those parts of the conduits and water pipes concealed within concrete, the rest of the conduits and water pipes are exposed. The exposed conduits and water pipes may be covered or hidden by false ceilings, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials.

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

4. Miscellaneous

| Item | Description |
|--|--|
| (a) Lifts | House Lifts: - 1 "Schindler" passenger lift (model no.:5500MRL) serving UB/F, UG/F, 1/F & 2/F for house type C. Shuttle Lift: - 1 "Schindler" passenger lift (model no.:5500MRL) serving UB/F and UG/F. |
| (b) Letter box | Stainless steel letter box. |
| (c) Refuse collection | Refuse will be collected by cleaner from each house and villa and centrally handled at Material Recovery Room at UB/F for removal by refuse vehicle. |
| | 3 Material Recovery Rooms are provided at UB/F. |
| (d) Water meter, electricity meter and gas meter | Individual water consumption meter is provided at the common Water Meter Room at UB/F. Individual electricity consumption meter is provided in the Electric Meter Cabinet (E.M.C.) of each house and villa at UB/F. |
| | Individual towngas meter is provided in the Kitchen of each house and villa at UG/F. |

5. Security facilities

| Item | Description |
|-------------------------------|--|
| Security system and equipment | Electric security fence is provided along the northern and north-western boundary fence walls of the Phase. |
| | CCTV cameras are provided along the northern and north-western boundary fence walls of the Phase, carpark, shuttle lift car cages and common area, which are connected to security system. |
| | Thermal cameras are provided at the north-western boundary fence wall of the Phase. Flood lights are provided along the northern and north-western boundary fence walls of the Phase. |
| | Electromagnetic door contact is installed at the inner door of the Main Entrance at UG/F, outer door of the Carport Entrance at UB/F, glass door leading to Garden, glass door leading to Roof and glass door leading to Front Garden (if any) for each house and villa. |
| | Video door phone is provided for each house and villa. |
| | Visitor intercom panel is provided for the following houses: - Camellia Avenue : House 1 - Lily Avenue : House 11 - Jasmine Avenue : House 1 - Violet Avenue : House 1 & 10 |
| | Smart card access control system is provided at the development entrance and clubhouse area. |

6. Appliances

| Item | Description |
|------------|---|
| Appliances | For the brand name and model number, please refer to the "Appliances Schedule". |

1. 外部裝修物料

| 細項 | 描述 |
|-----------|--|
| (a) 外牆 | 装修物料的類型: |
| | 除了下列洋房外,洋房及別墅的外牆鋪砌幕牆、鋁蓋板、鋁疏子及天然石材。 |
| | |
| | 下列洋房的外牆鋪砌幕牆、鋁蓋板、鋁疏子、天然石材及仿石磚: |
| | - Camellia Avenue: 1號、2號、8號及9號洋房 |
| | - Lily Avenue: 1號、2號、3號、5號、10號及11號洋房 |
| | - Jasmine Avenue: 1號、2號、3號及5號洋房 |
| (b) Ż | - Violet Avenue: 1號、2號、5號、6號、9號及10號洋房 |
| (b) 窗 | 性的用料: 氟碳塗層鋁質窗框。 |
| | , |
| | , 以现实的用料: |
| | 客廳及飯廳、家庭廳、睡房、浴室(如有窗)及廚房採用雙層中空低輻射鍍膜玻璃。 |
| | |
| | 除了下列洋房及別墅外,主人浴室及少主人浴室(如有窗)採用雙層中空低輻射鍍膜玻璃。 |
| | 下列洋房及別墅的主人浴室窗採用雙層中空低輻射鍍膜磨砂玻璃: |
| | - Lily Avenue: 12 號別墅 |
| | - Jasmine Avenue: 11 號洋房及 1 號別墅 |
| | - Violet Avenue: 1號及5號別墅 |
| | |
| | 下列洋房的少主人浴室窗採用雙層中空低輻射鍍膜磨砂玻璃: |
| | - Camellia Avenue: 9 號洋房 |
| | - Lily Avenue: 1號至3號洋房 |
| | 套房浴室、浴室、客廳洗手間及工作間(如有窗)採用雙層中空低輻射鍍膜磨砂玻璃。 |
| | 会污冶主、冶主、日脑加于问及工作问(和方图)1水/11支信于工图相对或1法格的规构。 |
| | 除了下列洋房外,樓梯(如有窗)採用雙層中空低輻射鍍膜玻璃。 |
| | 下列洋房的樓梯窗採用雙層中空低輻射鍍膜磨砂玻璃: |
| | - Camellia Avenue: 9 號洋房 |
| | - Lily Avenue: 11 號洋房 |
| | - Jasmine Avenue:2 號洋房 |
| (c) 窗台 | 沒有提供。 |
| (d) 花槽 | 天然石材及仿石磚。 |
| (e) 陽台或露台 | 露台裝設夾膠玻璃欄河連頂扶手。地台鋪砌天然石材。牆身鋪砌天然石材及鋁蓋板。天花裝配鋁板。 |
| | 所有露台均有蓋。 |
| | 771, 3 PH FT - 37, 3 ML |
| | 沒有陽台。 |
| (f) 乾衣設施 | 沒有提供。 |

2. 室內裝修物料

| 細項 | 描述 |
|--------|--|
| (a) 大堂 | 洋房及別墅車庫入口大堂 (除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 地台外露位置鋪砌天然石材及天然石材地腳線。 除了下列洋房款式外,牆身外露位置髹上乳膠漆。 類型 C 洋房的牆身外露位置髹上乳膠漆、鋪砌玻璃及不銹鋼。 天花鋪設髹上乳膠漆的石膏板假天花。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之車庫入口大堂: 下列別墅的地台外露位置鋪砌天然石材及鑲有不銹鋼條的複合木地腳線: Violet Avenue:3 號別墅 |
| | 下列別墅的地台外露位置鋪砌天然石材及不銹鋼地腳線: Violet Avenue:5 號別墅 |
| | 下列別墅的牆身外露位置鋪砌天然石材、複合木皮、牆紙、鏡及不銹鋼: Violet Avenue:3 號別墅 |
| | 下列別墅的牆身外露位置鋪砌天然石材、牆紙及不銹鋼: Violet Avenue:5 號別墅 |
| | 天花鋪設髹上乳膠漆的石膏板假天花。 |
| | 高層地庫及高層地下之穿梭升降機大堂: 地台外露位置鋪砌天然石材。 |

FITTINGS, FINISHES AND APPLIANCES 装置、装修物料及設備

2. 室內裝修物料

| 細項 | ····································· |
|------------|---|
| (a) 大堂 | |
| (d) 八主 | 大花鋪設髹上乳膠漆的石膏板假天花。 |
| (b) 內牆及天花板 | 客廳及飯廳及睡房(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): |
| | 除了下列洋房及別墅款式外,牆身外露位置髹上乳膠漆。 類型 A、B1、B2、B2-1、B2a、B2a-1 洋房及類型 A 別墅的客廳及飯廳牆身外露位置髹上乳膠漆及鋪砌複合木 |
| | 皮。 類型 C 洋房的客廳及飯廳牆身外露位置髹上乳膠漆、鋪砌玻璃、不銹鋼及複合木皮。 類型 A、B1、B2、B2-1、B2a、B2a-1 洋房及類型 A 別墅的主人房牆身外露位置髹上乳膠漆及鋪砌不銹鋼框玻璃。 |
| | 類型 A 洋房及類型 A 別墅的套房 2 牆身外露位置髹上乳膠漆及鋪砌玻璃。 天花外露位置髹上乳膠漆,石膏板假樑及假天花位置髹上乳膠漆。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之客廳及飯廳及睡房: 下列別墅的客廳及飯廳牆身外露位置鋪砌天然石材、複合木皮、牆紙、鏡、不銹鋼、裝飾玻璃板及髹上乳膠漆; 主人睡房牆身外露位置鋪砌牆紙、鏡、不銹鋼及人造皮革;套房 2 牆身外露位置鋪砌複合木皮、牆紙、鏡、不銹 鋼、玻璃、人造皮革及布飾面板;套房 3 牆身外露位置鋪砌複合木皮、牆紙、鏡及不銹鋼: Violet Avenue:3 號別墅 |
| | 下列別墅的客廳及飯廳牆身外露位置鋪砌天然石材、複合木皮、牆紙、不銹鋼、裝飾玻璃板及髹上乳膠漆;主人睡房牆身外露位置鋪砌牆紙、不銹鋼、玻璃及布飾面板;套房2牆身外露位置鋪砌複合木皮、牆紙、不銹鋼、玻璃、裝飾玻璃板及人造皮革;套房3牆身外露位置鋪砌複合木皮、牆紙、鏡及不銹鋼: Violet Avenue:5號別墅 |
| | 下列別墅的客廳及飯廳石膏板假樑及假天花位置髹上乳膠漆及鋪設不銹鋼;主人睡房石膏板假樑及假天花位置髹上乳膠漆;套房2石膏板假樑及假天花位置髹上乳膠漆、鋪設木條及複合木皮;套房3石膏板假樑及假天花位置髹上乳膠漆、鋪設複合木皮、不銹鋼及鏡: Violet Avenue:3號別墅 |
| | 下列別墅的客廳及飯廳石膏板假樑及假天花位置髹上乳膠漆及鋪設不銹鋼;主人睡房石膏板假樑及假天花位置髹上乳膠漆及鋪設鏡;套房2石膏板假樑及假天花位置髹上乳膠漆、鋪設牆紙及不銹鋼;套房3石膏板假樑及假天花位置髹上乳膠漆及鋪設牆紙: Violet Avenue:5號別墅 |
| (c) 內部地板 | 客廳及飯廳(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 地台外露位置鋪設天然石材及天然石材地腳線。 |
| | 睡房(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 地台外露位置鋪設複合木地板及複合木地腳線。設置玻璃門通往露台及平台之地台靠邊部分鋪砌天然石材。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之客廳及飯廳: 下列別墅的地台外露位置鋪設天然石材及部分位置鋪設鑲有不銹鋼條的複合木地腳線: Violet Avenue:3 號別墅 |
| | 下列別墅的地台外露位置鋪設天然石材及不銹鋼地腳線: Violet Avenue:5 號別墅 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之睡房: 下列別墅的地台外露位置鋪設複合木地板及鑲有不銹鋼條的複合木地腳線。設置玻璃門通往露台之地台靠邊部分 鋪砌天然石材: Violet Avenue:3 號別墅 |
| | 下列別墅的套房 2 及套房 3 地台外露位置鋪設複合木地板及不銹鋼地腳線;主人睡房地台外露位置鋪設地毯及不銹鋼地腳線。設置玻璃門通往露台之地台靠邊部分鋪砌天然石材: Violet Avenue: 5 號別墅 |
| (d) 浴室 | 主人浴室(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 地台外露位置鋪砌天然石材。 除了下列洋房款式外,牆身外露位置鋪砌天然石材、玻璃、鏡及不銹鋼至假天花高度。 類型 C洋房的主人浴室牆身外露位置鋪砌天然石材、鏡及不銹鋼至假天花高度。 天花鋪設髹上乳膠漆的石膏板假天花。 |
| | 少主人浴室: 地台外露位置鋪砌天然石材。 除了下列洋房款式外,牆身外露位置鋪砌天然石材、玻璃、鏡及不銹鋼至假天花高度。 類型 B1 洋房的少主人浴室牆身外露位置鋪砌天然石材、玻璃及不銹鋼至假天花高度。 天花鋪設髹上乳膠漆的石膏板假天花。 |

2. 室內裝修物料

| 細項 | 描述 描述 描述 The state of the stat |
|--------|---|
| (d) 浴室 | 套房浴室及浴室(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 地台外露位置鋪砌天然石材。 除了下列洋房及別墅款式外,牆身外露位置鋪砌天然石材、玻璃、鏡及不銹鋼至假天花高度。 類型 A 洋房及類型 A 別墅的套房 2 浴室牆身外露位置鋪砌天然石材、玻璃及不銹鋼至假天花高度。 天花鋪設髹上乳膠漆的石膏板假天花及鋁板假天花。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之主人浴室: 地台外露位置鋪砌天然石材。 |
| | 下列別墅的牆身外露位置鋪砌天然石材、鏡及不銹鋼至假天花高度: Violet Avenue: 3 號別墅 |
| | 下列別墅的牆身外露位置鋪砌天然石材、玻璃、鏡及不銹鋼至假天花高度: Violet Avenue: 5 號別墅 |
| | 天花鋪設髹上乳膠漆的石膏板假天花。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之套房浴室: 地台外露位置鋪砌天然石材。 |
| | 套房 2 浴室牆身外露位置鋪砌天然石材、玻璃及不銹鋼至假天花高度。 |
| | 套房 3 浴室牆身外露位置鋪砌天然石材、玻璃、鏡及不銹鋼至假天花高度。 |
| | 天花鋪設髹上乳膠漆的石膏板假天花及鋁板假天花。 |
| (e) 廚房 | 除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅, 地台外露位置鋪砌天然石材。除了下列洋房及別墅款式外,牆身外露位置鋪砌天然石材、不銹鋼板及複合木皮至假天花高度。廚櫃背之牆身鋪砌瓷磚。 類型 A、C 洋房及類型 A 別墅的牆身外露位置鋪砌天然石材、鏡、不銹鋼板及複合木皮至假天花高度。廚櫃背之牆身鋪砌瓷磚。 天花鋪設髹上乳膠漆的石膏板假天花及鋁板假天花。 廚房枱面鋪砌實體面材。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅: 地台外露位置鋪砌天然石材。 牆身外露位置鋪砌天然石材、不銹鋼板、複合木皮及鏡至假天花高度。廚櫃背之牆身鋪砌瓷磚。 天花鋪設髹上乳膠漆的石膏板假天花及鋁板假天花。 廚房枱面鋪砌實體面材。 |

3. 室內裝置

| 細項 | 描述 |
|-------|---|
| (a) 門 | 主要入口大門(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 外:氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄及氣鼓。 內:實心木門配以複合木皮、膠板及不銹鋼飾面,裝設門鎖連門柄、門電磁離合器、氣鼓、防盜眼及門頂。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之主要入口大門:外:氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄及氣鼓。內:下列別墅為實心木門配以複合木皮、膠板、不銹鋼及人造皮革飾面,裝設門鎖連門柄、門電磁離合器、氣鼓、防盜眼及門頂: Violet Avenue:3 號別墅 |
| | 下列別墅為實心木門配以複合木皮、膠板及不銹鋼飾面,裝設門鎖連門柄、門電磁離合器、氣鼓、防盜眼及門頂: Violet Avenue: 5號別墅 |
| | 車庫入口大門(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 外:實心木門配以複合木皮、鏡及鋁蓋板飾面,裝設門鎖連門柄、門電磁離合器、氣鼓及門頂。 內:實心木門配以複合木皮及不銹鋼飾面,裝設門柄、氣鼓及門頂。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之車庫入口大門:外:實心木門配以複合木皮、鏡及鋁蓋板飾面,裝設門鎖連門柄、門電磁離合器、氣鼓及門頂。內:下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設門柄、氣鼓及門頂:Violet Avenue:3 號別墅 |
| | 下列別墅為實心木門配以複合木皮及不銹鋼飾面,裝設門柄、氣鼓及門頂: Violet Avenue:5 號別墅 |

FITTINGS, FINISHES AND APPLIANCES 装置、装修物料及設備

3. 室內裝置

| (a) 門 | 主人睡房、少主人睡房、套房及睡房(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 實心木門配以複合木皮及不銹鋼飾面,裝設門鎖連門柄及門頂。 |
|-------|---|
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之主人睡房及套房: 下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設門鎖連門柄及門頂: Violet Avenue:3 號別墅 |
| | 下列別墅為實心木門配以複合木皮及不銹鋼飾面,裝設門鎖連門柄及門頂: Violet Avenue:5 號別墅 |
| | 廚房(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 實心木門配以複合木皮及不銹鋼飾面,裝設防火玻璃視窗、門柄、氣鼓及門頂。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之廚房: 下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設防火玻璃視窗、門柄、氣鼓及及門頂: Violet Avenue:3 號別墅 |
| | 下列別墅為實心木門配以複合木皮及不銹鋼飾面,裝設防火玻璃視窗、門柄、氣鼓及門頂: Violet Avenue:5 號別墅 |
| | 主人浴室及少主人浴室(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 不銹鋼框玻璃門裝設門鎖。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之主人浴室: 下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設門鎖: Violet Avenue:3 號別墅 |
| | 下列別墅為不銹鋼框玻璃門裝設門鎖: Violet Avenue:5 號別墅 |
| | 套房浴室及浴室(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 實心木門配以複合木皮及不銹鋼飾面,裝設木百葉、門鎖連門柄及門頂。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之套房浴室: 下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設木百葉、門鎖連門柄及門頂: Violet Avenue:3 號別墅 |
| | 下列別墅為實心木門配以複合木皮及不銹鋼飾面,裝設木百葉、門鎖連門柄及氣鼓: Violet Avenue:5 號別墅 |
| | 客廳洗手間(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅):除了下列洋房款式外,實心木門配以複合木皮及不銹鋼飾面,裝設木百葉、門鎖連門柄及門頂。 |
| | 類型 B1、B2、B2-1、B2a、B2a-1 洋房的客廳洗手間裝設實心木門配以複合木皮及不銹鋼飾面,裝設木百葉及門鎖。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之客廳洗手間: 下列別墅為實心木門配以複合木皮、不銹鋼及人造皮革飾面,裝設木百葉、門鎖連門柄及門頂: Violet Avenue: 3 號別墅 |
| | 下列別墅為實心木門配以複合木皮及不銹鋼飾面,裝設木百葉、門鎖連門柄及氣鼓: Violet Avenue:5 號別墅 |
| | 工作間(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 除了下列洋房款式外,實心木門配以複合木皮、鏡及不銹鋼飾面,裝設門鎖連門柄、氣鼓及門頂。 |
| | 類型 B1、B2、B2-1、B2a、B2a-1 洋房的的工作間裝設實心木門配以複合木皮飾面,裝設門鎖連門柄、氣鼓及門 頂。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之工作間: 實心木門配以複合木皮、鏡及不銹鋼飾面,裝設門鎖連門柄、氣鼓及門頂。 |
| | 洗手間(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 粉末塗料鋁框強化玻璃門。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之洗手間: 粉末塗料鋁框強化玻璃門。 |

3. 室內裝置

| 細項 | |
|--------|---|
| (a) 門 | 露台及平台(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之露台: 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄。 |
| | 天台(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄、門電磁離合器及氣鼓。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之天台: 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄、門電磁離合器及氣鼓。 |
| | 花園(除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅): 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄及門電磁離合器。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅之花園: 氟化碳噴塗鋁框玻璃門,裝設門鎖連門柄及門電磁離合器。 |
| | 前花園 (由廚房進出): 下列洋房通往前花園的門裝設氟化碳噴塗鋁框玻璃,裝設門鎖連門柄、門電磁離合器及氣鼓: - Camellia Avenue: 1 號洋房 - Lily Avenue: 11 號洋房 - Jasmine Avenue: 1 號洋房 - Violet Avenue: 1 號 及 10 號洋房 |
| (b) 浴室 | 除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅,木製鏡櫃配以鏡、不銹鋼、木皮及膠板飾面。 |
| | 木製洗手盆櫃配以玻璃、不銹鋼、木皮及膠板飾面。天然石材檯面。 |
| | 陶瓷坐廁。 |
| | 陶瓷洗手盆配鍍鉻洗手盆龍頭。 |
| | 主人浴室、少主人浴室、套房浴室及浴室淋浴間: 鍍鉻淋浴套裝及天花淋浴花灑。 |
| | 主人浴室內浴缸: 除了下列洋房款式外,裝設 1676 毫米(長) x 914 毫米(闊) x 610 毫米(高)搪瓷鑄鐵浴缸配鍍鉻龍頭及淋浴套裝。 |
| | 類型 C 洋房裝設 1900 毫米(長) x 950 毫米(闊) x 830 毫米(高)複合石浴缸配鍍鉻龍頭及淋浴套裝。 |
| | 少主人浴室內浴缸: 除了下列洋房款式外,裝設 1500 毫米(長) x 750 毫米(闊) x 466 毫米(高)搪瓷鑄鐵浴缸配鍍鉻龍頭及淋浴套裝。 |
| | 類型 C 洋房裝設 1700 毫米(長) x 750 毫米(闊) x 470 毫米(高)搪瓷鑄鐵浴缸配鍍鉻龍頭及淋浴套裝。 |
| | 主人浴室及少主人浴室內其他配置: 裝設鍍鉻廁紙架、光面不銹鋼毛巾棍及鍍鉻發光鏡。 |
| | 套房浴室及浴室內其他配置: 裝設鍍鉻廁紙架及光面不銹鋼毛巾棍。 |
| | 冷熱供水系統均採用附有隔熱層之銅喉。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅: 木製鏡櫃配以鏡、不銹鋼、木皮及膠板飾面。 |
| | 木製洗手盆櫃配以玻璃、不銹鋼、木皮及膠板飾面。天然石材檯面。 |
| | 陶瓷坐廁。 |
| | 陶瓷洗手盆配鍍鉻洗手盆龍頭。 |
| | 主人浴室及套房浴室淋浴間: 鍍鉻淋浴套裝及天花淋浴花灑。 |
| | 主人浴室內浴缸: 裝設 1676 毫米(長) x 914 毫米(闊) x 610 毫米(高)搪瓷鑄鐵浴缸配鍍鉻龍頭及淋浴套裝。 |
| | 主人浴室內其他配置: 裝設鍍鉻廁紙架、光面不銹鋼毛巾棍及鍍鉻發光鏡。 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

3. 室內裝置

| 細項 | 描述 |
|------------|--|
| (b) 浴室 | 套房浴室內其他配置: |
| | 裝設鍍鉻廁紙架及光面不銹鋼毛巾棍。 |
| | 冷熱供水系統均採用附有隔熱層之銅喉。 |
| (c) 廚房 | 除了 Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅, 不銹鋼洗滌盆配鍍鉻龍頭。 |
| | 木製廚櫃組合配鋁及高光漆飾面門板。 |
| | 冷熱供水系統均採用附有隔熱層之銅喉。 |
| | Violet Avenue 3 號別墅及 Violet Avenue 5 號別墅: 不銹鋼洗滌盆配鍍鉻龍頭。 |
| | 木製廚櫃組合配鋁及高光漆飾面門板。 |
| | 冷熱供水系統均採用附有隔熱層之銅喉。 |
| (d) 睡房 | 下列別墅的主人睡房設有嵌入式木製衣櫃配以木皮及不銹鋼飾面;套房2設有嵌入式木製衣櫃配以木皮、不銹鋼、玻璃及人造皮革飾面;套房3設有嵌入式木製衣櫃配以木皮、不銹鋼及玻璃飾面: |
| | 则、 |
| | 了型型聚化之上或后刀在后。如在出上出土地下型以上也,了还烟刀和这处下 |
| | 下列別墅的主人睡房及套房 2 設有嵌入式木製衣櫃配以木皮、不銹鋼及玻璃飾面: Violet Avenue: 5 號別墅 |
| (e) 電話 | 所有客廳及飯廳、家庭廳、主人睡房、少主人睡房、套房及睡房均裝有電話插座。 |
| | 有關接駁點之位置及數目,請參閱"期數的住宅物業的機電裝置數量說明表"。 |
| (f) 天線 | 所有客廳及飯廳、廚房、家庭廳、主人睡房、少主人睡房、套房、睡房及工作間均裝有電視/電台天線插座以供 |
| | 接收本地電視及電台節目。 |
| | 有關接駁點之位置及數目,請參閱"期數的住宅物業的機電裝置數量說明表"。 |
| (g) 電力裝置 | 提供三相電力供電並備有微型斷路器配電箱。 |
| | 照明及供電點之導管有部分隱藏,有部分外露。* |
| | 有關接駁點之位置及數目,請參閱"期數的住宅物業的機電裝置數量說明表"。 |
| (h) 氣體供應 | 廚房及天台均裝有煤氣喉駁煤氣煮食爐及煤氣熱水爐。 |
| | 有關接駁點之位置,請參閱"期數的住宅物業的機電裝置數量說明表"。 |
| (i) 洗衣機接駁點 | 洗衣機配備來水及去水接駁點。 |
| | 右關按駁點之位置, |
| (j) 供水 | 有關接駁點之位置,請參閱"期數的住宅物業的機電裝置數量說明表"。 冷熱水供應系統採用銅喉管有部分隱藏,有部分外露。* |
| , , , | |
| 借註· | 有熱水供應。 |

備註:

^{*} 除部分隱藏於混凝土內之導管及水管外,其他部分的導管及水管均為外露,外露的導管及水管可能被假天花、假陣、貯存櫃、面板、非混凝土間隔牆、指定之管道槽位或其他物料遮蓋或暗藏。

4. 雜項

| 細項 | 描述 | | | | | |
|------------------|--|--|--|--|--|--|
| (a) 升降機 | 洋房升降機: | | | | | |
| | - 1部"迅達"升降機(產品型號:5500MRL) 穿梭類型C洋房之高層地庫、高層地下、1樓及2樓。 | | | | | |
| | 穿梭升降機: | | | | | |
| | - 1部"迅達"升降機(產品型號:5500MRL) 穿梭高層地庫及高層地下。 | | | | | |
| (b) 信箱 | 不銹鋼信箱。 | | | | | |
| (c) 垃圾收集 | 垃圾會由清潔工人於各洋房及別墅收集至高層地庫之物料回收房中央處理,由垃圾車運走。 | | | | | |
| 高層地庫設有 3 間物料回收房。 | | | | | | |
| (d) 水錶、電錶及氣體錶 | 獨立水錶設於高層地庫之公共水錶房。 | | | | | |
| | 獨立電錶設於每戶洋房及別墅位於高層地庫的電錶箱。 | | | | | |
| | 獨立煤氣錶設於每戶洋房及別墅位於高層地下的廚房。 | | | | | |

5. 保安設施

| 細項 | 描述 |
|---------|--|
| 保安系統及設備 | 期數北面及西北面的邊界圍牆設有防盜電網。 |
| | 期數北面及西北面的邊界圍牆、停車場、穿梭升降機內及公用地方均設有閉路電視連接保安系統。 |
| | 期數西北面的邊界圍牆設有熱像攝像機。期數北面及西北面的邊界圍牆設有泛光燈。 |
| | 每間洋房及別墅位於高層地下的主要入口大門內門、位於高層地庫的車庫入口大門外門、通往花園的玻璃門、通往天台的玻璃門、通往前花園的玻璃門(如有)設有門電磁離合器。 |
| | 每間洋房及別墅設有門口視像對講機。 |
| | 下列洋房設有訪客對講機: - Camellia Avenue: 1 號洋房 - Lily Avenue: 11 號洋房 - Jasmine Avenue: 1 號洋房 - Violet Avenue: 1 號及 10 號洋房 |
| | 發展項目入口及會所範圍設有智能卡保安系統。 |

6. 設備

| 細項 | 描述 |
|----|-------------------------|
| 設備 | 有關品牌名稱及產品型號,請參閱"設備說明表"。 |

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Appliances Schedule - Kitchen 設備説明表 - 廚房

| Appliances | Brand 品牌名稱 | Model No. 型號 | House & Villa Type 洋房及別墅類型 | | | | | |
|----------------------|-----------------|-----------------|----------------------------|----|-----------|-------------|---|--|
| 設備 | | | Α | B1 | B2 & B2-1 | B2a & B2a-1 | С | |
| Induction Hob 電磁爐 | Gaggenau | VI230 134 | 1 | 1 | 1 | 1 | 1 | |
| Coo Hob 附氨老合帽 | Gaggenau | VG231 334HK | 1 | 1 | 1 | 1 | 1 | |
| Gas Hob 煤氣煮食爐 | Gaggeriau | VG232 334SG | 1 | 1 | 1 | 1 | 1 | |
| Cooker Hood 抽油煙機 | Gaggenau | AW230 120 | 1 | 1 | 1 | 1 | 1 | |
| Washing Machine 洗衣機 | Siemens 西門子 | WM10E262HK | 1 | 1 | 1 | 1 | 1 | |
| Dryer 乾衣機 | Siemens 西門子 | WT46G400HK | 1 | 1 | 1 | 1 | 1 | |
| Refrigerator 雪櫃 | Siemens 西門子 | KI86NAF31K | 2 | 2 | 2 | 2 | 2 | |
| Wine Cellar 酒櫃 | Gaggenau | RW404 261 | 1 | 1 | 1 | 1 | 1 | |
| Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | 1 | 1 | 1 | 1 | 1 | |
| Microwave Oven 微波爐 | Gaggenau | BMP224 110^ | 1 | 1 | 1 | 1 | 1 | |
| Combi Steam Oven 蒸焗爐 | Gaggenau | BSP250 110~ | 1 | 1 | 1 | 1 | 1 | |

Note:

- The symbol"-"as shown in the above table denotes "Not provided". 1.
- The symbol "/" as shown in the above table denotes "Not applicable". 2.
- ^ The vendor may substitute it with the same model with left-hinge (model no. BMP225 110) 3. ^賣方可能以品質相若的對等左鉸型號(型 3. which is of comparable quality.
- ~ The vendor may substitute it with the same model with left-hinge (model no. BSP251 110) 4. ~賣方可能以品質相若的對等左鉸型號(型 which is of comparable quality.

備註:

- 1. 上表"-"代表不提供。
- 2. 上表"/"代表不適用。
- 號:BMP225 110)代替。
- 號:BSP251 110)代替。

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Appliances Schedule - Bathroom 設備説明表 - 浴室

| Floor | Location | Appliance | Brand Name | Model No. | House & Villa Type 洋房及別墅類型 | | | | |
|-------|---------------------------------|---|------------------|----------------|----------------------------|----|--------------|----------------|---|
| 樓層 | 位置 | 設備 | 品牌名稱 | 型號 | Α | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| UG/F | Lavatory 洗手間 | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | 1 | 1 | 1 | 1 | 1 |
| 高層地下 | Powder Room 客廳洗手間 | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | 1 | 1 | 1 | 1 | 1 |
| | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-05NU1H | 1 | | | | |
| | Master Bathroom | Thermo-electric Refrigerator 電子製冷雪櫃 | Cristal 尼斯 | CB17T | 1 | | | | |
| | 主人浴室 | Fog Free Mirror Heater Mat 防霧鏡子發熱墊 | HW LEE | HW-HM0-1 | 1 | | | | |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | 1 | | | | |
| | | Dehumidifier 抽濕機 | Cold Magic 高美 | CDH-22R2B | 1 | | | | |
| | Ensuite 2 Bathroom 套房浴室2 | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | 1 | | | | |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | 1 | | | | |
| | | Dehumidifier 抽濕機 | Cold Magic 高美 | CDH-22R2B | 1 | | | | |
| | Ensuite 3 Bathroom 套房浴室3 | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | 1 | | | | |
| 1/F | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | 1 | | | | |
| 1樓 | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-05NU1H | | 1 | 1 | 1 | 1 |
| | Junior Master Bathroom 少主人浴室 | Thermo-electric Refrigerator 電子製冷雪櫃 | Cristal 尼斯 | CB17T | | 1 | 1 | 1 | 1 |
| | | Fog Free Mirror Heater Mat 防霧鏡子發熱墊 | HW LEE | HW-HM0-1 | | 1 | 1 | 1 | 1 |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | | 1 | 1 | 1 | 1 |
| | Bathroom 浴室 | Dehumidifier 抽濕機 | Cold Magic 高美 | CDH-22R2B | | 1 | 1 | 1 | 1 |
| | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | | 1 | 1 | 1 | 1 |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | | 1 | 1 | 1 | 1 |
| | Ensuite 4 Bathroom 套房浴室4 | Dehumidifier 抽濕機 | Cold Magic 高美 | CDH-22R2B | | | | | 1 |
| | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | | | | | 1 |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | | | | | 1 |
| | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-05NU1H | | 1 | 1 | 1 | 1 |
| | Master Bathroom 主人浴室 | Thermo-electric Refrigerator 電子製冷雪櫃 | Cristal 尼斯 | CB17T | | 1 | 1 | 1 | 1 |
| 2/F | | Fog Free Mirror Heater Mat 防霧鏡子發熱墊 | HW LEE | HW-HM0-1 | | 1 | 1 | 1 | 1 |
| 2樓 | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | | 1 | 1 | 1 | 1 |
| | Ensuite 3 Bathroom 套房浴室3 | Dehumidifier 抽濕機 | Cold Magic 高美 | CDH-22R2B | | | | 1 | 1 |
| | | Exhaust Fan 抽氣扇 | Panasonic 樂聲 | FV-04NU1H | | | | 1 | 1 |
| | | Speaker 喇叭 | Bowers & Wilkins | CCM362 | | | | 1 | 1 |
| | | | | <i>,</i> /#≐÷. | | | | | |

Note:

備註:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 1. 上表符號"-"表示不提供。
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 2. 上表符號"/"表示不適用。

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed. 賣方承諾如期數中沒有安裝指名的品牌名稱或產品型號的升降機或設備, 便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Appliances Schedule - Air Conditioner 設備説明表 - 冷氣機

| Floor | Location | Appliance | Brand Name | Mode | el No. | | House & Vi | lla Type 洋房 | 及別墅類型 | |
|--------------|---------------------------------------|----------------|-----------------------------|---------------------|--------------------|---|------------|--------------|----------------|---|
| 樓層 | 位置 | 設備 | 品牌名稱 | | 號 | А | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | Living Room & Dining Room 客廳及飯廳 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PEFY- P63VMS1-E | 3 | 3 | 3 | 3 | 3 |
| UG/F 高層地下 | Kitchen 廚房 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PEFY- P32VMS1-E | 1 | 1 | 1 | 1 | 1 |
| | Utility Room 工作間 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P25VBM-E | 1 | 1 | 1 | 1 | 1 |
| | Master Bedroom 主人睡房 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PEFY- P40VMS1-E | 2 | | | | |
| | Corridor 走廊 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PEFY- P32VMS1-E | 1 | | | | |
| | Ensuite 2 套房2 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P50VHM-E | 1 | | | | |
| | Ensuite 3 套房3 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P32VHM-E | 1 | | | | |
| | Ensuite 4 套房4 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P63VKM-E | | | | | 1 |
| 1/F 1樓 | Junior Master Bedroom | VRF | Mitsubishi Electric | Indoor Unit 室內機 | PEFY- P40VMS1-E | | 2 | - | 2 | - |
| | 少主人睡房 | 多聯式變頻空調 | 三菱電機 | Indoor Unit 室內機 | PEFY- P50VMS1-E | | - | 2 | - | 2 |
| | Family Room | VRF | Mitsubishi Electric | Indoor Unit 室內機 | PEFY- P50VMS1-E | | 1 | - | - | - |
| | 家庭廳 | 多聯式變頻空調 | 三菱電機 | Indoor Unit 室內機 | PEFY- P63VMS1-E | | - | 1 | 1 | 1 |
| | Bedroom 3 | VRF | Mitsubishi Electric | Indoor Unit 室內機 | PKFY- P40VHM-E | | 1 | - | | |
| | 睡房3 | 多聯式變頻空調 | 三菱電機 | Indoor Unit 室內機 | PKFY- P50VHM-E | | 1 | 1 | | |
| | Bedroom 4 睡房4 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P50VHM-E | | | | 1 | |
| | | | | Indoor Unit 室內機 | PEFY- P40VMS1-E | | 1 | - | - | - |
| | Master Bedroom | VRF | Mitsubishi Electric | Indoor Unit 室內機 | PEFY- P50VMS1-E | | 1 | 1 | 1 | - |
| | 主人睡房 | 多聯式變頻空調 | 三菱電機 | Indoor Unit 室內機 | PEFY- P63VMS1-E | | - | 1 | 1 | 1 |
| 2/F 2樓 | | | | Indoor Unit 室內機 | PEFY- P71VMA-E | | - | - | - | 1 |
| | Corridor 走廊 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PEFY- P32VMS1-E | | 1 | 1 | 1 | 1 |
| | Ensuite 3 | VRF | Mitsubishi Electric | Indoor Unit 室內機 | PKFY- P50VHM-E | | | | 1 | - |
| | 套房3 | 多聯式變頻空調 | 三菱電機 | Indoor Unit 室內機 | PKFY- P63VKM-E | | | | - | 1 |
| | Part of roof for air | | | | PUHY- P450YHA | - | - | 2 | 2 | 2 |
| R/F | conditioner 部分天台位置為冷 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Outdoor Unit 室外機 | PUHY- P350YHA | - | 2 | - | - | - |
| 天台 | 氣機位 | | | | PUHY- P300YHA | 2 | - | - | - | - |
| | Staircase 樓梯 | VRF 多聯式變頻空調 | Mitsubishi Electric 三菱電機 | Indoor Unit 室內機 | PKFY- P25VBM-E | 1 | 1 | 1 | 1 | 1 |

Note:

1. The symbol "-" as shown in the above table denotes "Not Provided".

2. The symbol "/" as shown in the above table denotes "Not Applicable".

備註:

- 1. 上表符號"-"表示不提供。
- 2. 上表符號"/"表示不適用。

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

Appliances Schedule - Water Heater 設備説明表 - 熱水爐

| Floor | Location | Appliance | Brand Name | Model No. | | | ouse & Villa Ty 羊房及別墅類型 | | |
|--------------|---------------------------------|------------------|------------|-------------|------------|------------|----------------------------|----------------|------------|
| 樓層 | 位置 | 設備 | 品牌名稱 | 型號 | А | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | Kitchen 廚房 | | | | ✓* | √ * | √ * | ✓* | ✓* |
| UG/F 高層地下 | Lavatory 洗手間 | | | | √ * | √ * | √ * | √ * | √ * |
| | Powder Room 客廳洗手間 | | | | ✓* | ✓ * | √ * | ✓* | ✓* |
| | Master Bathroom 主人浴室 | | | | / | | | | |
| | Ensuite 2 Bathroom 套房浴室2 | | | | √ * | | | | |
| 1/F | Ensuite 3 Bathroom 套房浴室3 | Gas Water Heater | TGC 煤氣公司 | TNJW221TFQL | / | | | | |
| 1樓 | Junior Master Bathroom 少主人浴室 | 煤氣熱水爐 | | | | 1 | 1 | > | ✓ |
| | Bathroom 浴室 | | | | | ✓* | ✓ * | / * | \ |
| | Ensuite 4 Bathroom 套房浴室4 | | | | | | | | ✓* |
| 2/F | Master Bathroom 主人浴室 | | | | | 1 | √ | > | √ |
| 2樓 | Ensuite 3 Bathroom 套房浴室3 | | | | | | | ✓* | √ |

Note:

1. * Shared Gas Water Heater.

2. All Gas Water Heaters are installed on roof.

備註:

1. * 共用煤氣熱水爐。

2. 所有熱水爐裝於天台。

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Но | use & Villa | a Type 洋原 | 房 及別墅類 | 型 |
|--------------|----------------------|---|------------------|----------------|--------------------|--------------|----------------|----|
| 樓層 | 位置 | 外露形 | 非外露形 | A [€] | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | Lobby | Equipment Switch 設備開關 | | 1 | 1 | 1~ | 1~~ | 1 |
| | 大堂 | Single Socket Outlet 單位電插座 | | 1 | 1 | 1 | 1 | 1 |
| UB/F | | Single Socket Outlet 單位電插座 | | 2 | 2 | 2 | 2 | 2 |
| 高層地庫 | Carport | Equipment Switch 設備開關 | | 1 | 1 | 1~ | 1~~ | 1 |
| | 車庫 | Door Bell Push Button 門鐘襟手掣 | | 1 | 1 | 1 | 1 | 1 |
| | - | Motion Sensor 移動傳感器 | | 1 | 1 | 1 | 1 | 1 |
| | Garden | Waterproof Socket Outlet 防水電插座 | | 2 | 2 [@] | 2 | 2# | 2 |
| | 花園 | USB outlet USB插座 | | 1 | 1 | 1 | 1 | 1 |
| | Front - | Door Bell Push Button 門鐘襟手掣 | | 1 | 1 | 1 | 1! | - |
| | Garden 前花園 | Motion Sensor 移動傳感器 | | 1 | 1 | 1 | 1 | 1 |
| | 別化图 | Visitor Intercom Panel 訪客對講機 | | - | - | - | _! | 1 |
| UG/F 高層地下 | | Equipment Switch 設備開關 | | 16 | 15 | 15 | 15 | 16 |
| | | Single Socket Outlet 單位電插座 | | 6 | 7 | 7 | 7 | 5 |
| | Living Room & Dining | Twin Socket Outlet 雙位電插座 | | 3 | 3 | 3 | 3 | 2 |
| | Room 客廳及飯廳 | Telephone Outlet 電話插座 | | 3 | 3 | 3 | 3 | 2 |
| | | TV / FM Outlet 電視 / 收音機天線插座 | | 3 | 3 | 3 | 3 | 2 |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 3^ | 3 ^{&} | 3* | 3\$ | 5 |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "^" as shown in the above table denotes "5 nos. of fused spur unit for electric curtain are provided for Villa 12 Lily Avenue, House 11 Jasmine Avenue Villa 1 Violet Avenue,
 - and Villa 1 Jasmine Avenue".
- 4. The symbol "@" as shown in the above table denotes "3 nos. of waterproof socket outlets are provided for Camellia Avenue House 2-3 & 5-6".5. The symbol "s:" as shown in the above table denotes.
- 5. The symbol "~" as shown in the above table denotes "2 nos. of equipment switch are provided in UB/F lobby and no equipment switch is provided in UB/F carport for House 2 & 3 Plumeria Avenue".
- The symbol "&" as shown in the above table denotes
 nos. of fused spur unit for electric curtain are provided for House 3 Lily Avenue".
- 7. The symbol "~~" as shown in the above table denotes "2 nos. of equipment switch are provided in UB/F lobby and no equipment switch is provided in UB/F carport for House 1 & 5 Plumeria Avenue".
- The symbol "*" as shown in the above table denotes
 nos. of fused spur unit for electric curtain are provided for House 2 Lily Avenue".
- 9. The symbol "#" as shown in the above table denotes"3 nos. of waterproof socket outlets are provided for Camellia Avenue House 1".
- 10. The symbol "!" as shown in the above table denotes"1 no. of visitor intercom panel are provided for House 1 Camellia Avenue", &"No door bell push botton are provided for House 1 Camellia Avenue".
- 11. The symbol "\$" as shown in the above table denotes"5 nos. of fused spur unit for electric curtain are provided for House 1 Lily Avenue, House 1 & 9 Camellia Avenue".
- 12. The symbol "€" as shown in the above table denotes "Mechanical and electrical provision of Villa 3 Violet Avenue and Villa 5 Violet Avenue will show separately".

備註

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"^"表示

"Lily Avenue 12號別墅, Jasmine Avenue 11號洋房, Violet Avenue 1號別墅及Jasmine Avenue 1號別墅設有5個菲士座供電窗簾"。

- 4. 上表符號"@"表示
- "Camellia Avenue 2 3 及 5 6 號 洋房設有3個防水電插座"。
- 5. 上表符號"~"表示
- "Plumeria Avenue 2及3號 洋房的高層地庫大堂設有2個設備開關及車庫不設有設備開關"。
- 6. 上表符號"&"表示
 "Lily Avenue 3號洋房
 設有5個菲士座供電窗簾"。
- 7. 上表符號"~~"表示
 "Plumeria Avenue 1及5號
 洋房的高層地庫大堂設有2個設備開關及車庫不設有設備開關"。
- 8. 上表符號"*"表示 "Lily Avenue 2號洋房 設有5個菲士座供電窗簾"。
- 9. 上表符號"#"表示 "Camellia Avenue 1號洋房 設有3個防水電插座"。
- 10. 上表符號"!"表示
 "Camellia Avenue 1號洋房
 設有1個訪客對講機", 及
 "Camellia Avenue 1號洋房
- 不設有門鐘襟手掣"。
- 11. 上表符號"\$"表示
 "Lily Avenue 1號洋房, Camellia Avenue
 1 號及9號洋房設有5個菲士座供電窗簾"。
- 12. 上表符號"€"表示
 "Violet Avenue 3號別墅及5號別墅的
 機電裝置將單獨列明"。

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | | | | _旁 及別墅類 | |
|-------|-------------------------|--|---|----------------|----------|----------------|-------------------|--------|
| 樓層 | 位置 | 外露形 | 非外露形 | A [€] | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | Living Room & Dining | Access Point 存取點 | | 1 | 1 | 1 | 1 | 1 |
| | Room 客廳及飯廳 | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | 3 | 3 | 3 | 3 | 3 |
| | Staircase 樓梯 | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | 1 3 N 1 | - | - | - | - | 1 |
| | (A), (A) | Equipment Switch 設備開關 | | 1 | 2 | 2 | 2 | 2 |
| | | | Equipment Switch 設備開關 | 2 | 2 | 2 | 2 | 2 |
| | | Twin Socket Outlet 雙位電插座 Twin Socket Outlet with two USB outlet | | 1 | 2 | 2 | 2 | 3 |
| | | 雙位電插座及雙位USB插座 | | 2 | 1 | 1 | 1 | 1 |
| | | Single Socket Outlet 單位電插座 Single Socket Outlet with single USB outlet | | - | 1 | - | - | - |
| | | 單位電插座及單位USB插座 Video Doorphone | | - | 1 | 1 | 1 | 1 |
| | | 視像對講機 Door Bell | | 1 | 1 | 1 | 1 | 1 |
| | | 門鈴 Fused spur unit for Electric Curtain | | 1 | 1 | 1 | 1 | 1 |
| | | 菲士座供電窗簾 TV / FM Outlet | | 2! | 1 | 2 [@] | 2# | 2 |
| | | 電視 / 收音機天線插座 | Water Point and Drainge Point for Washing | - | 1 | 1 | 1 | 1 |
| | Kitchen | | Machine and Dryer 洗衣機及乾衣機來去水接駁點 | 1 | 1 | 1 | 1 | 1 |
| | 廚房 | | Single socket outlet for Refrigerator 單位電插座供雪櫃 | 2 | 2 | 2 | 2 | 2 |
| | | | Single socket outlet for Washing Machine 單位電插座供洗衣機 | 1 | 1 | 1 | 1 | 1 |
| | | | Single socket outlet for Dryer 單位電插座供乾衣機 | 1 | 1 | 1 | 1 | 1 |
| UG/F | | | Single socket outlet for Wine Cellar 單位電插座供酒櫃 | 1 | 1 | 1 | 1 | 1 |
| 高層地下 | | | Power connection unit for Induction Hob 接線座供電磁爐 Power connection unit for Combi Steam Oven | 1 | 1 | 1 | 1 | 1 |
| | | | 接線座供蒸焗爐 Single socket outlet for Microwave Oven | 1 | 1 | 1 | 1 | 1 |
| | | | 單位電插座供微波爐 Towngas Connection Point | 1 | 1 | 1 | 1 | 1 |
| | | | 煤氣接駁點 Single socket outlet for Cooker Hood | 1 | 1 | 1 | 1 | 1 |
| | | | 單位電插座供抽油煙機 Fused Spur Unit for Gas Hob | 1 | 1 | 1 | 1 | 1 |
| | | | 非士座供煤氣煮食爐 Connection Point for Air Conditioner Indoor Unit | 2 | 2 | 2 | 2 | 2 |
| | | | 室內空調接駁點 Fused Spur Unit for Exhaust Fan | 1 | 1 | 1 | 1 | 1 |
| | Lavatory | | 菲士座供抽氣扇 Fused Spur Unit for Exhuast Fan | 1 | 1 | 1 | 1 | 1 |
| | 洗手間 | Equipment Switch | - 菲士座供抽氣扇 | 1 | 1 | 1 | 1 | 1 |
| | | 設備開關 Twin Socket Outlet | | 5 1 | 1 | 1 | 1 | 5 1 |
| | | 雙位電插座 Connection Point for Air Conditioner Indoor Unit | | 1 | 1 | 1 | 1 | 1 |
| | | 室內空調接駁點 TV / FM Outlet | | 1 | 1 | 1 | 1 | 1 |
| | Utility Room 工作間 | 電視 / 收音機天線插座 Distribution Board | | 1 | 1 | 1 | 1 | 1 |
| | | 配電箱 | Single socket outlet for Cabling Switch | 1 | 1 | 1 | 1 | 1 |
| | | Fused Spur Unit for Control Equipment | 單位電插座供佈線開關 | 1 | - | - | - | - |
| | | 菲士座供控制器材 | Fused Spur Unit for Control Equipment | 2 | 3 | 3 | 3 | 3 |
| | Powder | | 菲士座供控制器材 Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 | 1 | 1 | 1 |
| | Room 客廳洗手間 | Single Socket Outlet 單位電插座 | 手工 <u>坐</u> 供拙采扇 | 1 | 1 | 1 | 1 | 1 |
| Noto: | 1 | 年心 电抽准 | L | | <u>I</u> | I | | |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "€" as shown in the above table denotes "Mechanical and electrical provision of Villa 3 Violet Avenue and Villa 5 Violet Avenue will show separately".
- 4. The symbol "!" as shown in the above table denotes"1 no. of fused spur unit for electric curtain is provided for Villa 9 12 Jasmine Avenue and Villa 1 2 Violet Avenue".
- 5. The symbol "@" as shown in the above table denotes"1 no. of fused spur unit for electric curtain is provided for House 2 and House 3 Plumeria Avenue".
- 6. The symbol "#" as shown in the above table denotes"1 no. of fused spur unit for electric curtain is provided for House 1 and House 5 Plumeria Avenue".

備註:

- 1. 上表符號"**-**"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"€"表示

"Violet Avenue 3號別墅及5號別墅的 機電裝置將單獨列明"。

- 4. 上表符號"!"表示"Jasmine Avenue 9-12號別墅及Violet Avenue 1-2 號別墅設有1個菲士座供電窗簾"。
- 5. 上表符號"@"表示"Plumeria Avenue 2號別墅及3號別墅
- 6. 上表符號"#"表示"Plumeria Avenue 1號別墅及5號別墅 設有1個菲士座供電窗簾"。

設有1個菲士座供電窗簾"。

FITTINGS, FINISHES AND APPLIANCES 装置、装修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Но | ouse & Villa | a Type 洋原 | 旁及別墅 類 | [型 |
|-------|-------------------|---|---|----------------|--------------|--------------|----------------|----|
| 樓層 | 位置 | 外露形 | 非外露形 | A [€] | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | | Equipment Switch | | _ | | Q D2-1 | d bza-i | |
| | | 設備開關 | | 6 | | | | |
| | | Twin Socket Outlet 雙位電插座 | | 2 | | | | |
| | | Single Socket Outlet | | 3 | | | | |
| | | 單位電插座 Telephone Outlet | | 3 | | | | |
| | Master Bedroom | 電話插座 | | 2 | | | | |
| | 主人睡房 | TV / FM Outlet | | 2 | | | | |
| | | 電視 / 收音機天線插座 Access Point | | | | | | |
| | | 存取點 | Compatible Deigh for Air Condition or lade or Heit | 1 | | | | |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | 2 | | | | |
| | | Fused Spur Unit for Electric Curtain | エトュエルのスペイ | 3 | | | | |
| | | 菲士座供電窗簾 Single Socket Outlet | | - U | | | | |
| | | 單位電插座 | | 1 | | | | |
| | | Single Socket Outlet with single USB Oulet 單位電插座及單位USB插座 | | 1 | | | | |
| | Master | 中心电细座及单位USD加座 | Single Socket Outlet for Speaker | 4 | | | | |
| | Bathroom - | | 單位電插座供喇叭 | 1 | / | / | | |
| | 主人浴室 | | Socket Outlet for Thermo-electric Refrigerator 單位電插座供電子製冷雪櫃 | 1 | | | | |
| | | | Fused Spur Unit for Fog Free Mirror Heater Mat | 1 | | | | |
| | - | | 菲士座供防霧鏡子發熱墊 Fused Spur Unit for Exhaust Fan | · | | | | |
| | | | 菲士座供抽氣扇 | 1 | | | | |
| | | Equipment Switch 設備開關 | | 5 | | | | |
| | | Twin Socket Outlet | | 4 | | | | |
| | | 雙位電插座 Single Socket Outlet | | 1 | | | | |
| 1/F | | 單位電插座 | | 1 | | | | |
| 1樓 | Enquite 0 | Telephone Outlet | | 1 | | | | |
| | Ensuite 2 套房2 | 電話插座 TV / FM Outlet | | | | | | |
| | 2002 | 電視 / 收音機天線插座 | | 1 | | | | |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | | | | |
| | | Fused Spur Unit for Electric Curtain | | 2 | | | | |
| | - | 非士座供電窗簾 Access Point | | _ | | | | |
| | | 存取點 | | 1 | | | | |
| | | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | | | | |
| | Ensuite 2 | | 非工座 沃加莱 网 Fused Spur Unit for Dehumidifier | 1 | | | | |
| | Bathroom - | | 菲士座供抽濕機 Single Socket Outlet for Speaker | ' | / | | | |
| | 套房浴室2 | | 單位電插座供喇叭 | 1 | | | | |
| | | Single Socket Outlet with single USB Oulet | | 1 | | | | |
| | | 單位電插座及單位USB插座 Equipment Switch | | | | | | _ |
| | | · · · · · · · · · · · · · · · · · · · | | | 8 | 8 | 8 | 7 |
| | | Twin Socket Outlet 雙位電插座 | | | 1 | 1 | 1 | 1 |
| | | Single Socket Outlet | | | 4 | 4 | 4 | 3 |
| | | 單位電插座 Telephone Outlet | | /_ | | | | |
| | Family Room | 電話插座 | | | 1 | 1 | 1 | 1 |
| | 家庭廳 | TV / FM Outlet 電視 / 收音機天線插座 | | | 1 | 1 | 1 | 1 |
| | | 电倪/收音機大綠抽座 Access Point | | | | 4 | 4 | 4 |
| | | 存取點 | Connection Point for Air Conditionar Indeed Ind | /_, | 1 | 1 | 1 | 1 |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 | 1 | 1 |
| | | Fused Spur Unit for Electric Curtain | | | 1 | 1 | 1 | 1 |
| | | 菲士座供電窗簾 | | | <u>.</u> | <u> </u> | | |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "€" as shown in the above table denotes "Mechanical and electrical provision of Villa 3 Violet Avenue and Villa 5 Violet Avenue will show separately".

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"€"表示
- "Violet Avenue 3號別墅及5號別墅的 機電裝置將單獨列明"。

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Н | ouse & Villa | a Type 洋原 | 旁及別墅 類 | 型 |
|-----------|----------------------------|--|--|----|--------------|--------------|----------------|---|
| 樓層 | 位置 | 外露形 | 非外露形 | Α | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | Staircase 樓梯 | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | - | - | - | - | 1 |
| | 1安177 | Equipment Switch 設備開關 | | | 6 | 6 | 6 | 5 |
| | | Twin Socket Outlet | | | 2 | 2 | 2 | 2 |
| | | 雙位電插座 Single Socket Outlet | | | 4 | 3 | 3 | 4 |
| | Junior Master | 單位電插座 Telephone Outlet | | | 2 | 2 | 2 | 2 |
| | Bedroom | 電話插座 TV / FM Outlet | | | | | | |
| | 少主人睡房 | 電視 / 收音機天線插座 Access Point | | | 2 | 2 | 2 | 2 |
| | | 存取點 | Connection Point for Air Conditioner Indoor Unit | | 1 | 1 | 1 | 1 |
| | | Fused Spur Unit for Electric Curtain | 室內空調接駁點 | | 2 | 2 | 2 | 2 |
| | | · 菲士座供電窗簾 | | | 3 | 3 | 3* | 5 |
| | | Single Socket Outlet with single USB Oulet 單位電插座及單位USB插座 | | | 1 | 1 | 1 | 1 |
| | | Single Socket Outlet 單位電插座 | | | - | 1 | 1 | 1 |
| | | Fused spur unit for Electric Curtain 菲士座供電窗簾 | | | - | - | - | 1 |
| | Junior Master- Bathroom | 护工压队电 图麻 | Single Socket Outlet for Speaker 單位電插座供喇叭 | | 1 | 1 | 1 | 1 |
| | 少主人浴室 | | Socket Outlet for Thermo-electric Refrigerator | | 1 | 1 | 1 | 1 |
| | | | 單位電插座供電子製冷雪櫃 Fused Spur Unit for Fog Free Mirror Heater Mat | | 1 | 1 | 1 | 1 |
| | | | 菲士座供防霧鏡子發熱墊 Fused Spur Unit for Exhaust Fan | | 1 | 1 | 1 | 1 |
| | | Equipment Switch | 菲士座供抽氣扇 | | <u> </u> | | | |
| | | 設備開關 Twin Socket Outlet | | | 2 | 2 | | |
| 1/F 1樓 | | 雙位電插座 Single Socket Outlet | | | 1 | 1 | /_ | |
| 11安 | | 單位電插座 Telephone Outlet | | | 2 | 2 | /_ | |
| | Bedroom 3 | | | | 1 | 1 | | |
| | 睡房3 | TV / FM Outlet 電視 / 收音機天線插座 | | | 1 | 1 | | |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | | 1 | 1 | | |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | | 2 | 2 | | |
| | | Access Point 存取點 | | | 1 | 1 | | |
| | | Equipment Switch 設備開關 | | | | | 2 | |
| | | Twin Socket Outlet | | | | | 1 | |
| | | 雙位電插座 Single Socket Outlet | | | | | 2 | |
| | | 單位電插座 Telephone Outlet | | | | | 1 | |
| | Bedroom 4 睡房4 | 電話插座 TV / FM Outlet | | | | | | |
| | | 電視 / 收音機天線插座 Connection Point for Air Conditioner Indoor Unit | | | | | 1 | |
| | | 室內空調接駁點 Fused Spur Unit for Electric Curtain | | | /_ | /_ | 1 | |
| | | 非士座供電窗簾 Access Point | | /_ | //, | / | 2 | |
| | | 存取點 | | | | | 1 | |
| | | Single Socket Outlet with single USB Oulet 單位電插座及單位USB插座 | | | 1 | 1 | 1 | 1 |
| | Bathroom | | Single Socket Outlet for Speaker 單位電插座供喇叭 | | 1 | 1 | 1 | 1 |
| | 浴室 | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | | 1 | 1 | 1 | 1 |
| | | | Fused Spur Unit for Dehumidifier | | 1 | 1 | 1 | 1 |
| | | | 菲士座供除濕機 | | | ' | ' | |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "*" as shown in the above table denotes

"5 nos. of fused spur unit for electric curtain are provided for House 1 Camellia Avenue".

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"*"表示
- "Camellia Avenue 1號洋房, 設有5個菲士座供電窗簾"。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Н | ouse & Villa | a Type 洋原 | 長 別墅 | 型 |
|-------|-----------|--|---|----------------|--------------|-----------|---------------|-----|
| 樓層 | 位置 | 外露形 | 非外露形 | A [€] | B1 | B2 | B2a | С |
| | | | | | | & B2-1 | & B2a-1 | |
| | | Equipment Switch | | 5 | | | | |
| | | 設備開關 | | | / | | | |
| | | Twin Socket Outlet | | 1 | | | | |
| | | 雙位電插座 Single Socket Outlet | | | | | $\overline{}$ | |
| | | 單位電插座 | | 2 | | | | |
| | | Telephone Outlet | | | | | | |
| | Ensuite 3 | 電話插座 | | 1 | | | | |
| | 套房3 | TV / FM Outlet | | 1 | | | | |
| | | 電視 / 收音機天線插座 | | | / | | \angle | |
| | | Connection Point for Air Conditioner Indoor Unit | | 1 | | | | |
| | | 室內空調接駁點 Fused Spur Unit for Electric Curtain | | | | | - | |
| | | 菲士座供電窗簾 | | 1 | | | | |
| | | Access Point | | | | | | |
| | | 存取點 | | 1 | | | | |
| | | | Fused Spur Unit for Exhaust Fan | 1 | | | | |
| | | | 菲士座供抽氣扇 | | / | | \angle | |
| | Ensuite 3 | | Fused Spur Unit for Dehumidifier | 1 | | | | |
| | Bathroom | | 菲士座供抽濕機 Single Socket Outlet for Speaker | | | | $\overline{}$ | |
| | 套房浴室3 | | 單位電插座供喇叭 | 1 | | | | |
| | | Single Socket Outlet with single USB Oulet | 丰区电加庄 庆州九 | | | | | |
| | | 單位電插座及單位USB插座 | | 1 | | | | |
| | | Equipment Switch | | | | | | 5 |
| | | 設備開關 | | | | | \angle | , |
| 1/F | | Twin Socket Outlet | | | | | | 1 |
| 1/F | | 雙位電插座 Single Socket Outlet | | \leftarrow | | | - | |
| 一一接 | | 單位電插座 | | | | | | 2 |
| | | Telephone Outlet | | + | | | | |
| | Ensuite 4 | 電話插座 | | | | | | 1 |
| | 套房4 | TV / FM Outlet | | | | | | 1 |
| | | 電視 / 收音機天線插座 | | / | / | | | . ' |
| | | Connection Point for Air Conditioner Indoor Unit | | | | | | 1 |
| | | 室內空調接駁點 Fused spur unit for Electric Curtain | | \leftarrow | | | - | |
| | | 菲士座供電窗簾 | | | | | | 2 |
| | | Access Point | | + | | | | |
| | | 存取點 | | | | | | 1 |
| | | Single Socket Outlet with single USB Oulet | | | | | | 1 |
| | | 單位電插座及單位USB插座 | | | | | \angle | |
| | Ensuite 4 | | Single Socket Outlet for Speaker | | | | | 1 |
| | Bathroom | | 單位電插座供喇叭 Fused Spur Unit for Exhaust Fan | \leftarrow | | | - | |
| | 套房浴室4 | | 非士座供抽氣扇 | | | | | 1 |
| | | | Fused Spur Unit for Dehumidifier | | | | | |
| | | | · 菲士座供除濕機 | | | | | 1 |
| | | Equipment Switch | | 3 | | | | |
| | 0 | 設備開關 | | 3 | / | | | |
| | Corridor | Connection Point for Air Conditioner Indoor Unit | | 1 | | | | |
| | 走廊 | 室內空調接駁點 Single Socket Outlet | | | | | | |
| | | 單位電插座 | | 2 | | | | |
| | Flat Roof | 单位电描度 Waterproof Socket Outlet | | | | | | |
| | 平台 | 防水電插座 | | | - | | | |
| | | | | | - | re- | - | - |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "€" as shown in the above table denotes "Mechanical and electrical provision of Villa 3 Violet Avenue and Villa 5 Violet Avenue will show separately".

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"€"表示
- "Violet Avenue 3號別墅及5號別墅的 機電裝置將單獨列明"。

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Но | | | 房及別墅類 | 型 |
|-------|-------------------|---|---|----|----|--------------|----------------|---|
| 樓層 | 位置 | 外露形 | 非外露形 | Α | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | | Equipment Switch 設備開關 | | | 6 | 6 | 6 | 7 |
| | | Twin Socket Outlet 雙位電插座 | | | 2 | 2 | 2 | 2 |
| | | Single Socket Outlet 單位電插座 | | | 5 | 5 | 5 | 5 |
| | Master Bedroom | Telephone Outlet 電話插座 | | | 2 | 2 | 2 | 2 |
| | 主人睡房 | TV / FM Outlet 電視 / 收音機天線插座 | | | 2 | 2 | 2 | 2 |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 2 | 2 | 2 | 2 |
| | | Fused spur unit for Electric Curtain 菲士座供電窗簾 | | | 3 | 3 | 3 | 5 |
| | | Access Point 存取點 | | | 1 | 1 | 1 | 1 |
| | | Single Socket Outlet 單位電插座 | | | 1 | - | - | 1 |
| 2/F | | Single Socket Outlet with single USB Oulet 單位電插座及單位USB插座 | | | 1 | 1 | 1 | 1 |
| 2樓 | Master | Fused spur unit for Electric Curtain 菲士座供電窗簾 | | | 1 | 1 | 1 | 1 |
| | Bathroom 主人浴室 | | Socket Outlet for Thermo-electric Refrigerator 單位電插座供電子製冷雪櫃 | | 1 | 1 | 1 | 1 |
| | 工八川王 | | Fused Spur Unit for Fog Free Mirror Heater Mat 菲士座供防霧鏡子發熱墊 | | 1 | 1 | 1 | 1 |
| | | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | | 1 | 1 | 1 | 1 |
| | | | Single Socket Outlet for Speaker 單位電插座供喇叭 | | 1 | 1 | 1 | 1 |
| | | Equipment Switch 設備開關 | | | 4 | 4 | 3 | 4 |
| | Corridor | Single Socket Outlet 單位電插座 | | | 1 | 1 | 1 | 1 |
| | 走廊 | Fused spur unit for Electric Curtain 菲士座供電窗簾 | | | 1 | 1 | - | - |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 | 1 | 1 |
| | Flat Roof 平台 | Waterproof Socket Outlet 防水電插座 | | | 1 | 1 | - | |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor | Location | Exposed Type | Non-exposed Type | Ho | | | 房及別墅類 | |
|-----------|---|--|--|----------------|----|--------------|----------------|---|
| 樓層 | 位置 | 外露形 | 非外露形 | A [€] | B1 | B2 & B2-1 | B2a & B2a-1 | С |
| | | Equipment Switch 設備開關 Twin Socket Outlet | | | | | 5 | 5 |
| | | 雙位電插座 | | | | | 1 | 1 |
| | | Single Socket Outlet 單位電插座 | | | | | 2 | 3 |
| | Ensuite 3 | Telephone Outlet 電話插座 | | | | | 1 | 1 |
| | 套房3 | TV / FM Outlet 電視 / 收音機天線插座 | | | | | 1 | 1 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | | | | 1 | 1 |
| 2/F 2樓 | | Fused spur unit for Electric Curtain 菲士座供電窗簾 | | | | | 2 | 2 |
| | | Access Point 存取點 | | | | | 1 | 1 |
| | | Single Socket Outlet with single USB Oulet 單位電插座及單位USB插座 | | | | | 1 | 1 |
| | Ensuite 3 Bathroom | | Single Socket Outlet for Speaker 單位電插座供喇叭 | | | | 1 | 1 |
| | 套房浴室3 | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | | | | 1 | 1 |
| | | | Fused Spur Unit for Dehumidifier 菲士座供除濕機 | | | | 1 | 1 |
| | Staircase 樓梯 | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | - | - | - | - | 1 |
| | | Waterproof Socket Outlet 防水電插座 | | 2 | 2 | 2 | 2 | 2 |
| | | Equipment Switch 設備開關 | | 3 | 3 | 3 | 3 | 3 |
| | Roof | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 2 | 2 | 2 | 2 | 3 |
| Roof | 天台 | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 | 1 | 1 | 1 |
| 天台 | | Fused Spur Unit for Gas Water Heater 菲士座供煤氣熱水爐 | | 3 | 3 | 3 | 3 | 5 |
| | | 21 — 1 12 12 12 12 12 12 12 12 12 12 12 12 12 | Towngas Connection Point 煤氣接駁點 | 3 | 3 | 3 | 3 | 5 |
| | Part of roof for AC 部分天台為冷 氣機位 | Connection Point for Air Conditioner Outdoor Unit 室外空調接駁點 | | 2 | 2 | 2 | 2 | 2 |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 2. The symbol "/" as shown in the above table denotes "Not Applicable".
- 3. The symbol "€" as shown in the above table denotes "Mechanical and electrical provision of Villa 3 Violet Avenue and Villa 5 Violet Avenue will show separately".

- 1. 上表符號"-"表示"不提供"。
- 2. 上表符號"/"表示"不適用"。
- 3. 上表符號"€"表示
 - "Violet Avenue 3號別墅及5號別墅的 機電裝置將單獨列明"。

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor 樓層 | Location 位置 | Exposed Type 外露形 | Non-exposed Type 非外露形 | Villa 3 Violet Avenue Violet Avenue 3 號別墅 | Villa 5 Violet Avenue Violet Avenue 5 號別墅 |
|-------------|------------------|--------------------------------------|--|---|---|
| | | Equipment Switch | | 1 | 2 |
| | Lobby | 設備開關 | | • | 2 |
| | 大堂 | Single Socket Outlet | | 1 | 1 |
| | | 單位電插座 | | - | |
| | | Single Socket Outlet | | 2 | 2 |
| UB/F | _ | 單位電插座 | | _ | _ |
| 高層地庫 | | Equipment Switch | | 1 | 1 |
| | Carport | 設備開關 | | | · |
| | 車庫 | Door Bell Push Button | | 1 | 1 |
| | | 門鐘襟手制 | | | |
| | | Motion Sensor | | 1 | 1 |
| | | 移動傳感器 | | • | ' |
| | | Water proof Socket Outlet | | 3 | 3 |
| | Garden | 防水電插座 | | Ů | |
| | 花園 | USB Outlet | | 1 | 1 |
| | | USB 插座 | | | ' |
| | | Door Bell Push Button | | 1 | 1 |
| | Front Garden | 門鈴攃手掣 | | | |
| | 前花園 | Motion Sensor | | 1 | 1 |
| | | 移動傳感器 | | | |
| | | Equipment Switch | | 15 | 17 |
| | | 設備開關 | | | |
| | | Single Socket Outlet | | 6 | 6 |
| | | 單位電插座 | | | |
| UG/F | | Twin Socket Outlet | | 3 | 3 |
| 高層地下 | | 雙位電插座 | | | |
| | | Telephone Outlet | | 2 | 4 |
| | Living Room | 電話插座 | | _ | · |
| | & Dining Room | TV / FM Outlet | | 3 | 3 |
| | 客廳/飯廳 | 電視/收音機天線插座 | | | |
| | TT 用芯 / 以X 用芯 | Fused Spur Unit for Electric Curtain | | 2 | 1 |
| | _ | 菲士座供電窗簾 | | _ | |
| | | Access Point | | 1 | 1 |
| | _ | 存取點 | | | |
| | | Video Doorphone | | _ | 1 |
| | | 視像對講機 | | | - |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | 3 | 3 |

Note:

備註:

1. The symbol "-" as shown in the above table denotes "Not Provided".

1. 上表符號"-"表示不提供。

2. The symbol "/" as shown in the above table denotes "Not Applicable".

2. 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor 樓層 | Location 位置 | Exposed Type 外露形 | Non-exposed Type 非外露形 | Villa 3 Violet Avenue Violet Avenue 3 號別墅 | Villa 5 Violet Avenue Violet Avenue 5 號別墅 |
|--------------|-----------------|---|--|---|---|
| | | Equipment Switch 設備開關 | | 1 | 1 |
| | | Twin Socket Outlet 雙位電插座 | | 1 | 1 |
| | | Twin Socket Outlet with two USB outlet 雙位電插座及雙位 USB 插座 | | 2 | 2 |
| | | Video Doorphone 視像對講機 | | 1 | 1 |
| | | Door Bell 門鈴 | | 1 | 1 |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 2 | 2 |
| | | | Equipment Switch 設備開關 | 2 | 2 |
| | | | Water Point and Drainage Point for Washing Machine and Dryer 洗衣機及乾衣機來去水接駁點 | 1 | 1 |
| | | | Single socket outlet for Refrigerator 單位電插座供雪櫃 | 2 | 2 |
| | Kitchen | | Single socket outlet for Washing Machine 單位電插座供洗衣機 | 1 | 1 |
| | 廚房 | | Single socket outlet for Dryer 單位電插座供乾衣機 | 1 | 1 |
| | | | Single socket outlet for Wine Cellar 單位電插座供酒櫃 | 1 | 1 |
| | | | Power connection unit for Induction Hob 接線座供電磁爐 | 1 | 1 |
| | | | Power connection unit for Combi Steam Oven 接線座供蒸焗爐 | 1 | 1 |
| UG/F 高層地下 | | | Single socket outlet for Microwave Oven 單位電插座供微波爐 | 1 | 1 |
| | | | Towngas Connection Point 煤氣接駁點 | 1 | 1 |
| | | | Single socket outlet for Cooker Hood 單位電插座供抽油煙機 | 1 | 1 |
| | | | Fused Spur Unit for Gas Hob 菲士座供煤氣煮食爐 | 2 | 2 |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | 1 | 1 |
| | | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| | Lavatory 洗手間 | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| | | Equipment Switch 設備開關 | | 5 | 5 |
| | | Twin Socket Outlet 雙位電插座 | | 1 | 1 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 |
| | Utility Room | TV / FM Outlet 電視 / 收音機天線插座 | | 1 | 1 |
| | 工作間 | Distribution Board 配電箱 | | 1 | 1 |
| | | HU STH | Single socket outlet for Cabling Switch 單位電插座供佈線機關 | 1 | 1 |
| | | Fused Spur Unit for Control Equipment 菲士座供控制器材 | 구 IZ 등 J피 그 IV IVI AN | 1 | 1 |
| | | 2F 士 /エ I\/ Jエ IIJ 頂 | Fused Spur Unit for Control Equipment 菲士座供控制器材 | 2 | 2 |

Note:

- 1. The symbol "-" as shown in the above table denotes "Not Provided".
- 1. 上表符號"-"表示不提供。
- 2. The symbol "/" as shown in the above table denotes "Not Applicable". $\ensuremath{\mathsf{AX27}}$
- 2. 上表符號"/"表示不適用。

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor 樓層 | Location 位置 | Exposed Type 外露形 | Non-exposed Type 非外露形 | Villa 3 Violet Avenue Violet Avenue 3 號別墅 | Villa 5 Viole Avenue Violet Avenue 5 號別墅 |
|-------------|--------------------|--|--|---|--|
| UG/F | Powder Room | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| 高層地下 | 客廳洗手間 | Single Socket Outlet 單位電插座 | | 1 | 1 |
| | | Equipment Switch 設備開關 | | 8 | 10 |
| | | Twin Socket Outlet 雙位電插座 | | - | 2 |
| | | Single Socket Outlet 單位電插座 | | 9 | 3 |
| | | | Single Socket Outlet 單位電插座 | 1 | - |
| | Master Bedroom | Telephone Outlet 電話插座 | | 1 | 2 |
| | 主人睡房 | TV / FM Outlet 電視 / 收音機天線插座 | | - | 2 |
| | | | TV / FM Outlet 電視 / 收音機天線插座 | 1 | - |
| | | Access Point 存取點 | | 1 | 1 |
| | | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | 2 | 2 |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 2 | 1 |
| | | Single Socket Outlet 單位電插座 | | 1 | 1 |
| | | Single Socket Outlet with single USB outlet 單位電插座及單位 USB 插座 | | 1 | 1 |
| | Master Bathroom | | Single Socket Outlet for Speaker 單位電插座供喇叭 | 1 | 1 |
| 1/F | 主人浴室 | | Single socket outlet for Thermo-electric Refrigerator 單位電插座供電子製冷雪櫃 | 1 | 1 |
| 1 樓 | | | Fused Spur Unit for Fog Free Mirror Heater Mat 菲士座供防霧鏡子發熱墊 | 1 | 1 |
| | | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| | | Equipment Switch 設備開關 | | 6 | 9 |
| | | Twin Socket Outlet 雙位電插座 | | - | 1 |
| | | Single Socket Outlet 單位電插座 | | 5 | 3 |
| | Ensuit 2 | Telephone Outlet 電話插座 | | 2 | 1 |
| | 套房 2 | TV / FM Outlet 電視 / 收音機天線插座 | | 1 | 1 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 4 | 4 |
| | | Access Point 存取點 | | 1 | 1 |
| | | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| | Ensuit 2 Bathroom | | Fused Spur Unit for Dehumidifier 菲士座供抽濕機 | 1 | 1 |
| | 套房浴室 2 | | Single Socket Outlet for Speaker 單位電插座供喇叭 | 1 | 1 |
| | | Single Socket Outlet with single USB outlet 單位電插座及單位 USB 插座 | | 1 | 1 |

Note:

備註:

1. The symbol "-" as shown in the above table denotes "Not Provided".

1. 上表符號"-"表示不提供。

2. The symbol "/" as shown in the above table denotes "Not Applicable".

2. 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES 裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions of Residential Properties in the Phase 期數的住宅物業的機電裝置數量説明表

| Floor 樓層 | Location 位置 | Exposed Type 外露形 | Non-exposed Type 非外露形 | Villa 3 Violet Avenue Violet Avenue 3 號別墅 | Villa 5 Violet Avenue Violet Avenue 5 號別墅 |
|-------------|---|--|---|---|---|
| | | Equipment Switch 設備開關 | | 6 | 5 |
| | | Twin Socket Outlet 雙位電插座 | | - | 2 |
| | | Single Socket Outlet 單位電插座 | | 2 | 1 |
| | | Telephone Outlet 電話插座 | | 1 | 1 |
| | Ensuit 3 套房 3 | TV / FM Outlet 電視 / 收音機天線插座 | | 1 | 1 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 |
| | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | | 1 | 2 |
| 1/F | | Access Point 存取點 | | 1 | 1 |
| 1樓 | | USB Outlet USB 插座 | | 1 | - |
| | Ensuit 3 Bathroom 套房浴室 3 | | Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇 | 1 | 1 |
| | | | Fused Spur Unit for Dehumidifier 菲士座供抽濕機 | 1 | 1 |
| | | | Single Socket Outlet for Speaker 單位電插座供喇叭 | 1 | 1 |
| | | Single Socket Outlet with single USB outlet 單位電插座及單位 USB 插座 | | 1 | 1 |
| | Corridor 走廊 | Equipment Switch 設備開關 | | 3 | 3 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 |
| | | Single Socket Outlet 單位電插座 | | 2 | 2 |
| Roof 天台 | Roof 天台 | Water proof Socket Outlet 防水電插座 | | 3 | 3 |
| | | Equipment Switch 設備開關 | | 3 | 3 |
| | | Connection Point for Air Conditioner Indoor Unit 室內空調接駁點 | | 1 | 1 |
| | | Fused Spur Unit for Gas Water Heater 菲士座供煤氣熱水爐 | | 3 | 3 |
| | | | Fused Spur Unit for Electric Curtain 菲士座供電窗簾 | 3 | 4 |
| | | | Towngas Connection Point 煤氣接駁點 | 3 | 3 |
| | Part of roof for AC 部分天台為冷 氣機位 | Connection Point for Air Conditioner Outdoor Unit 室外空調接駁點 | | 2 | 2 |

Note:

備註:

1. The symbol "-" as shown in the above table denotes "Not Provided".

1. 上表符號"-"表示不提供。

2. The symbol "/" as shown in the above table denotes "Not Applicable".

2. 上表符號"/"表示不適用。

SERVICE AGREEMENTS 服務協議

Potable and flushing water is supplied by Water Supplies Department.

Electricity is supplied by CLP Power Hong Kong Limited.

Towngas is supplied by The Hong Kong and China Gas Company Limited.

食水及沖廁水由水務署供應。 電力由中華電力有限公司供應。 煤氣由香港中華煤氣有限公司供應。

GOVERNMENT RENT 地稅

The Vendor will pay/has paid (as the case may be) all outstanding Government rent in respect of the residential property up to and including the date of the Assignment of the residential property.

賣方將會繳付/已繳付(視情況而定)就有關住宅物業之地租直 至包括住宅物業之買賣成交日期。

MISCELLANEOUS PAYMENTS BY PURCHASER 買方的雜項付款

- 1.On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the owner for the deposits for water, electricity and gas.
- 2.On that delivery, the purchaser is not liable to pay to the owner a debris removal fee.
- 1. 在向買方交付住宅物業在空置情況下的管有權時,買方須負責 向擁有人補還水、電力及氣體的按金。
- 2.在交付時,買方無須向擁有人支付清理廢料的費用。

Note:

On the delivery of the vacant possession of the residential property to the purchaser, the purchaser should in fact pay to the Manager of the Phase for the deposits for water, electricity and gas and pay to the Manager of the Phase a debris removal fee.

附註:

在向買方交付住宅物業的空置狀況下的管有權時,買方事實上須向期數的管理人支付水、電力及氣體的按金及支付清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD 欠妥之處的保養責任期


Defects liability warranty period for the residential property and the fittings, finishes and appliances as provided in the agreement for sale and purchase is within six (6) months from the date of completion of the sale and purchase. 按買賣合約規定,住宅物業及其內裝置、裝修物料及設備之欠妥之處的保養責任期為住宅物業之成交日期起計為期六(6)個月內。

MAINTENANCE OF SLOPES 斜坡維修

- 1. The Land Grant requires the owners of the residential properties in the Phase to maintain slope at their own cost.
- 2. The terms of the requirement, as stipulated in Special Condition No.(28) of the Land Grant, are as follows:-
 - "(a) Where there is or has been any cutting away, removal or setting back of any land, or any building up or filling in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the Lot or on any Government land, which is or was done for the purpose of or in connection with the formation, levelling or development of the Lot or any part thereof or any other works required to be done by the Purchaser under these Conditions, or for any other purpose, the Purchaser shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the Lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Purchaser shall at all times during the term hereby agreed to be granted maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.
 - (b) Nothing in sub-clause (a) of this Special Condition shall prejudice the Government's rights under these Conditions, in particular Special Condition No. (27) hereof.
 - (c) In the event that as a result of or arising out of any formation, levelling, development or other works done by the Purchaser or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land, within the Lot or from any adjacent or adjoining Government or leased land, the Purchaser shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.
 - (d) In addition to any other rights or remedies herein provided for breach of any of these Conditions, the Director shall be entitled by notice in writing to call upon the Purchaser to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Purchaser shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Purchaser shall on demand repay to the Government the cost thereof, together with any administrative or professional fees and charges."
- Each of the owners is obliged to contribute towards the costs of the maintenance work.
- Under the deed of mutual covenant, the Manager of the Phase has the owners' authority to carry out the maintenance work.
- 5. The plan for the slopes, retaining walls and related structures constructed or to be constructed within or outside the land on which the Phase is situated is set out on page BC02.

- 1. 批地文件規定期數中的住宅物業的擁有人須自費維修斜坡。
- 2. 該規定的條款於批地文件特別條件第(28)條規定如下:
 - 『(a) 如「該地段」或任何「政府」官地現時或以往曾經配合或因應「該地段」或其任何部份的平整、水準測量或發展事宜而進行削土、移土或土地後移工程,或任何建造或填土工程,或任何性質的斜坡處理工程,或此等「條款」規定「買方」執行的任何其他工程,又或基於其他用途的工程,不論事前是否獲「署長」書面同意,「買方」亦須在當時或嗣後任何時間,按需要自費進行及建造斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助工程或其他工程,以保護和支撐「該地段」內的土地及任何毗連或毗鄰「政府」官地或已批租土地,同時避免及防止其後發生任何滑土、山泥傾瀉或地陷。「買方」應在本文協定的整個批租年期內自費維修上述土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助工程或其他工程,以保持其修繕妥當及狀況良好,令「署長」滿意。
 - (b) 本特別條款(a)款之規定概不妨礙此等「條款」賦予「政府」的權利, 其中特別以本文特別條款第(27)條為要。
 - (c) 如因「買方」進行的任何平整、水準測量、發展事宜或其他工程或基於任何其他事故導致或引致「該地段」範圍內任何土地或任何毗連或毗鄰「政府」官地或批租土地在任何時間發生滑土、山泥傾瀉或地陷,「買方」須自費還原和修復該處,以令「署長」滿意,並就「政府」、其代理及承辦商作出所有因滑土、山泥傾瀉或地陷引起、招致或蒙受的所有費用、收費、損害、索求及索償作出彌償。
 - (d) 「署長」除享有本文訂明可就違反任何此等「條款」追討之任何其他權利或補償權外,另有權向「買方」發出書面通知,要求「買方」進行、建造和維修上述的土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助工程或其他工程,又或還原並修葺任何滑土、山泥傾瀉或地陷範圍。如「買方」疏忽或不執行通知內訂明期限以「署長」滿意的方式完成通知的指示,「署長」可即時執行及進行必要的工程,「買方」必須在接獲通知時向「政府」償還有關的費用,以及任何行政或專業收費與費用。』
- 3. 每名擁有人均須分擔維修工程的費用。
- 4. 根據公契,期數的管理人獲擁有人授權進行維修工程。
- 5. 顯示已經或將會在期數所位於的土地之內或之外建造的斜坡、擋土牆及有關構築物的圖則在BC02頁列出。

MAINTENANCE OF SLOPES 斜坡維修



MODIFICATION 修訂

No application to the Government for a modification of the 本期數現時並沒有向政府提出申請修訂批地文件。 Land Grant for the Phase is underway.

RELEVANT INFORMATION 有關資料

Nil

WEBSITE ADDRESS 互聯網網站的網址

The website address designated by the Vendor for the Phase for purposes of Part 2 of the Residential Properties (Firsthand Sales) Ordinance:

賣方為施行《一手住宅物業銷售條例》第2部就期數指定的互聯 網網站的網址:

www.stbarths.com.hk/p2

www.stbarths.com.hk/p2

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING 申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for All Features 獲寬免總樓面面積的設施分項

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occcupation permit for the Phase.

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項的最新資料,請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督,則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出佔用許可證前呈交予並獲建築事務監督批准前,以下分項資料仍可能有所修改。

| | | Area (m²) 面積 (平方米) | | |
|----------|--|-----------------------|--|--|
| | Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)條例》第23(3)(b)條不計算的總樓面面積 | | | |
| 1. (#) | Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方 (公共交通總站除外) | | | |
| 2. | Plant rooms and similar services 機房及相類設施 | | | |
| 2.1. (#) | Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunications and broadcasting (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房,例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等 | 10.269 | | |
| 2.2. (#) | Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房,例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等 | | | |
| 2.3. | Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc. 非強制性或非必要機房 [,] 例如空調機房 [、] 風櫃房等 | N/A | | |
| | Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第1及第2號提供的環保設施 | | | |
| 3. | Balcony 露台 | 603.000 | | |
| 4. | Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂 | N/A | | |
| 5. | Communal sky garden 公用空中花園 | N/A | | |
| 6. | Acoustic fin 隔聲鰭 | N/A | | |
| 7. | Wing wall, wind catcher and funnel 翼牆、捕風器及風斗 | N/A | | |
| 8. | Non-structural prefabricated external wall 非結構預製外牆 | N/A | | |
| 9. | Utility platform 工作平台 | N/A | | |
| 10. | Noise barrier 隔音屏障 | N/A | | |

Note

The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

註:

上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》 $\mathsf{ADM}-2$ 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

| | | Area (m²) 面積 (平) 米) |
|---------|---|------------------------|
| | Amenity Features 適意設施 | |
| 11. (#) | Counter, office, store, guard room and lavatory for watchman and management staff, Owners' Corporation Office 供保安人員和管理處員工使用的櫃枱、辦公室、儲物室、警衛室和廁所、業主立案法團辦公室 | 6.950 |
| 12. (#) | Residential Recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway etc. serving solely the recreational facilities 住宅康樂設施,包括僅供康樂設施使用的中空、機房、游泳池的濾水器機房、有蓋人行道等 | 701.650 |
| 13. | Covered landscaped and play area 有上蓋的園景區及遊樂場 | N/A |
| 14. | Horizontal screens/covered walkways, trellis 橫向屏障/ 有蓋人行道、花棚 | N/A |
| 15. | Larger lift shaft 擴大升降機井道 | N/A |
| 16. | Chimney shaft 煙囱管道 | N/A |
| 17. | Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要機房,例如鍋爐房、衛星電視共用天線房 | N/A |
| 18. (#) | Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽、氣槽 | 12.542 |
| 19. | Pipe duct, air duct for non-mandatory or non-essential plant room 非強制性設施或非必要機房所需的管槽、氣槽 | N/A |
| 20. | Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽 | N/A |
| 21. | Void in duplex domestic flat and house 複式住宅單位及洋房的中空 | N/A |
| 22. | Projections such as air-conditioning box and platform with a projection of more than 750 mm from the external wall 伸出物,如空調機箱及伸出外牆超過750 毫米的平台 | N/A |
| | Other Exempted Items 其他獲豁免的面積 | |
| 23. | Refuge floor including refuge floor cum sky garden 庇護層 [,] 包括庇護層兼空中花園 | N/A |
| 24. | Other projections 其他伸出物 | N/A |
| 25. | Public transport terminus 公共交通總站 | N/A |
| 26. | Party structure and common staircase 共用構築物及樓梯 | N/A |
| 27. (#) | Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積 | 1578.893 |
| 28. | Public passage 公眾通道 | N/A |
| 29. | Covered set back area 因建築物後移導致的覆蓋面積 | N/A |
| | Bonus GFA 額外總樓面面積 | |
| 30. | Bonus GFA 額外總樓面面積 | N/A |

Note:

The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department. The Buildings Department may revise such requirements from time to time as appropriate.

註: 上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

INFORMATION IN APPLICATION FOR CONCESSION ON **GROSS FLOOR AREA OF BUILDING** 申請建築物總樓面面積寬免的資料

Environment Assessment of the Buliding 建築物的環境評估

Green Building Certification

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochures.

Provisional GOLD

Application no.: PAG0033/17



綠色建築認證

在印刷此售樓說明書前,本物業根據香港綠色建築議會有限 公司頒授/發出的綠建環評認證評級。

暫定評級 金級



ikubu 綠建環評

申請編號: PAG0033/17

Estimated Energy Performance or Consumption for the Common Parts of the Phase 期數的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the development as submitted to the Building Authouity prior to the printing of the sales brochures:

於印製售樓説明書前呈交予建築事務監督發展項目的公用部份的預計能量表現或消耗的最近期資料:

| Part I 第I部分 | | | |
|---|--|--|--|
| Provision of Central Air Conditioning | NO | | |
| 提供中央空調 | 否 | | |
| Provision of Energy Efficient Features | YES | | |
| 提供具能源效益的設施 | 是 | | |
| Energy Efficient Features proposed: 擬安裝的具能源效益的設施:- | Select More Energy-Efficient AC Unit 選用更具能源效益的機組 Provide IGU Glazing 提供雙層中空玻璃 Select Energy-Efficient Lighting Installation (LED / T5 Tube) 選用節能照明裝置 (LED / T5光管) | | |

| Part II: The predicted annual energy use of the proposed building/ part of building (Note 1) 第II部分: 擬興建樓宇/部分樓宇預計每年能源消耗量 (註腳1):- | | | | | | |
|---|--|---|--|---|--|--|
| | | Annual Energy Use of Baseline Building (Note 2) 基線樓宇每年能源消耗量 (註腳2) | | Annual Energy Use of Proposed Building 擬興建樓宇每年能源消耗量 | | |
| Location 位置 | Internal Floor Area Served (m2) 使用有關裝置的內部樓面面積 (平方米) | Electricity kWh/m2/annum 電力 千瓦小時/平方 米/年 | Town Gas /LPG unit/m2/annum 煤氣/石油氣 用量單位/平方 米/年 | Electricity kWh/m2/annum 電力 千瓦小時/平方 米/年 | Town Gas /LPG unit/m2/annum 煤氣/石油氣 用量單位/平方 米/年 | |
| Area served by central building services installation (Notes 3) 有使用中央屋宇裝備裝置(註腳3) 的部分 | 8,960.000 | 654.810 | - | 412.160 | - | |

1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use.

For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building",

it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (kWh/m²/annum) of the development by the internal floor area

- (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and
- (b) "internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls 2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current
- 3. 'Central Building Services Installation' has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation (2012 Rev.1) issued by the electrical and Mechanical Services Department.

- 1.一般而言,一棟樓宇的預計"每年能源消耗量"愈低,其節約能源的效益愈高。如一棟樓宇預計的"每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量", 則代表預計該樓宇的能源應用較其基線樓宇有效,削減幅度愈大則代表有關樓宇能源節約的效益愈高。
- 預計每年每平方米能源消耗量〔以耗電量(千瓦小時/平方米/年)及 煤氣/石油氣消耗 (用量單位/平方米/年) 計算〕,指將發展項目的每年能源消耗總 量除以使用有關裝置的內部樓面面積所得出的商,其中:
 (a) "每年能源消耗量" 與新建樓宇BEAM Plus標準 (現行版本) 第4節及附錄8中的 「年能源消耗」 具有相同涵義;及
 (b) 樓宇、空間或單位的 "內部樓面面積",指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
 2. "基準樓宇" 與新建樓宇BEAM Plus標準 (現行版本) 第4節及附錄8中的 "基準建築物模型 (零分標準)" 具有相同涵義。
 3. "中央屋宇裝備裝置" 與機電工程署發出的《屋宇裝備裝置能源效益實務守則》(2012第一版修訂)中的涵義相同。

Part III: The following installation(s) are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) 第Ⅲ部分: 以下裝置乃按機電工程署公布的相關實務守則設計:-YES NO N.A Type of Installations 不適用 裝置類型 是 否 Lighting Installations $\sqrt{}$ 照明裝置 Air Conditioning Installations $\sqrt{}$ 空調裝置 **Electrical Installations** $\sqrt{}$ 電力裝置 Lift & Escalator Installations 升降機及自動梯的裝置 Performance-based Approach 以總能源為本的方法

Note:

1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (kWh/m²/annum) of the development by the internal floor area served, where:-

- (a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version); and
- (b) "internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls
- 2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current
- 3. 'Central Building Services Installation' has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installation (2012 Rev.1) issued by the electrical and Mechanical Services Department.

1.一般而言,一棟樓宇的預計"每年能源消耗量"愈低,其節約能源的效益愈高。如一棟樓宇預計的"每年能源消耗量"低於該樓宇的"基線樓宇每年能源消耗量", 則代表預計該樓宇的能源應用較其基線樓宇有效,削減幅度愈大則代表有關樓宇能源節約的效益愈高。

預計每年每平方米能源消耗量〔以耗電量(千瓦小時/平方米/年)及 煤氣/石油氣消耗 (用量單位/平方米/年) 計算〕・指將發展項目的每年能源消耗總 量除以使用有關裝置的

- 頂計學千岁千万不能源用於單(以於电單(下於了時/千万不/千)及 殊報/中四報/用於(四重至2017年7月77年7月19日) 內部樓面面積所得出的商·其中: (a) "每年能源消耗量"與新建樓宇BEAM Plus標準(現行版本)第4節及附錄8中的「年能源消耗」具有相同涵義;及 (b) 樓宇、空間或單位的"內部樓面面積",指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。 2. "基準樓宇"與新建樓宇BEAM Plus標準(現行版本)第4節及附錄8中的"基準建築物模型(零分標準)"具有相同涵義。 3. "中央屋宇裝備裝置"與機電工程署發出的《屋宇裝備裝置能源效益實務守則》(2012第一版修訂)中的涵義相同。

INFORMATION REQUIRED TO BE SET OUT BY THE DIRECTOR OF LANDS UNDER CONSENT SCHEME 按地政總署署長同意方案要求列出的資料

- 1. The purchaser is required to agree with the Vendor in the Agreement for Sale and Purchase (the "Agreement") to the effect that other than entering into a mortgage or charge, the purchaser will not nominate any person to take up the Assignment of the residential unit or the parking space specified in the Agreement, sub-sell that residential unit or parking space or transfer the benefit of the Agreement of that residential unit or parking space in any manner whatsoever or enter into any agreement so to do before completion of the sale and purchase and execution of the Assignment.
- 2. If the Vendor, at the request of the purchaser under an Agreement, agrees (at its own discretion) to cancel the Agreement or the obligations of the purchaser under the Agreement, the Vendor is entitled to retain the sum of 5% of the total purchase price of the residential unit and the parking space specified in the Agreement and the purchaser will in addition pay or reimburse (as the case may be) to the Vendor all legal costs, charges and disbursements (including any stamp duty) in connection with the cancellation of the Agreement.
- 3. The Vendor will pay or has paid (as the case may be) all outstanding Government rent in respect of the land on which the Development is in the course of being erected, from the date of the Land Grant up to and including the date of the respective Assignments to the purchasers.
- 4. The purchaser who has signed an Agreement has the right of access to and will, upon his request, be provided with a hard copy of an updated record of information as to the total construction costs and the total professional fees to complete the Phase as well as the total construction costs and the total professional fees expended and paid as at the end of the month preceding the month at which the request is made subject to payment of a nominal fee of not more than HK\$100 per request.
- 5. The "Brown Area" is referred to in Special Condition No.(26) of the land grant, which is set out in full under the Information on Public Facilities and Public Open Spaces section of this sales brochure.

- 1. 買方須於正式買賣合約(「買賣合約」)下與賣方約定,除訂立按揭或押記外,在買賣完成及簽署轉讓契前,買方不得提名任何人士接受買賣合約指明之住宅單位或停車位之轉讓、轉售該住宅單位或停車位或以任何形式轉移該住宅單位或停車位之買賣合約之權益、或訂立任何有關上述提名、轉售或轉移權益之協議。
- 2. 若賣方應買賣合約下買方要求同意(同意與否賣方有酌情權決定)取消買賣合約或買賣合約下買方之責任,賣方有權保留等同買賣合約指明之住宅單位及停車位總售價5%之金額,另買方須向賣方額外繳付或補還(視屬何情況而定)所有與取消買賣合約有關之法律費用、收費及開銷(包括任何印花稅)。
- 賣方將會或已經(視屬何情況而定)支付所有關發展項目在其上興建之土地 於批文件日期起計至相關買家轉讓契日期(包括該兩日)期間之未付地稅。
- 4. 已簽署買賣合約之買方,如已支付不多於港幣\$100之象徵式費用(按每次要求計),有權獲取(而當其要求時將獲提供)以下資料之最新紀錄印本:完成期數的總建築費用及總專業費用及截至該要求作出當月前之月份完結時已支出和繳付之總建築費用及總專業費用。
- 「棕色範圍」在批地文件特別條款第(26)條提及。該等特別條款在本售樓 説明書的的「公共設施及公眾休憩用地的資料」中全部列出。

DATE OF PRINTING OF SALES BROCHURE 售樓說明書印製日期

Date of printing of this Sales Brochure: 15th October, 2019 本售樓説明書印製日期: 2019年10月15日

POSSIBLE FUTURE CHANGE 日後可能出現改變

There may be future changes to the Phase and the surrounding 期數及其週邊地區日後可能出現改變。area.

