


Apex 1 G/F Floor Plan
Apex 1 座地面層平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for G/F : 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for G/F : 150mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 地面層每個住宅物業的層與層之間的高度為3225毫米及3300毫米。
2. 地面層每個住宅物業的樓板(不包括灰泥)的厚度為150毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 1 1/F Floor Plan
Apex 1 座1樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 1/F : 2950mm, 3000mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 1/F : 150mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:


- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 1樓每個住宅物業的層與層之間的高度為2950毫米、3000毫米及3300毫米。
2. 1樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 1 2/F Floor Plan Apex 1 座2樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 2/F : (Flat A and Flat D) : 3000mm, 3225mm and 3300mm ; (Flat B and Flat C) : 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 2/F : 125mm, 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
- The residential property has been altered by way of minor works or exempted works under the Buildings Ordinance and its subsidiary legislation.

1. 2樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米及3300毫米;(B單位及C單位)為3225毫米及3300毫米。
2. 2樓每個住宅物業的樓板(不包括灰泥)的厚度為125毫米、150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 1 3/F Floor Plan
Apex 1 座3樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 3/F : (Flat A and Flat D) : 3000mm, 3225mm, 3250mm and 3300mm ; (Flat B and Flat C) : 2800mm, 2950mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 3/F : 150mm and 175mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:



- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 3樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米、3250毫米及3300毫米;(B單位及C單位)為2800毫米、2950毫米及3300毫米。
2. 3樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米及175毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 1 5/F Floor Plan
Apex 1 座5樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 5/F : (Flat A) : 3000mm, 3225mm and 3300mm ; (Flat B and Flat C) : 3150mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 5/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 5樓每個住宅物業的層與層之間的高度:(A單位)為3000毫米、3225毫米及3300毫米;(B單位及C單位)為3150毫米、3225毫米及3300毫米。
2. 5樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。



備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



Floor Plans of Residential Properties in the Development
發展項目的住宅物業的樓面平面圖

Apex 1 6/F Floor Plan
Apex 1 座6樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 6/F : 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 6/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:


- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 6樓每個住宅物業的層與層之間的高度為3300毫米。
2. 6樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 1 R/F Floor Plan
Apex 1 座天台平面圖




- SCALE 比例尺: 0 7.5M(米)
- The floor-to-floor height of each residential property for Roof : Not Applicable.
 - The thickness of the floor slabs (excluding plaster) of each residential property for Roof : Not Applicable.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.
- Notes:
- The dimensions of floor plans are all structural dimensions in millimeter.
 - Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
 - The residential property has been altered by way of minor works or exempted works under the Buildings Ordinance and its subsidiary legislation.

- 天台每個住宅物業的層與層之間的高度:不適用。
 - 天台每個住宅物業的樓板(不包括灰泥)的厚度:不適用。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 備註:
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
 - 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。



Floor Plans of Residential Properties in the Development 發展項目的住宅物業的樓面平面圖

Apex 2 G/F Floor Plan Apex 2 座地面層平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for G/F : 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for G/F : 150mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:



- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 地面層每個住宅物業的層與層之間的高度為3225毫米及3300毫米。
2. 地面層每個住宅物業的樓板(不包括灰泥)的厚度為150毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 2 1/F Floor Plan
Apex 2 座1樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 1/F : 3000mm, 3225mm, 3250mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 1/F : 150mm, 175mm and 300mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 1樓每個住宅物業的層與層之間的高度為3000毫米、3225毫米、3250毫米及3300毫米。
2. 1樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及300毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 2 2/F Floor Plan
Apex 2 座2樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 2/F : (Flat A and Flat D) : 3000mm, 3225mm and 3300mm ; (Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 2/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:


- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 2樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 2樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 2 座3樓平面圖



SCALE 比例尺:

1. The floor-to-floor height of each residential property for 3/F :
(Flat A and Flat D) : 3000mm, 3225mm, 3250mm and 3300mm ;
(Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 3/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 3樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米、3250毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 3樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。




1. 5樓每個住宅物業的層與層之間的高度:(A單位)為2800毫米、3000毫米、3225毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 5樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。

Apex 2 6/F Floor Plan Apex 2 座6樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 6/F : 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 6/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
- The residential property has been altered by way of minor works or exempted works under the Buildings Ordinance and its subsidiary legislation.

1. 6樓每個住宅物業的層與層之間的高度為3300毫米。
2. 6樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名稱及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。




1. 天台每個住宅物業的層與層之間的高度:不適用。
2. 天台每個住宅物業的樓板(不包括灰泥)的厚度:不適用。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。

Apex 3 G/F Floor Plan

Apex 3 座地面層平面圖



1. The floor-to-floor height of each residential property for G/F : 3225mm and 3300mm.
 2. The thickness of the floor slabs (excluding plaster) of each residential property for G/F : 150mm and 200mm.
 3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.
- Notes:
- The dimensions of floor plans are all structural dimensions in millimeter.
 - Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 地面層每個住宅物業的層與層之間的高度為3225毫米及3300毫米。
 2. 地面層每個住宅物業的樓板(不包括灰泥)的厚度為150毫米及200毫米。
 3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 備註:
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 3 1/F Plan in “as-is” Layout
Apex 3 座1樓現狀平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 1/F : 3000mm, 3225mm, 3250mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 1/F : 150mm, 175mm and 300mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

Remarks:

This page is the additional information mentioned in the remarks on Page AL94.

備註:

本頁是第AL94頁備註附加資料。

1. 1樓每個住宅物業的層與層之間的高度為3000毫米、3225毫米、3250毫米及3300毫米。
2. 1樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及300毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名稱及簡稱。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 3 2/F Floor Plan
Apex 3 座2樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 2/F : (Flat A and Flat D) : 3000mm, 3225mm and 3300mm ; (Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 2/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

Remarks:
Minor works or exempted works under the Buildings Ordinance have been made to unit B on 2/F of Apex 3. Please refer to the "as-is" layout plan on Page AL95A.


備註:
小型工程或獲《建築物條例》豁免的工程已改動第Apex 3座2樓B單位，請參閱第AL95A頁之現狀平面圖。

1. 2樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 2樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 3 2/F Plan in “as-is” Layout
Apex 3 座2樓現狀平面圖



SCALE 比例尺: 0 7.5M (米)

1. The floor-to-floor height of each residential property for 2/F : (Flat A and Flat D) : 3000mm, 3225mm and 3300mm ; (Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 2/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

Remarks:

This page is the additional information mentioned in the remarks on Page AL95.

備註:

本頁是第AL95頁備註附加資料。

1. 2樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 2樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 3 3/F Floor Plan
Apex 3 座3樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 3/F : (Flat A and Flat D) : 3000mm, 3225mm, 3250mm and 3300mm ; (Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 3/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:


- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
- The residential property has been altered by way of minor works or exempted works under the Buildings Ordinance and its subsidiary legislation.

1. 3樓每個住宅物業的層與層之間的高度:(A單位及D單位)為3000毫米、3225毫米、3250毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 3樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。

Apex 3 5/F Floor Plan
Apex 3 座5樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 5/F : (Flat A) : 2800mm, 3000mm, 3225mm and 3300mm ; (Flat B) : 2800mm, 2950mm, 3000mm, 3225mm and 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 5/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 5樓每個住宅物業的層與層之間的高度:(A單位)為2800毫米、3000毫米、3225毫米及3300毫米;(B單位)為2800毫米、2950毫米、3000毫米、3225毫米及3300毫米。
2. 5樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:


- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。



Floor Plans of Residential Properties in the Development

發展項目的住宅物業的樓面平面圖

Apex 3 6/F Floor Plan
Apex 3 座6樓平面圖



SCALE 比例尺: 0 7.5M(米)

1. The floor-to-floor height of each residential property for 6/F : 3300mm.
2. The thickness of the floor slabs (excluding plaster) of each residential property for 6/F : 150mm, 175mm and 200mm.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:


- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.

1. 6樓每個住宅物業的層與層之間的高度為3300毫米。
2. 6樓每個住宅物業的樓板(不包括灰泥)的厚度為150毫米、175毫米及200毫米。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。

Apex 3 R/F Floor Plan
Apex 3 座天台平面圖



1. The floor-to-floor height of each residential property for Roof : Not Applicable.
2. The thickness of the floor slabs (excluding plaster) of each residential property for Roof : Not Applicable.
3. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

Notes:

- The dimensions of floor plans are all structural dimensions in millimeter.
- Please refer to P.AL01 and P.AL02 of this sales brochure for remarks and legend of terms and abbreviations shown on this floor plan.
- The residential property has been altered by way of minor works or exempted works under the Buildings Ordinance and its subsidiary legislation.

1. 天台每個住宅物業的層與層之間的高度:不適用。
2. 天台每個住宅物業的樓板(不包括灰泥)的厚度:不適用。
3. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註:

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓說明書第AL01頁及AL02頁之附註及圖例以協助解讀此部分的平面圖及其顯示之名詞及簡稱。
- 住宅物業已施行《建築物條例》及其附屬條例下小型工程或獲豁免入則的改動工程。



Area of Residential Properties in the Development

發展項目中的住宅物業的面積

The saleable area of the residential property and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Description of Residential Property 物業的描述	Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台，工作平台及陽台 (如有)) 平方米 (平方呎)
House Number 屋號	
House Premier 1 Premier 1 洋房	272.935 (2938) Balcony 露台 : 5.991 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 2 Premier 2 洋房	268.672 (2892) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 3 Premier 3 洋房	268.672 (2892) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 5 Premier 5 洋房	272.932 (2938) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 6 Premier 6 洋房	350.905 (3777) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 7 Premier 7 洋房	347.440 (3740) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 8 Premier 8 洋房	348.280 (3749) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 9 Premier 9 洋房	349.289 (3760) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 10 Premier 10 洋房	270.476 (2911) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 11 Premier 11 洋房	269.847 (2905) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 12 Premier 12 洋房	269.847 (2905) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Premier 15 Premier 15 洋房	272.932 (2938) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -

Note:

1.

The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square feet, which may be slightly different from that shown in square metre.

2.

House Premier 4, House Premier 13 and House Premier 14 are omitted.

住宅物業的實用面積、以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
-	-	-	9.880 (106)	42.185 (454)	44.160 (475)	61.300 (660)	2.755 (30)	-	14.136 (152)
-	-	-	9.584 (103)	24.641 (265)	44.615 (480)	61.342 (660)	2.755 (30)	-	14.136 (152)
-	-	-	9.575 (103)	24.641 (265)	44.890 (483)	61.342 (660)	2.755 (30)	-	14.136 (152)
-	-	-	9.762 (105)	24.808 (267)	45.246 (487)	61.324 (660)	2.755 (30)	-	14.136 (152)
-	-	-	10.424 (112)	38.100 (410)	38.520 (415)	76.820 (827)	4.899 (53)	-	4.780 (51)
-	-	-	10.448 (112)	40.993 (441)	43.767 (471)	76.847 (827)	4.899 (53)	-	4.837 (52)
-	-	-	10.451 (112)	58.387 (628)	47.563 (512)	76.847 (827)	4.899 (53)	-	6.183 (67)
-	-	-	10.451 (112)	60.053 (646)	46.166 (497)	76.900 (828)	4.899 (53)	-	6.898 (74)
-	-	-	9.744 (105)	48.736 (525)	46.506 (501)	61.477 (662)	2.755 (30)	-	10.138 (109)
-	-	-	9.744 (105)	33.221 (358)	45.509 (490)	61.366 (661)	2.755 (30)	-	9.001 (97)
-	-	-	9.744 (105)	30.292 (326)	45.455 (489)	61.372 (661)	2.755 (30)	-	9.003 (97)
-	-	-	9.707 (104)	27.541 (296)	43.476 (468)	61.374 (661)	2.755 (30)	-	9.221 (99)

備註:

1. 上述以英制之平方呎列明之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

2. 不設Premier 4 洋房、Premier 13 洋房及Premier 14 洋房。



Area of Residential Properties in the Development

發展項目中的住宅物業的面積

The saleable area of the residential property and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Description of Residential Property 物業的描述	Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台，工作平台及陽台 (如有)) 平方米 (平方呎)
House Number 屋號	
House Sommet 1 Sommet 1 洋房	350.499 (3773) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 2 Sommet 2 洋房	346.240 (3727) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 3 Sommet 3 洋房	346.240 (3727) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 5 Sommet 5 洋房	346.240 (3727) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 6 Sommet 6 洋房	346.795 (3733) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 7 Sommet 7 洋房	347.970 (3746) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 8 Sommet 8 洋房	272.932 (2938) Balcony 露台 : 5.988 (64) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 9 Sommet 9 洋房	277.458 (2987) Balcony 露台 : 5.996 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 10 Sommet 10 洋房	245.085 (2638) Balcony 露台 : 6.000 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 11 Sommet 11 洋房	242.441 (2610) Balcony 露台 : 5.999 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 12 Sommet 12 洋房	239.904 (2582) Balcony 露台 : 5.999 (65) Utility Platform 工作平台 : - Verandah 陽台 : -
House Sommet 15 Sommet 15 洋房	242.466 (2610) Balcony 露台 : 5.999 (65) Utility Platform 工作平台 : - Verandah 陽台 : -

Note:

1.

The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square feet, which may be slightly different from that shown in square metre.

2.

House Premier 4, House Premier 13, House Premier 14, House Sommet 4, House Sommet 13 and House Sommet 14 are omitted.

住宅物業的實用面積、以及露台、工作平台及陽台(如有)的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積(不計算入實用面積)，是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積)平方米(平方呎)									
Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
-	-	-	10.387 (112)	35.479 (382)	40.858 (440)	76.876 (827)	4.899 (53)	-	6.052 (65)
-	-	-	10.414 (112)	34.436 (371)	40.820 (439)	76.901 (828)	4.899 (53)	-	6.853 (74)
-	-	-	10.454 (113)	42.083 (453)	39.367 (424)	76.845 (827)	4.899 (53)	-	5.395 (58)
-	-	-	10.454 (113)	43.227 (465)	43.125 (464)	76.845 (827)	4.899 (53)	-	3.859 (42)
-	-	-	10.454 (113)	32.979 (355)	47.741 (514)	76.847 (827)	4.899 (53)	-	4.304 (46)
-	-	-	10.597 (114)	35.434 (381)	36.618 (394)	76.799 (827)	4.899 (53)	-	3.696 (40)
-	-	-	9.744 (105)	38.039 (409)	33.627 (362)	61.305 (660)	2.755 (30)	-	12.727 (137)
-	-	-	10.229 (110)	68.025 (732)	47.409 (510)	59.469 (640)	3.325 (36)	-	21.619 (233)
-	-	-	7.486 (81)	35.095 (378)	52.229 (562)	49.536 (533)	3.088 (33)	-	3.344 (36)
-	-	-	8.160 (88)	25.332 (273)	43.809 (472)	52.450 (565)	3.230 (35)	-	3.021 (33)
-	-	-	8.160 (88)	43.569 (469)	39.792 (428)	52.468 (565)	3.230 (35)	-	11.402 (123)
-	-	-	8.160 (88)	54.061 (582)	40.608 (437)	52.468 (565)	3.230 (35)	-	10.357 (111)

備註:

1. 上述以英制之平方呎列明之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。

2. 不設Premier 4 洋房、Premier 13 洋房、Premier 14 洋房、Sommet 4 洋房、Sommet 13 洋房及Sommet 14 洋房。



Area of Residential Properties in the Development
發展項目中的住宅物業的面積

The saleable area of the residential property and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台，工作平台及陽台 (如有)) 平方米 (平方呎)
Block Name 大廈名稱	Floor 樓層	Unit 單位	
Apex 1 Apex 1 座	G/F & 1/F (Duplex) 地面層及1樓 (複式)	C	160.864 (1732) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : - Verandah 陽台 : -
	2/F 2樓	A	93.053 (1002) Balcony 露台 : 5.203 (56) Utility Platform 工作平台 : - Verandah 陽台 : -
		D	85.844 (924) Balcony 露台 : - Utility Platform 工作平台 : - Verandah 陽台 : -
	2/F & 3/F (Duplex) 2樓及3樓 (複式)	B	172.326 (1855) Balcony 露台 : 5.606 (60) Utility Platform 工作平台 : - Verandah 陽台 : -
		C	164.642 (1772) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 5.325 (57) Verandah 陽台 : -
	3/F 3樓	A	97.289 (1047) Balcony 露台 : 4.236 (46) Utility Platform 工作平台 : 5.203 (56) Verandah 陽台 : -
		D	91.777 (988) Balcony 露台 : 4.236 (46) Utility Platform 工作平台 : 1.697 (18) Verandah 陽台 : -
	5/F 5樓	A	148.469 (1598) Balcony 露台 : 5.378 (58) Utility Platform 工作平台 : - Verandah 陽台 : -
	5/F & 6/F (Duplex) 5樓及6樓 (複式)	B	175.858 (1893) Balcony 露台 : 5.629 (61) Utility Platform 工作平台 : 5.629 (61) Verandah 陽台 : -
		C	162.323 (1747) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 5.325 (57) Verandah 陽台 : -
	6/F 6樓	A	161.451 (1738) Balcony 露台 : 5.378 (58) Utility Platform 工作平台 : 1.697 (18) Verandah 陽台 : -

Note:

1. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square feet, which may be slightly different from that shown in square metre.

2. 4/F is omitted.

住宅物業的實用面積、以及露台、工作平台及陽台（如有）的樓面面積，是按照《一手住宅物業銷售條例》第8條計算得出的。其他指明項目的面積（不計算入實用面積），是按照《一手住宅物業銷售條例》附表2第2部計算得出的。

Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積（不計算入實用面積）平方米（平方呎）									
Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
3.472 (37)	-	-	-	54.065 (582)	-	-	-	-	-
-	-	-	8.295 (89)	-	-	-	-	-	-
-	-	-	15.322 (165)	-	-	-	-	-	-
5.410 (58)	-	-	15.189 (163)	-	-	-	-	-	-
3.498 (38)	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
2.262 (24)	-	-	26.392 (284)	-	-	-	-	-	-
2.705 (29)	-	-	-	-	-	74.456 (801)	-	-	-
1.749 (19)	-	-	-	-	-	56.093 (604)	-	-	-
-	-	-	-	-	-	63.064 (679)	-	-	-

備註:

- 上述以英制之平方呎列明之面積，均以1平方米=10.764平方呎換算，並以四捨五入至整數平方呎，平方呎與平方米之數字可能有些微差異。
- 不設4樓。



Area of Residential Properties in the Development
發展項目中的住宅物業的面積

The saleable area of the residential property and the floor area of balcony, utility platform and verandah (if any) are calculated in accordance with Section 8 of the Residential Properties (First-hand Sales) Ordinance; and the areas of the other specified items (not included in the saleable area) are calculated in accordance with Part 2 of Schedule 2 to the Residential Properties (First-hand Sales) Ordinance.

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台，工作平台及陽台 (如有)) 平方米 (平方呎)
Block Name 大廈名稱	Floor 樓層	Unit 單位	
Apex 2 Apex 2 座	G/F & 1/F (Duplex) 地面層及1樓 (複式)	B	159.144 (1713) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : - Verandah 陽台 : -
		C	158.463 (1706) Balcony 露台 : 4.519 (49) Utility Platform 工作平台 : - Verandah 陽台 : -
	2/F 2樓	A	85.844 (924) Balcony 露台 : - Utility Platform 工作平台 : - Verandah 陽台 : -
		B	141.107 (1519) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 1.500 (16) Verandah 陽台 : -
		D	88.744 (955) Balcony 露台 : 3.050 (33) Utility Platform 工作平台 : - Verandah 陽台 : -
	3/F 3樓	A	91.777 (988) Balcony 露台 : 4.236 (46) Utility Platform 工作平台 : 1.697 (18) Verandah 陽台 : -
		B	141.107 (1519) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 1.500 (16) Verandah 陽台 : -
		D	92.980 (1001) Balcony 露台 : 4.236 (46) Utility Platform 工作平台 : 3.050 (33) Verandah 陽台 : -
	5/F 5樓	A	146.599 (1578) Balcony 露台 : 5.378 (58) Utility Platform 工作平台 : - Verandah 陽台 : -
		B	141.207 (1520) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 1.500 (16) Verandah 陽台 : -
	6/F 6樓	A	148.594 (1599) Balcony 露台 : 5.378 (58) Utility Platform 工作平台 : 1.697 (18) Verandah 陽台 : -
		B	141.219 (1520) Balcony 露台 : 5.325 (57) Utility Platform 工作平台 : 1.500 (16) Verandah 陽台 : -

Note:

1. The areas as specified above in square feet are converted at a rate of 1 square metre = 10.764 square feet and rounded off to the nearest whole square feet, which may be slightly different from that shown in square metre.

2. 4/F is omitted.