

MONTEREY

— C SOUTH —

SALES BROCHURE

售 樓 說 明 書

MONTEREY

— C SOUTH —

You are advised to take the following steps before purchasing first-hand residential properties.

For all first-hand residential properties

1. Important information

- Make reference to the materials available on the Sales of First-hand Residential Properties Electronic Platform (SRPE) (www.srpe.gov.hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.

- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans¹ as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a PASP.

4. Property area and its surroundings

- Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list. According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.
- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property². The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

5. Sales brochure

- Ensure that the sales brochure you have obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or

examined, or examined and revised within the previous 3 months.

- Read through the sales brochure and in particular, check the following information in the sales brochure -
 - whether there is a section on “relevant information” in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as “relevant information”;
 - the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
 - interior and exterior fittings and finishes and appliances;
 - the basis on which management fees are shared;
 - whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and
 - whether individual owners have responsibility to maintain slopes.

¹ The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative fees.

² According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following—
 (i) the external dimensions of each residential property;
 (ii) the internal dimensions of each residential property;
 (iii) the thickness of the internal partitions of each residential property;
 (iv) the external dimensions of individual compartments in each residential property.

According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a “consumption table” is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members of the public can grasp the daily sales condition of the development.

9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.

- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- A preliminary deposit of **5%** of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.
- The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

10. Expression of intent of purchasing a residential property

- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should -

- find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
- find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
- note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

For first-hand uncompleted residential properties**13. Pre-sale Consent**

- For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the “Pre-sale Consent” has been issued by the Lands Department for the development.

14. Show flats

- While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.
- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales

brochure and make reference to it when viewing the show flats.

- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

For first-hand uncompleted residential properties and completed residential properties pending compliance

15. Estimated material date and handing over date

- Check the estimated material date³ for the development in the sales brochure.
 - The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is inevitably later than the former.
- Handing over date
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
 - For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
 - For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.

- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
 - strike or lock-out of workmen;
 - riots or civil commotion;
 - force majeure or Act of God;
 - fire or other accident beyond the vendor's control;
 - war; or
 - inclement weather.
 - The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.
- Ask the vendor if there are any questions on handing over date.

For first-hand completed residential properties

16. Vendor's information form

- Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/properties you intend to purchase.

17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.

- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

Website	: www.srpa.gov.hk
Telephone	: 2817 3313
Email	: enquiry_srpa@hd.gov.hk
Fax	: 2219 2220

Other useful contacts:

Consumer Council	
Website	: www.consumer.org.hk
Telephone	: 2929 2222
Email	: cc@consumer.org.hk
Fax	: 2856 3611

Estate Agents Authority	
Website	: www.eaa.org.hk
Telephone	: 2111 2777
Email	: enquiry@eaa.org.hk
Fax	: 2598 9596

Real Estate Developers Association of Hong Kong	
Telephone	: 2826 0111
Fax	: 2845 2521

Sales of First-hand Residential Properties Authority
Transport and Housing Bureau
August 2017

³ Generally speaking, "material date" means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

您在購置一手住宅物業之前，應留意下列事項：

適用於所有一手住宅物業

1. 重要資訊

- 瀏覽一手住宅物業銷售資訊網（下稱「銷售資訊網」）（網址：www.srpe.gov.hk），參考「銷售資訊網」內有關一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資訊，包括售樓說明書、價單、載有銷售安排的文件，及成交紀錄冊。
- 發展項目的售樓說明書，會在該項目的出售日期前最少七日向公眾發布，而有關價單和銷售安排，亦會在該項目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站，以及「銷售資訊網」內，均載有有關物業成交資料的成交紀錄冊，以供查閱。

2. 費用、按揭貸款和樓價

- 計算置業總開支，包括律師費、按揭費用、保險費，以及印花稅。
- 向銀行查詢可否取得所需的按揭貸款，然後選擇合適的還款方式，並小心計算按揭貸款金額，以確保貸款額沒有超出本身的負擔能力。
- 查閱同類物業最近的成交價格，以作比較。
- 向賣方或地產代理瞭解，您須付予賣方或該發展項目的管理人的預計的管理費、管理費上期金額（如有）、特別基金金額（如有）、補還的水、電力及氣體按金（如有）、以及/或清理廢料的費用（如有）。

3. 價單、支付條款，以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售，因此應留意有關的銷售安排，以了解賣方會推售的住宅物業為何。賣方會在有關住宅物業推售日期前最少三日公布銷售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅物業而連帶獲得價格折扣、贈品，或任何財務優惠或利益，上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款計劃，在簽訂臨時買賣合約前，應先細閱有關價單內列出的按揭貸款計劃資料¹。如就該些按揭貸款計劃的詳情有任何疑問，應在簽訂臨時買賣合約前，直接向有關財務機構查詢。

4. 物業的面積及四周環境

- 留意載於售樓說明書和價單內的物業面積資料，以及載於價單內的每平方呎/每平方米售價。根據《一手住宅物業銷售條例》（第621章）（下稱「條例」），賣方只可以實用面積表達住宅物業的面積和每平方呎及平方米的售價。就住宅物業而言，實用面積指該住宅物業的樓面面積，包括在構成該物業的一部分的範圍內的以下每一項目的樓面面積：(i) 露台；(ii) 工作平台；以及(iii) 陽台。實用面積並不包括空調機房、窗台、閣樓、平台、花園、停車位、天台、梯屋、前庭或庭院的每一項目的面積，即使該些項目構成該物業的一部分的範圍。
- 售樓說明書必須顯示發展項目中所有住宅物業的樓面平面圖。在售樓說明書所載有關發展項目中住宅物業的每一份樓面平面圖，均須述明每個住宅物業的外部²和內部尺寸。售樓說明書所提供有關住宅物業外部和內部的尺寸，不會把批盪和裝飾物料包括在內。買家收樓前如欲購置家具，應留意這點。
- 親臨發展項目的所在地實地視察，以了解有關物業的四周環境（包括交通和社區設施）；亦應查詢有否任何城市規劃方案和議決，會對有關的物業造成影響；參閱載於售樓說明書內的位置圖、鳥瞰照片、分區計劃大綱圖，以及橫截面圖。

5. 售樓說明書

- 確保所取得的售樓說明書屬最新版本。根據條例，提供予公眾的售樓說明書必須是在之前的三個月之內印製或檢視、或檢視及修改。
- 閱覽售樓說明書，並須特別留意以下資訊：
 - 售樓說明書內有否關於「有關資料」的部分，列出賣方知悉但並非為一般公眾人士所知悉，關於相當可能對享有有關住宅物業造成重大影響的事宜的資料。請注意，已在土地註冊處註冊的文件，其內容不會被視為「有關資料」；
 - 橫截面圖會顯示有關建築物相對毗連該建築物的每條街道的橫截面，以及每條上述街道與已知基準面和該建築物最低的一層住宅樓層的水平相對的水平。橫截面圖能以圖解形式，顯示出建築物最低一層住宅樓層和街道水平的高低差距，不論該最低住宅樓層以何種方式命名；
 - 室內和外部的裝置、裝修物料和設備；
 - 管理費按甚麼基準分擔；
 - 小業主有否責任或需要分擔管理、營運或維持有關發展項目以內或以外的公眾休憩用地或公共設施的

開支，以及有關公眾休憩用地或公共設施的位置；以及

- 小業主是否須要負責維修斜坡。

6. 政府批地文件和公契

- 閱覽政府批地文件和公契（或公契擬稿）。公契內載有天台和外牆業權等相關資料。賣方會在售樓處提供政府批地文件和公契（或公契擬稿）的複本，供準買家免費閱覽。
- 留意政府批地文件內所訂明小業主是否須要負責支付地稅。
- 留意公契內訂明有關物業內可否飼養動物。

7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」，您可從該「消耗表」得悉在每個銷售日的銷售進度資料，包括在該個銷售日開始時有哪些住宅物業可供出售，以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言，倉卒簽立臨時買賣合約。

8. 成交紀錄冊

- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內，於紀錄冊披露該臨時買賣合約的資料，以及於買賣合約訂立後一個工作天內，披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發展項目每日銷售情況的最可靠資料來源。

¹ 按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求、就第一按揭連同第二按揭可獲得的按揭貸款金額上限、最長還款年期、整個還款期內的按揭利率變化，以及申請人須繳付的手續費。

² 根據條例附表1第1部第10(2)(d)條述明，售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項—
(i) 每個住宅物業的外部尺寸；
(ii) 每個住宅物業的內部尺寸；
(iii) 每個住宅物業的內部間隔的厚度；
(iv) 每個住宅物業內個別分隔室的外部尺寸。
根據條例附表1第1部第10(3)條，如有關發展項目的經批准的建築圖則，提供條例附表1第1部第10(2)(d)條所規定的資料，樓面平面圖須述明如此規定的該資料。

9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備，須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售予您的物業面積，而該面積通常較該物業的實用面積為大。
- 訂立臨時買賣合約時，您須向擁有人（即賣方）支付樓價5%的臨時訂金。
- 如您在訂立臨時買賣合約後五個工作日（工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子）之內，沒有簽立買賣合約，該臨時買賣合約即告終止，有關臨時訂金（即樓價的5%）會被沒收，而擁有人（即賣方）不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內，倘您簽立買賣合約，則擁有人（即賣方）必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金，應付予負責為所涉物業擔任保證金保存人的律師事務所。

10. 表達購樓意向

- 留意在賣方（包括其獲授權代表）就有關住宅物業向公眾提供價單前，賣方不得尋求或接納任何對有關住宅物業的購樓意向（不論是否屬明確選擇購樓意向）。因此您不應向賣方或其授權代表提出有關意向。
- 留意在有關住宅物業的銷售開始前，賣方（包括其獲授權代表）不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

11. 委託地產代理

- 留意倘賣方委任一個或多於一個地產代理，以協助銷售其發展項目內任何指明住宅物業，該發展項目的價單必須列明在價單印刷日期當日所有獲委任為地產代理的姓名/名稱。
- 您可委託任何地產代理（不一定是賣方所指定的地產代理），以協助您購置發展項目內任何指明住宅物業；您亦可不委託任何地產代理。
- 委託地產代理以物色物業前，您應該 —
 - 了解該地產代理是否只代表您行事。該地產代理若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益；

- 了解您須否支付佣金予該地產代理。若須支付，有關的佣金金額和支付日期為何；以及
- 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問，應要求該地產代理或營業員出示其「地產代理證」，或瀏覽地產代理監管局的網頁（網址：www.eaa.org.hk），查閱牌照目錄。

12. 委聘律師

- 考慮自行委聘律師，以保障您的利益。該律師若同時代表賣方行事，倘發生利益衝突，未必能夠保障您的最大利益。
- 比較不同律師的收費。

適用於一手未落成住宅物業

13. 預售樓花同意書

- 洽購地政總署「預售樓花同意方案」下的未落成住宅物業時，應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

14. 示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀，但賣方如為某指明住宅物業設置示範單位，必須首先設置該住宅物業的無改動示範單位，才可設置該住宅物業的經改動示範單位，並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時，務必視察無改動示範單位，以便與經改動示範單位作出比較。然而，條例並沒有限制賣方安排參觀無改動示範單位及經改動示範單位的先後次序。
- 賣方設置示範單位供公眾參觀時，應已提供有關發展項目的售樓說明書。因此，緊記先行索取售樓說明書，以便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度，並在無改動示範單位內拍照或拍攝影片，惟在確保示範單位參觀者人身安全的前提下，賣方可能會設定合理的限制。

適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

15. 預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期³。

- 售樓說明書中有關發展項目的預計關鍵日期並不同買家的「收樓日期」。買家的「收樓日期」必定較發展項目的預計關鍵日期遲。
- 收樓日期
 - 條例規定買賣合約須載有強制性條文，列明賣方須於買賣合約內列出的預計關鍵日期後的14日內，以書面為發展項目申請佔用文件、合格證明書，或地政總署署長的轉讓同意（視屬何種情況而定）。
 - 如發展項目屬地政總署預售樓花同意方案所規管，賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內（以較早者為準），就賣方有能力有效地轉讓有關物業一事，以書面通知買家；或
 - 如發展項目並非屬地政總署預售樓花同意方案所規管，賣方須在佔用文件（包括佔用許可證）發出後的六個月內，就賣方有能力有效地轉讓有關物業一事，以書面通知買家。
 - 條例規定買賣合約須載有強制性條文，列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後，賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
 - 條例規定買賣合約須載有強制性條文，列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後，批予在預計關鍵日期之後，完成發展項目：
 - 工人罷工或封閉工地；
 - 暴動或內亂；
 - 不可抗力或天災；
 - 火警或其他賣方所不能控制的意外；
 - 戰爭；或
 - 惡劣天氣。
 - 發展項目的認可人士可以按情況，多於一次批予延後預計關鍵日期以完成發展項目，即收樓日期可能延遲。
 - 條例規定買賣合約須載有強制性條文，列明賣方須於認可人士批予延期後的14日內，向買家提供有關延期證明書的文本。
- 如對收樓日期有任何疑問，可向賣方查詢。

³ 一般而言，「關鍵日期」指該項目符合批地文件的條件的日期，或該項目在遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均屬完成的日期。有關詳情請參閱條例第2條。

適用於一手已落成住宅物業

運輸及房屋局

一手住宅物業銷售監管局

2017年8月

16. 賣方資料表格

- 確保取得最近三個月內印製有關您擬購買的一手已落成住宅物業的「賣方資料表格」。

17. 參觀物業

- 購置住宅物業前，確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行，則應參觀與有關物業相若的物業，除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮，然後才決定是否簽署豁免上述規定的書面同意。
- 除非有關物業根據租約持有，或為確保物業參觀者的人身安全而須設定合理限制，您可以對該物業進行量度、拍照或拍攝影片。

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢，請與一手住宅物業銷售監管局聯絡。

網址	: www.srpa.gov.hk
電話	: 2817 3313
電郵	: enquiry_srpa@hd.gov.hk
傳真	: 2219 2220

其他相關聯絡資料：

消費者委員會	
網址	: www.consumer.org.hk
電話	: 2929 2222
電郵	: cc@consumer.org.hk
傳真	: 2856 3611

地產代理監管局	
網址	: www.eaa.org.hk
電話	: 2111 2777
電郵	: enquiry@eaa.org.hk
傳真	: 2598 9596

香港地產建設商會	
電話	: 2826 0111
傳真	: 2845 2521

2 INFORMATION ON THE DEVELOPMENT 發展項目的資料

Name of the street at which the development is situated and the street number allocated by the Commissioner of Rating and Valuation for the purpose of distinguishing the development

23 Tong Chun Street

*The provisional street number is subject to confirmation when the Development is completed.

Total number of storeys of each multi-unit building

Tower 1 : 15 storeys

Tower 2 (T2A & T2B) : 15 storeys

Tower 3 : 17 storeys

Tower 5 : 17 storeys

Tower 6 (T6A & T6B) : 17 storeys

Tower 7 (T7A & T7B) : 17 storeys

Tower 8 : 11 storeys

Tower 9 (T9A & T9B) : 11 storeys

The above number of storeys does not include basement and roof

Floor numbering in each multi-unit building as provided in the approved building plans for the development

Tower 1 : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-17/F & Roof

Tower 2 (T2A & T2B) : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-17/F & Roof

Tower 3 : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-19/F & Roof

Tower 5 : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-19/F & Roof

Tower 6 (T6A & T6B) : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-19/F & Roof

Tower 7 (T7A & T7B) : B/F, G/F, 1/F-3/F, 5/F-12/F, 15/F-19/F & Roof

Tower 8 : B/F, G/F, 1/F-3/F, 5/F-11/F & Roof

Tower 9 (T9A & T9B) : B/F, G/F, 1/F-3/F, 5/F-11/F & Roof

Omitted floor numbers in each multi-unit building in which the floor numbering is not in consecutive order

4/F (Tower 8 and Tower 9 (T9A & T9B))

4/F, 13/F and 14/F (Tower 1, Tower 2 (T2A & T2B), Tower 3, Tower 5, Tower 6 (T6A & T6B) and Tower 7 (T7A & T7B))

Refuge floors (if any) of each multi-unit building

No refuge floor in each tower

發展項目所位於的街道名稱及由差餉物業估價署署長為識別發展項目的目的而編配的門牌號數

唐俊街23號

*此臨時門牌號數有待本發展項目建成時確認。

每幢多單位建築物的樓層的總數

第1座：15層

第2座 (T2A 及 T2B)：15層

第3座：17層

第5座：17層

第6座 (T6A 及 T6B)：17層

第7座 (T7A 及 T7B)：17層

第8座：11層

第9座 (T9A 及 T9B)：11層

上述樓層數目並不包括地庫及天台

發展項目的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數

第1座：地庫、地下、1樓-3樓、5樓-12樓、15樓-17樓及天台

第2座 (T2A 及 T2B)：地庫、地下、1樓-3樓、5樓-12樓、15樓-17樓及天台

第3座：地庫、地下、1樓-3樓、5樓-12樓、15樓-19樓及天台

第5座：地庫、地下、1樓-3樓、5樓-12樓、15樓-19樓及天台

第6座 (T6A 及 T6B)：地庫、地下、1樓-3樓、5樓-12樓、15樓-19樓及天台

第7座 (T7A 及 T7B)：地庫、地下、1樓-3樓、5樓-12樓、15樓-19樓及天台

第8座：地庫、地下、1樓-3樓、5樓-11樓及天台

第9座 (T9A 及 T9B)：地庫、地下、1樓-3樓、5樓-11樓及天台

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層號數

4樓 (第8座及第9座 (T9A及T9B))

4樓、13樓及14樓 (第1座、第2座 (T2A及T2B)、第3座、第5座、第6座 (T6A及T6B) 及第7座 (T7A及T7B))

每幢多單位建築物內的庇護層 (如有的話)

每座大廈不設庇護層

Total number of houses

22

House numbering as provided in the approved building plans of the Development

Villa 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16 & 17

Villa A, B, C, D, E, F, G & H

Omitted house number

Villa number 4, 13 and 14 are omitted

洋房的總數量

22

該項目的經批准建築圖則所規定的洋房的門牌號數

1、2、3、5、6、7、8、9、10、11、12、15、16及17號洋房

A、B、C、D、E、F、G及H號洋房

被略去的門牌號數

4、13及14號洋房

Vendor

Precise Treasure Limited

Holding companies of the Vendor

Wheelock and Company Limited

Wheelock Investments Limited

Myers Investments Limited

Wheelock Properties Limited

Oasis Heart Limited

Ironhead Holdings Limited

Great Ever Global Limited

Authorized Person for the Development

Chu Hok-wang Clement

The firm or corporation of which an Authorized Person for the development is a proprietor, director or employee in his or her professional capacity

WCWP International Limited

Building contractor for the Development

Gammon Engineering & Construction Company Limited

The firm of solicitors acting for the owner in relation to the sale of residential properties in the development

Deacons

Any authorized institution that has made a loan, or has undertaken to provide finance, for the construction of the development

Australia and New Zealand Banking Group Limited

Bank of China (Hong Kong) Limited

BNP Paribas

Oversea - Chinese Banking Corporation Limited

Standard Chartered Bank (Hong Kong) Limited

(Remark: The loan has already been fully repaid by the Vendor.)

Any other person who has made a loan for the construction of the development

Wheelock Finance Limited

賣方

Precise Treasure Limited

賣方的控權公司

會德豐有限公司

Wheelock Investments Limited

Myers Investments Limited

會德豐地產有限公司

Oasis Heart Limited

Ironhead Holdings Limited

Great Ever Global Limited

發展項目的認可人士

朱學宏

認可人士以其專業身分擔任經營人、董事或僱員的商號或法團

胡周黃建築設計(國際)有限公司

發展項目的承建商

Gammon Engineering & Construction Company Limited

就發展項目中的住宅物業的出售而代表擁有人行事的律師事務所的近律師行

已為發展項目的建造提供貸款或已承諾為該項建造提供融資的認可機構

澳新銀行集團有限公司

中國銀行(香港)有限公司

法國巴黎銀行

Oversea - Chinese Banking Corporation Limited

渣打銀行(香港)有限公司

(註：賣方已全數清還該貸款。)

已為發展項目的建造提供貸款的任何其他人

Wheelock Finance Limited

(a)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of an authorized person for the development; 賣方或有關發展項目的承建商屬個人，並屬該項目的認可人士的家人；	Not applicable 不適用
(b)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of such an authorized person; 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的家人；	Not applicable 不適用
(c)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of such an authorized person; 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的家人；	No 否
(d)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of an associate of such an authorized person; 賣方或該項目的承建商屬個人，並屬上述認可人士的有聯繫人士的家人；	Not applicable 不適用
(e)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of an associate of such an authorized person; 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人；	Not applicable 不適用
(f)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of an associate of such an authorized person; 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的有聯繫人士的家人；	No 否
(g)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development; 賣方或該項目的承建商屬個人，並屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	Not applicable 不適用
(h)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development; 賣方或該項目的承建商屬合夥，而該賣方或承建商的合夥人屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人的家人；	Not applicable 不適用
(i)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of a proprietor of such a firm of solicitors; 賣方或該項目的承建商屬法團，而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述律師事務所的經營人的家人；	No 否
(j)	The vendor, a holding company of the vendor, or a building contractor for the development, is a private company, and an authorized person for the development, or an associate of such an authorized person, holds at least 10% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控權公司或有關發展項目的承建商屬私人公司，而該項目的認可人士或該認可人士的有聯繫人士持有該賣方、控權公司或承建商最少10%的已發行股份；	No 否

(k)	The vendor, a holding company of the vendor, or a building contractor for the development, is a listed company, and such an authorized person, or such an associate, holds at least 1% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述認可人士或上述有聯繫人士持有該賣方、控權公司或承建商最少1%的已發行股份；	No 否
(l)	The vendor or a building contractor for the development is a corporation, and such an authorized person, or such an associate, is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor; 賣方或該項目的承建商屬法團，而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱員、董事或秘書；	No 否
(m)	The vendor or a building contractor for the development is a partnership, and such an authorized person, or such an associate, is an employee of that vendor or contractor; 賣方或該項目的承建商屬合夥，而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員；	Not applicable 不適用
(n)	The vendor, a holding company of the vendor, or a building contractor for the development, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development holds at least 10% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控權公司或該項目的承建商屬私人公司，而就該項目中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份；	No 否
(o)	The vendor, a holding company of the vendor, or a building contractor for the development, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that vendor, holding company or contractor; 賣方、賣方的控權公司或該項目的承建商屬上市公司，而上述律師事務所的經營人持有該賣方、控權公司或承建商最少1%的已發行股份；	No 否
(p)	The vendor or a building contractor for the development is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor; 賣方或該項目的承建商屬法團，而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董事或秘書；	No 否
(q)	The vendor or a building contractor for the development is a partnership, and a proprietor of such a firm of solicitors is an employee of that vendor or contractor; 賣方或該項目的承建商屬合夥，而上述律師事務所的經營人屬該賣方或承建商的僱員；	Not applicable 不適用
(r)	The vendor or a building contractor for the development is a corporation, and the corporation of which an authorized person for the development is a director or employee in his or her professional capacity is an associate corporation of that vendor or contractor or of a holding company of that vendor; 賣方或該項目的承建商屬法團，而該項目的認可人士以其專業身分擔任董事或僱員的法團為該賣方或承建商或該賣方的控權公司的有聯繫法團；	No 否
(s)	The vendor or a building contractor for the development is a corporation, and that contractor is an associate corporation of that vendor or of a holding company of that vendor. 賣方或該項目的承建商屬法團，而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。	No 否

There will be non-structural prefabricated external walls forming part of the enclosing walls for the Development.
發展項目將會有非結構的預製外牆構成圍封牆的一部份。

The thickness of the non-structural prefabricated external walls of each tower is 150mm.
每幢建築物的非結構的預製外牆之厚度為150毫米。

Total Area Schedule of Non-structural Prefabricated External Walls
非結構的預製外牆總面積表

House Number 洋房編號	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Villa 1 1號洋房	N/A
Villa 2 2號洋房	N/A
Villa 3 3號洋房	N/A
Villa 5 5號洋房	N/A
Villa 6 6號洋房	N/A
Villa 7 7號洋房	N/A
Villa 8 8號洋房	N/A
Villa 9 9號洋房	N/A
Villa 10 10號洋房	N/A
Villa 11 11號洋房	N/A
Villa 12 12號洋房	N/A
Villa 15 15號洋房	N/A
Villa 16 16號洋房	N/A
Villa 17 17號洋房	N/A
Villa A A號洋房	N/A

House Number 洋房編號	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Villa B B號洋房	N/A
Villa C C號洋房	N/A
Villa D D號洋房	N/A
Villa E E號洋房	N/A
Villa F F號洋房	N/A
Villa G G號洋房	N/A
Villa H H號洋房	N/A

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 1 第1座	2/F 2樓	A	0.240
		B	0.233
		C	0.338
		D	0.222
		E	0.233
		F	0.233
		G	0.000
	3/F, 5/F - 12/F, 15/F - 16/F 3樓， 5樓至12樓， 15樓至16樓	A	0.320
		B	0.233
		C	0.338
		D	0.222
		E	0.233
		F	0.233
		G	0.000
	17/F 17樓	A	0.000
		B	0.338
		C	0.222
		D	0.233
		E	0.233
		F	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 2 (T2A) 第2座 (T2A)	2/F 2樓	A	0.420
		B	0.330
		C	0.000
		D	0.241
	3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓	A	0.420
		B	0.330
		C	0.000
		D	0.241
	17/F 17樓	A	0.330
		B	0.000
		C	0.241

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 2 (T2B) 第2座 (T2B)	2/F 2樓	A	0.225
		B	0.300
		C	0.217
		D	0.000
	3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓	A	0.225
		B	0.300
		C	0.217
		D	0.000
	17/F 17樓	A	0.225
		B	0.300
		C	0.217
		D	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 3 第3座	2/F 2樓	A	0.000
		B	0.240
		C	0.240
		D	0.183
		E	0.198
		F	0.240
		G	0.000
	3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓	A	0.000
		B	0.240
		C	0.240
		D	0.198
		E	0.198
		F	0.240
		G	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 5 第5座	2/F 2樓	A	0.131
		B	0.000
		C	0.000
		D	0.240
		E	0.000
		F	0.234
		G	0.000
		H	0.000
		I	0.225
		J	0.000
	3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓	A	0.127
		B	0.000
		C	0.000
		D	0.240
		E	0.000
		F	0.234
		G	0.000
		H	0.000
		I	0.225
		J	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 6 (T6A) 第6座 (T6A)	2/F & 3/F 2樓及3樓	B	0.510
	2/F 2樓	A	0.244
		C	0.000
		D	0.000
		E	0.000
		F	0.000
		G	0.000
	3/F 3樓	A	0.245
		C	0.000
		D	0.000
		E	0.000
		F	0.000
		G	0.000
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A	0.245
		B	0.255
		C	0.000
		D	0.000
		E	0.000
		F	0.000
		G	0.000
	19/F 19樓	A	0.245
		B	0.255
		C	0.000
		D	0.000
		E	0.000
		F	0.000
		G	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 6 (T6B) 第6座 (T6B)	2/F & 3/F 2樓及3樓	A	0.540
	2/F 2樓	B	0.210
		C	0.000
		D	0.000
		E	0.000
		F	0.000
	3/F 3樓	B	0.210
		C	0.000
		D	0.000
		E	0.000
		F	0.000
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A	0.270
		B	0.210
		C	0.000
		D	0.000
		E	0.000
		F	0.000
	19/F 19樓	A	0.270
		B	0.210
		C	0.000
		D	0.000
		E	0.000
		F	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 7 (T7A) 第7座 (T7A)	2/F & 3/F 2樓及3樓	B	0.504
	2/F 2樓	A	0.000
		C	0.230
		D	0.230
		E	0.000
	3/F 3樓	A	0.000
		C	0.229
		D	0.230
		E	0.000
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A	0.000
		B	0.252
		C	0.230
		D	0.230
		E	0.000
	19/F 19樓	A	0.000
		B	0.252
		C	0.230
		D	0.230
		E	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 7 (T7B) 第7座 (T7B)	2/F & 3/F 2樓及3樓	A	0.504
	2/F 2樓	B	0.240
		C	0.225
		D	0.230
		E	0.230
	3/F 3樓	B	0.120
		C	0.225
		D	0.230
		E	0.230
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A	0.252
		B	0.120
		C	0.225
		D	0.230
		E	0.230
	19/F 19樓	A	0.252
		B	0.120
		C	0.225
		D	0.230
		E	0.230

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 8 第8座	2/F 2樓	A	0.330
		B	0.222
		C	0.000
		D	0.000
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	0.210
		B	0.222
		C	0.000
		D	0.000
	11/F 11樓	A	0.210
		B	0.000
		C	0.000

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 9 (T9A) 第9座 (T9A)	2/F 2樓	A	0.330
		B	0.319
		C	0.240
		D	0.240
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	0.210
		B	0.319
		C	0.240
		D	0.240
	11/F 11樓	A	0.210
		B	0.240
		C	0.240

Tower Name 座號	Floor 樓層	Unit 單位	Total area of non-structural prefabricated external walls of each residential property (sq.m) 每個住宅物業的非結構的預製外牆的總面積 (平方米)
Tower 9 (T9B) 第9座 (T9B)	2/F 2樓	A	0.225
		B	0.230
		C	0.229
		D	0.225
		E	0.420
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	0.225
		B	0.229
		C	0.230
		D	0.225
		E	0.420
	11/F 11樓	A	0.225
		B	0.229
		C	0.229
		D	0.225
		E	0.420

There will be curtain walls forming part of the enclosing walls for the Development.
發展項目將會有幕牆構成圍封牆的一部份。

The thickness of the curtain walls of each tower and house is 300mm except some units marked with* which the thickness of the curtain walls is 200mm and 300mm.
每幢建築物及每座洋房的幕牆之厚度為300毫米，除單位標有*，幕牆之厚度為200毫米和300毫米。

Total Area Schedule of Curtain Walls
幕牆總面積表

House Number 洋房編號	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Villa 1 1號洋房	3.126
Villa 2 2號洋房	3.126
Villa 3 3號洋房	3.126
Villa 5 5號洋房	3.126
Villa 6 6號洋房	3.126
Villa 7 7號洋房	3.126
Villa 8 8號洋房	3.126
Villa 9 9號洋房	3.126
Villa 10 10號洋房	3.126
Villa 11 11號洋房	3.126
Villa 12 12號洋房	3.126
Villa 15 15號洋房	3.126
Villa 16 16號洋房	3.126
Villa 17 17號洋房	3.146
Villa A A號洋房	2.364

House Number 洋房編號	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Villa B B號洋房	2.364
Villa C C號洋房	2.364
Villa D D號洋房	2.364
Villa E E號洋房	2.364
Villa F F號洋房	2.364
Villa G G號洋房	2.364
Villa H H號洋房	2.364

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 1 第1座	2/F 2樓	A	2.450
		B	2.472
		C*	3.314
		D	2.187
		E	1.635
		F	1.590
		G	1.611
	3/F, 5/F - 12/F, 15/F - 16/F 3樓， 5樓至12樓， 15樓至16樓	A	2.450
		B	2.472
		C*	3.323
		D	2.217
		E	1.635
		F	1.590
		G	1.611
	17/F 17樓	A	4.185
		B*	3.343
		C	2.217
		D	1.635
		E	1.590
		F	1.611

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 2 (T2A) 第2座 (T2A)	2/F 2樓	A	2.998
		B	3.303
		C	2.271
		D	2.108
	3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓	A	2.998
		B	3.303
		C	2.271
		D	2.108
	17/F 17樓	A	2.715
		B	2.271
		C	2.108

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 2 (T2B) 第2座 (T2B)	2/F 2樓	A	1.637
		B	1.607
		C	2.389
		D	1.765
	3/F, 5/F - 12/F, 15/F - 16/F 3樓, 5樓至12樓, 15樓至16樓	A	1.637
		B	1.607
		C	2.388
		D	1.764
	17/F 17樓	A	1.637
		B	1.607
		C	2.389
		D	1.765

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 3 第3座	2/F 2樓	A	2.393
		B	2.538
		C	2.232
		D	2.239
		E	2.352
		F	2.346
		G	0.443
	3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓	A	2.393
		B	2.897
		C	2.232
		D	2.239
		E	2.352
		F	2.346
		G	0.443

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 5 第5座	2/F 2樓	A	2.380
		B	0.296
		C	2.393
		D	2.891
		E	0.880
		F	1.578
		G	0.715
		H	0.682
		I	1.545
		J	1.575
	3/F, 5/F - 12/F, 15/F - 19/F 3樓, 5樓至12樓, 15樓至19樓	A	2.380
		B	0.296
		C	2.392
		D	2.891
		E	0.880
		F	1.578
		G	0.715
		H	0.682
		I	2.028
		J	1.575

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 6 (T6A) 第6座 (T6A)	2/F & 3/F 2樓及3樓	B	2.807
	2/F 2樓	A*	2.719
		C	0.728
		D	0.652
		E	0.715
		F*	1.912
		G	0.279
	3/F 3樓	A*	2.734
		C	0.728
		D	0.652
		E	0.715
		F*	1.912
		G	0.279
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A*	2.718
		B	2.382
		C	0.728
		D	0.652
		E	0.715
		F*	1.912
		G	0.279
	19/F 19樓	A*	2.719
		B	2.382
		C	0.728
		D	0.652
		E	0.715
		F*	1.912
		G	0.279

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 6 (T6B) 第6座 (T6B)	2/F & 3/F 2樓及3樓	A	2.667
	2/F 2樓	B	2.418
		C	1.608
		D	0.715
		E	0.652
		F	0.728
	3/F 3樓	B	2.418
		C	1.608
		D	0.715
		E	0.652
		F	0.728
	5/F - 12/F, 15/F - 18/F 5樓至12樓， 15樓至18樓	A	2.348
		B	2.418
		C	1.608
		D	0.715
		E	0.652
		F	0.728
	19/F 19樓	A	2.348
		B	2.418
		C	1.608
		D	0.715
		E	0.652
		F	0.728

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 7 (T7A) 第7座 (T7A)	2/F & 3/F 2樓及3樓	B	2.772
	2/F 2樓	A	2.360
		C	1.599
		D	1.599
		E	1.575
	3/F 3樓	A	2.360
		C	1.599
		D	1.599
		E	1.575
	5/F - 12/F, 15/F 5樓至12樓， 15樓	A	2.360
		B	2.294
		C	1.599
		D	1.599
		E	1.575
	16/F - 18/F 16樓至18樓	A	2.780
		B	2.294
		C	1.599
		D	1.599
		E	1.980
	19/F 19樓	A	2.780
		B	2.294
		C	1.599
		D	1.599
		E	1.980

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 7 (T7B) 第7座 (T7B)	2/F & 3/F 2樓及3樓	A	2.772
	2/F 2樓	B*	2.728
		C*	1.868
		D	1.599
		E	1.599
	3/F 3樓	B*	2.728
		C*	1.868
		D	1.599
		E	1.599
	5/F - 12/F, 15/F 5樓至12樓， 15樓	A	2.294
		B*	2.728
		C*	1.868
		D	1.599
		E	1.599
	16/F - 18/F 16樓至18樓	A	2.294
		B*	2.728
		C*	1.868
		D	1.599
		E	1.599
	19/F 19樓	A	2.294
		B*	2.728
		C*	1.868
		D	1.599
		E	1.599

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 8 第8座	2/F 2樓	A	1.607
		B	2.449
		C	1.584
		D	0.676
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	2.635
		B	2.457
		C	1.584
		D	0.676
	11/F 11樓	A	5.910
		B	1.584
		C	0.677


Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 9 (T9A) 第9座 (T9A)	2/F 2樓	A	1.606
		B	2.419
		C	2.384
		D	2.383
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	2.627
		B	3.114
		C	2.385
		D	2.381
	11/F 11樓	A	8.267
		B	2.381
		C	2.413

Tower Name 座號	Floor 樓層	Unit 單位	Total area of curtain walls of each residential property (sq.m) 每個住宅物業的幕牆的總面積 (平方米)
Tower 9 (T9B) 第9座 (T9B)	2/F 2樓	A	2.870
		B	1.626
		C	1.590
		D	1.575
		E	1.535
	3/F, 5/F - 10/F 3樓，5樓至10樓	A	2.867
		B	1.626
		C	1.590
		D	1.575
		E	1.535
	11/F 11樓	A	2.867
		B	1.626
		C	1.590
		D	1.575
		E	1.545

Harriman Property Management Limited is appointed as the Manager of the Development under the latest draft deed of mutual covenant.

根據有關公契的最新擬稿，獲委任為發展項目的管理人為夏利文物業管理有限公司。

7 LOCATION PLAN OF THE DEVELOPMENT 發展項目的所在位置圖



- - - Location of the Development
發展項目的位置

比例
Scale : 0M/米 500M/米



Legend 圖例

- | | | |
|--|---|------------------|
| | A power plant (including electricity sub-stations) | 發電廠(包括電力分站) |
| | A public carpark (including a lorry park) | 公眾停車場(包括貨車停泊處) |
| | A public convenience | 公廁 |
| | A public park | 公園 |
| | A public utility installation | 公用事業設施裝置 |
| | A religious institution (including a church, a temple and a Tsz Tong) | 宗教場所(包括教堂、廟宇及祠堂) |
| | A school (including a kindergarten) | 學校(包括幼稚園) |

Notes:

1. The above Location Plan is made with reference to the Survey Sheet No. 12-SW-A dated 18th March 2019, Survey Sheet No. 11-SE-B dated 29th November 2019, Survey Sheet No. 12-NW-C dated 18th March 2019 and Survey Sheet No. 11-NE-D dated 5th February 2020, with adjustments where necessary.
2. The Government of the Hong Kong SAR has the copyright of the above plan. The map is reproduced with permission of the Director of Lands. © The Government of Hong Kong SAR. Licence No. 6/2020.
3. The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason.

附註：

1. 上述發展項目的所在位置圖參考於2019年3月18日修訂之測繪圖編號12-SW-A、2019年11月29日修訂之測繪圖編號11-SE-B、2019年3月18日修訂之測繪圖編號12-NW-C及2020年2月5日修訂之測繪圖編號11-NE-D，經修正處理。
2. 地圖版權屬香港特區政府，經地政總署准許複印，版權特許編號6/2020。
3. 由於技術原因，上圖可能顯示多於《一手住宅物業銷售條例》所要求顯示的範圍。

Adopted from part of the aerial photograph taken by the Survey and Mapping Office of Lands Department at a flying height of 6,900 feet, photo No. E053992C dated 23rd January 2019.

摘錄自地政總署測繪處在6,900呎的飛行高度拍攝之鳥瞰照片，照片編號E053992C，飛行日期為2019年1月23日。



Adopted from part of the aerial photograph taken by the Survey and Mapping Office of Lands Department at a flying height of 6,900 feet, photo No. E053993C dated 23rd January 2019.

摘錄自地政總署測繪處在6,900呎的飛行高度拍攝之鳥瞰照片，照片編號E053993C，飛行日期為2019年1月23日。



This blank area falls outside the coverage of the aerial photograph

鳥瞰照片並不覆蓋本空白範圍

 Location of the Development
發展項目的位置


Notes :

1. Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved - reproduction by permission only.
2. The photographs may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason.

附註：

1. 香港特別行政區政府地政總署測繪處©版權所有 未經許可 不得複製。
2. 由於技術原因，上述照片可能顯示多於《一手住宅物業銷售條例》所要求顯示的範圍。

9 OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT 關於發展項目的分區計劃大綱圖



Location of the Development
發展項目的位置

比例
Scale : 0M/米 500M/米

Notation 圖例


Zones 地帶

Commercial / Residential 商業/住宅
Residential (Group A) 住宅(甲類)
Residential (Group B) 住宅(乙類)
Government, Institution or Community 政府、機構或社區
Open Space 休憩用地
Recreation 康樂
Other Specified Uses 其他指定用途
Green Belt 綠化地帶

C/R
R(A)
R(B)
G/I/C
O
REC
OU
GB

Communications 交通

Railway and Station (Underground) 鐵路及車站(地下)
Major Road and Junction 主要道路及路口



Miscellaneous 其他

Planning Area Number 規劃區編號

①

The Outline Zoning Plan is adopted from part of the draft Tseung Kwan O Outline Zoning Plan No. S/TKO/26 gazetted on 26th October 2018.

摘錄自2018年10月26日刊憲之將軍澳分區計劃大綱草圖，圖則編號S/TKO/26。

Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved - reproduction by permission only.


香港特別行政區政府地政總署測繪處©版權所有 未經許可 不得複製。

Notes:

- The plan may show more than the area required under the Residential Properties (First-hand Sales) Ordinance due to technical reason.

附註：

- 由於技術原因，上圖可能顯示多於《一手住宅物業銷售條例》所要求顯示的範圍。



比例
Scale: 0M/米 20M/米



Notes :

- There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans.
- Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or flat roof and/or air-conditioner platform and/or external wall of some residential units. For details, please refer to the latest approved building plans and/or approved drainage plans.
- There are sunken slabs (for mechanical & electrical services of units above) and/or ceiling bulkheads for the air-conditioning fittings and/or mechanical & electrical services at some residential units.
- There are exposed pipes installed in some stores and toilets.
- There are exposed pipes located at the upper part of some utility platforms.
- Balconies and utility platforms are non-enclosed areas.
- Symbols of fittings and fitments such as bath tub, sink, water closet, shower, sink counter, etc. are prepared based on the latest approved building plans and are for general indication only.

備註：

- 部分樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新批准的建築圖則。
- 部分住宅單位的露台及/或平台及/或空調機平台及/或外牆上/附近設有外露及/或外牆裝飾板內藏之公用喉管，詳細資料請參考最新批准的建築圖則及/或排水設施圖。
- 部分住宅單位天花板有跌級樓板(用以安裝樓上單位之機電設備)及/或假天花內裝置空調裝備及/或其他機電設備。
- 部分儲物房及洗手間內裝有外露喉管。
- 部分工作平台上方裝有外露喉管。
- 露台及工作平台為不可圍封的地方。
- 樓面平面圖上所顯示的裝置符號，如浴缸、洗滌盆、座廁、花灑、洗滌盆櫃等乃按最新的經批准的建築圖則繪製，只作一般示意用途。

Legend 圖例

A/C PLATFORM = AIR CONDITIONER PLATFORM = 空調機平台
A/C PLATFORM ABOVE = AIR CONDITIONER PLATFORM ABOVE = 上層空調機平台
ALUM. ARCH. FEATURE = ALUMINIUM ARCHITECTURAL FEATURE = 鋁建築裝飾
ARCH. FEATURE FOR R.W.P. = ARCHITECTURAL FEATURE FOR RAIN WATER PIPE = 雨水管道槽之建築裝飾
BAL. = BALCONY = 露台
BATH = BATHROOM = 浴室
B.R. = BEDROOM = 睡房
DIN. = DINING ROOM = 飯廳
DN = DOWN = 落
E.A.D. = EXHAUST AIR DUCT = 排風管
ELV = ELV ROOM = EXTRA LOW VOLTAGE ELECTRICAL ROOM = 電房
E.M.C. = ELECTRICAL METER CABINET = 電錶櫃
E.M.R. = ELEC. METER RM. = ELECTRICAL METER ROOM = 電錶房
H.R. = HOSE REEL = 消防喉轆
KIT. = KITCHEN = 廚房
LAV. = LAVATORY = 洗手間
LIV. = LIVING ROOM = 客廳
M.BATH = MASTER BATHROOM = 主人浴室 = 主人房浴室
M.B.R. = MASTER BEDROOM = 主人睡房
OPEN KIT. = OPEN KITCHEN = 開放式廚房
P.D. = PIPE DUCT = 管道
R.S.M.R.M. = REFUSE STORAGE AND MATERIAL RECOVERY ROOM = 垃圾及物料回收室
R.W.P. = RAIN WATER PIPE = 雨水管
ST = STAIR = 樓梯
STORE = STORE ROOM = 儲物室
STORE (U.S.) = STORE ROOM (UNDER STAIR) = 儲物室(樓梯下)
STUDY = STUDY ROOM = 書房
T1 = TOWER 1 = 第1座
T2A = TOWER 2 (T2A) = 第2座(T2A)
T2B = TOWER 2 (T2B) = 第2座(T2B)
T3 = TOWER 3 = 第3座
T5 = TOWER 5 = 第5座
T6A = TOWER 6 (T6A) = 第6座(T6A)
T6B = TOWER 6 (T6B) = 第6座(T6B)
T7A = TOWER 7 (T7A) = 第7座(T7A)
T7B = TOWER 7 (T7B) = 第7座(T7B)
T8 = TOWER 8 = 第8座
T9A = TOWER 9 (T9A) = 第9座(T9A)
T9B = TOWER 9 (T9B) = 第9座(T9B)
U.P. = UTILITY PLATFORM = 工作平台
UTILITY = UTILITY ROOM = 多功能房
VRV = LOCATION FOR VARIABLE REFRIGERANT VOLUME AIR-CONDITIONER UNIT = 可變冷媒流量冷氣機位置 = 空調機位置
W.M.C. = WATER METER CABINET = 水錶櫃

Villa 1
1號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 1 1號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 1 Floor Plan
1號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 2
2號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 2 2號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 2 Floor Plan 2號洋房樓面平面圖



比例
Scale: 0M/米 5M/米

Villa 3
3號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 3 3號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 3 Floor Plan

3號洋房樓面平面圖



比例
Scale: 0M/米 5M/米

Villa 5
5號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 5 5號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa 5 Floor Plan
5號洋房樓面平面圖



G/F Floor Plan
地下平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 6
6號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 6 6號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 6 Floor Plan
6號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 7
7號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 7 7號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 7 Floor Plan 7號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 8
8號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 8 8號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 8 Floor Plan

8號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 9
9號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 9 9號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 9 Floor Plan 9號洋房樓面平面圖



比例
Scale: 0M/米 5M/米

Villa 10
10號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 10 10號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :



- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Roof Plan 天台平面圖

43

Villa 11
11號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 11 11號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 11 Floor Plan

11號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 12
12號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 12 12號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 12 Floor Plan
12號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 15
15號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 15 15號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.




備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 15 Floor Plan
15號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 16
16號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 16 16號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3100, 3150, 3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 16 Floor Plan 16號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa 17
17號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa 17 17號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.




備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa 17 Floor Plan
17號洋房樓面平面圖



Part Plan of B/F Floor Plan
地庫局部平面圖

G/F Floor Plan
地下平面圖

1/F Floor Plan
1樓平面圖

Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa A
A號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa A A號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa A Floor Plan
A號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa B
B號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa B B號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa B Floor Plan
B號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa C
C號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa C C號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



59

Villa D
D號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa D D號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa D Floor Plan
D號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa E
E號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa E E號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



63

Villa F
F號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa F F號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa F Floor Plan
F號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa G
G號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa G G號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。


- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。


Villa G Floor Plan
G號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Villa H
H號洋房

	House 洋房	B/F 地庫	G/F 地下	1/F 1樓	Roof 天台
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Villa H H號洋房	1200	200	200	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)		5050	*4450, *4500	3500, 3550	N/A 不適用

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).


- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Villa H Floor Plan


H號洋房樓面平面圖




G/F Floor Plan
地下平面圖



Part Plan of B/F
Floor Plan
地庫局部平面圖



1/F Floor Plan
1樓平面圖



Roof Plan
天台平面圖

比例
Scale: 0M/米 5M/米

Tower 1
第1座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	2/F 2樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 1
第1座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	3/F, 5/F - 12/F, 15/F 3樓, 5樓至12樓, 15樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	16/F 16樓	150	150, 250, 350	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3200, 3250, 3500, 3550, 3800	3200, 3450, 3500, 3550, 3800	3450, 3500	3500	3500	3500	3500

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 1
第1座

3/F, 5/F - 12/F, 15/F - 16/F Floor Plan
3樓、5樓至12樓、15樓至16樓樓面平面圖



Tower 1
第1座

	Tower 座	Floor 樓層	Units 單位					
			A	B	C	D	E	F
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	17/F 17樓	200, 250, 350	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2150, 2500, 3000, 3500, 3550, 3800, 6500	3500, 3550, 3800	3500, 3800	3500, 3550, 3800	3500, 3550, 3800	3500, 3550, 3800

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 1
第1座

17/F Floor Plan
17樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 1
第1座

	Tower 座	Floor 樓層	Units 單位					
			A	B	C	D	E	F
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	Roof 天台	#150	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			^2700	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

This refers to the top of the stairhood.
此樓板為梯屋頂。

^ This refers to the height between the top surface of the structural slab of the staircase within the stairhood and the top surface of the structural slab of the top of the stairhood.
此為梯屋地台面至梯屋頂樓板頂部面之高度。

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 2
第2座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2A) 第2座 (T2A)	2/F 2樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2B) 第2座 (T2B)	2/F 2樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 2
第2座

2/F Floor Plan 2樓樓面平面圖



Tower 2
第2座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2A) 第2座 (T2A)	3/F, 5/F - 12/F, 15/F 3樓, 5樓至12樓, 15樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2B) 第2座 (T2B)	3/F, 5/F - 12/F, 15/F 3樓, 5樓至12樓, 15樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2A) 第2座 (T2A)	16/F 16樓	150, 200, 250	150, 300	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3200, 3250, 3450, 3500, 3550, 3800	3200, 3250, 3450, 3500, 3550, 3800	3500	3500
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2B) 第2座 (T2B)	16/F 16樓	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500	3500	3500	3500

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 2
第2座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2A) 第2座 (T2A)	17/F 17樓	200, 250	200, 300	200	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2150, 2500, 3000, 3500, 3550, 3800, 6500	3500, 3550, 3750, 3800	3500, 3550, 3750, 3800	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2B) 第2座 (T2B)	17/F 17樓	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3500, 3800	3500, 3550, 3800	3500, 3550, 3800	3500, 3550, 3800

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 2 17/F Floor Plan
第2座 17樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 2
第2座

	Tower 座	Floor 樓層	Units 單位			
			A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2A) 第2座 (T2A)	Roof 天台	#150	N/A 不適用	N/A 不適用	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			^2700	N/A 不適用	N/A 不適用	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 2 (T2B) 第2座 (T2B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

This refers to the top of the stairhood.

此樓板為梯屋頂。

^ This refers to the height between the top surface of the structural slab of the staircase within the stairhood and the top surface of the structural slab of the top of the stairhood.

此為梯屋地台面至梯屋頂樓板頂部面之高度。

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 2
第2座

Roof Floor Plan
天台樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 3
第3座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	2/F 2樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 3 2/F Floor Plan
第3座 2樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 3
第3座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	3/F 3樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 3 3/F Floor Plan
第3座 3樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 3
第3座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	5/F - 12/F, 15/F - 17/F 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	18/F 18樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	19/F 19樓	200	200	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 3 5/F - 12/F, 15/F - 19/F Floor Plan
第3座 5樓至12樓、15樓至19樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 3
第3座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 3 第3座	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

Notes :


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



比例 

Scale: 0M/米 5M/米

Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	2/F 2樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3650	*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	3/F, 5/F - 12/F, 15/F-17/F 3樓, 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	18/F 18樓	150	150	150	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	19/F 19樓	200	200	200	200	200	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3600	3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3550, 3600	3300, 3350, 3600	3300, 3550, 3600	3300, 3600	3300, 3350, 3600	3300, 3350, 3600

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 5 3/F, 5/F - 12/F, 15/F - 19/F Floor Plan
第5座 3樓、5樓至12樓、15樓至19樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 5
第5座

	Tower 座	Floor 樓層	Units 單位									
			A	B	C	D	E	F	G	H	I	J
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 5 第5座	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

Notes :


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	2/F 2樓	150	200, 250	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3650	*3350, *3650	*3350, *3600, *3650	*3350, *3600, *3650	*3350, *3650
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	2/F 2樓	200, 250	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3400, *3650	*3350, *3650	*3350, *3650	*3350, *3650	*3350, *3650	-

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 6 2/F Floor Plan
第6座 2樓樓面平面圖



比例
Scale : 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	3/F 3樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	3/F 3樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2850, 2900, 3150, 3200, 3450	3150	3150	3150	3150	3150	-

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 6 3/F Floor Plan
第6座 3樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	5/F - 12/F, 15/F - 17/F 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	5/F - 12/F, 15/F - 17/F 5樓至12樓, 15樓至17樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150	3150	-
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	18/F 18樓	150	150	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	18/F 18樓	150	150	150	150	150	150	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300	3300	3300	3300	3300	-

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。

- 發展項目公契暨管理協議有以下條款：

第4附表第55條

(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。

- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 6 5/F - 12/F, 15/F - 18/F Floor Plan
第6座 5樓至12樓、15樓至18樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	19/F 19樓	200, 250	200	200	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3600	3300, 3600	3300, 3350, 3600	3300, 3350, 3600	3300, 3600
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	19/F 19樓	200	200	200	200	200	200	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3600	3300, 3550, 3600	3300, 3600	3300, 3600	3300, 3600	3300, 3600	-

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 6 19/F Floor Plan
第6座 19樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 6
第6座

	Tower 座	Floor 樓層	Units 單位						
			A	B	C	D	E	F	G
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6A) 第6座 (T6A)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 6 (T6B) 第6座 (T6B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	-
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	-

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	2/F 2樓	150	200, 250	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3400, *3600, *3650	*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3650
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	2/F 2樓	200, 250	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			*3350, *3600, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3650	*3350, *3400, *3600, *3650	*3350, *3400, *3600, *3650

* Inclusive of the sunken depth of the electrical and mechanical zone on the floor of this floor (500mm)
包括本層地台跌級機電層之跌級深度(500毫米)

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 7 2/F Floor Plan
第7座 2樓樓面平面圖



比例 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	3/F 3樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	3/F 3樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			2850, 3100, 3150, 3200, 3400, 3450	3150	3150	3150	3150

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註 :

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。



Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	5/F - 12/F, 15/F 5樓至12樓, 15樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	5/F - 12/F, 15/F 5樓至12樓, 15樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 7 5/F - 12/F, 15/F Floor Plan
第7座 5樓至12樓、15樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	16/F - 17/F 16樓至17樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	16/F - 17/F 16樓至17樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3150	3150	3150	3150	3150
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	18/F 18樓	150, 200	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3600	3300	3300	3300	3300
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	18/F 18樓	150	150	150	150	150
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300	3300, 3600	3300	3300	3300

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule

(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.

(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.

- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。

- 發展項目公契暨管理協議有以下條款：


第4附表第55條

(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。

(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。

- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 7 16/F - 18/F Floor Plan
第7座 16樓至18樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	19/F 19樓	200, 250	200	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3550, 3600	3300, 3350, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600	3300, 3600
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	19/F 19樓	200	200, 250	200	200	200
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			3300, 3350, 3600	3300, 3350, 3550, 3600	3300, 3550, 3600	3300, 3350, 3550, 3600	3300, 3350, 3550, 3600

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

Tower 7 19/F Floor Plan
第7座 19樓樓面平面圖



比例
Scale: 0M/米 5M/米

Tower 7
第7座

	Tower 座	Floor 樓層	Units 單位				
			A	B	C	D	E
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7A) 第7座 (T7A)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	Tower 7 (T7B) 第7座 (T7B)	Roof 天台	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用
The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)			N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用	N/A 不適用

Notes :

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all structural dimensions in millimetre.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示之建築結構尺寸。

- According to Special Condition No.(8)(e) of the Land Grant, the minimum number of residential units in the Development is 875.
- The Deed of Mutual Covenant and Management Agreement of the Development contains the following provisions:
Clause 55 of the Fourth Schedule
(a) No Owner shall carry out or permit or suffer to be carried out any works in connection with any Residential Unit, including but not limited to demolition or alteration of any common partition wall or any floor or roof slab or any partition structure, which will result in the Residential Unit being internally linked to and accessible from any adjoining or adjacent Residential Unit, except with the prior written consent of the Director of Lands or any other Government authority in place of him from time to time, which consent may be given or withheld at his absolute discretion and if given, may be subject to such terms and conditions (including payment of fees) as may be imposed by him at his absolute discretion.
(b) The Manager shall deposit in the management office the record provided by the Director of Lands or any other Government authority in place of him from time to time of the information relating to the consent referred to in (a) above for inspection by all Owners free of costs and taking copies at their own expense and on payment of a reasonable charge, all charges received to be credited to the residential account of the Special Fund.
- A total number of 926 residential units are provided in the Development (comprising 22 houses and 904 flats).

- 根據批地文件特別條件第(8)(e)條，發展項目住宅單位數目最少為875個。
- 發展項目公契暨管理協議有以下條款：
第4附表第55條
(a) 除非事前獲地政總署署長或不時取代其位的任何其他政府主管當局書面同意，而地政總署署長或上述政府主管當局可全權酌情給予或拒絕同意，並可全權酌情在給予同意時附加任何條款與條件(包括徵收費用)，否則業主不得進行或允許或容忍他人進行與任何住宅單位相關的任何工程，包括但不限於拆卸或更改任何公用間隔牆、樓板或天臺板或間隔結構，以致有關的住宅單位可在內部連接及通往任何毗鄰或毗連的住宅單位。
(b) 管理人須在管理處備存地政總署署長或不時取代其位的任何其他政府主管當局所提供有關上述第(a)款所載的同意的資料的記錄，以供所有業主免費閱覽及在自費支付合理費用後索取其影印本，影印費收訖後一律撥入特別基金之住宅部份。
- 發展項目共提供926住宅單位(包括22間洋房及904個單位)。

