

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. INTERIOR FINISHES

Item	Description		
(d) Bathroom	(i) Type of wall, floor and ceiling finishes		
	Wall	Floor	Ceiling
	Porcelain tiles, reconstituted stone, mirror, metal, ceramic tiles and epoxy paint: Porcelain tiles, mirror, metal, ceramic tiles and epoxy paint: M. Bath in Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Bath 1 in Flat K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); M. Bath in Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A); Bath 1 in Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) Porcelain tiles, reconstituted stone, laminated glass, mirror, metal, ceramic tiles and epoxy paint: M. Bath in Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A) Porcelain tiles, laminated glass, metal, ceramic tiles and epoxy paint: Bath 1 in Flat J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) Porcelain tiles, reconstituted stone, plastic laminate, laminated glass, metal, ceramic tiles and epoxy paint: Bath 1 in Flats B, C, E, F, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Bath 1 in Flats A, B, D, G and H on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) Porcelain tiles, natural stone, reconstituted stone, clear tempered glass, wood veneer, mirror, metal, ceramic tiles and epoxy paint: Bath 1 in Flat G on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Bath 1 in Flats E and F on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)	Porcelain tiles, reconstituted stone and epoxy paint for the top of plinth of basin cabinet Porcelain tiles and epoxy paint for the top of plinth of basin cabinet: M. bath in Flats C and D and Bath 2 in Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Bath 2 in Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Gypsum board with emulsion paint and aluminium ceiling
	(ii) Whether the wall finishes run up to the ceiling	Up to level of false ceiling	

Item	Description				
(e) Kitchen	(i) Type of wall, floor, ceiling and cooking bench finishes				
		Wall	Floor	Ceiling	Cooking Bench
	Kitchen	Mirror, laminated glass, metal, plastic laminate and porcelain tile, ceramic tiles and epoxy paint Laminated glass, metal, plastic laminate and porcelain tile, ceramic tiles and epoxy paint: Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A) Laminated glass, metal and porcelain tile, ceramic tiles and epoxy paint: Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Porcelain tiles and epoxy paint	Gypsum board with emulsion paint and aluminium ceiling	Solid surfacing material
	Open kitchen	Mirror, metal, ceramic tiles and epoxy paint	Porcelain tiles and epoxy paint Porcelain tiles , metal and epoxy paint: Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Gypsum board with emulsion paint	Solid surfacing material Solid surfacing material and natural stone: Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)
	(ii) Whether the wall finishes run up to the ceiling			Up to level of false ceiling	

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

Item	Description			
(a) Doors		Material	Finishes	Accessories
	Flat main entrance	Fire-rated solid core timber door	Timber veneer and metal	Eye viewer, door closer, lockset and door stop
	Balcony	Aluminum frame with Insulated-Glass-Unit (IGU) glass with low-E coating	Fluorocarbon coated aluminum frame with Insulated-Glass-Unit (IGU) glass with low-E coating	Lockset
				Lockset and door closer: Flats C and D on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A);
				Flats A, B, C, D, E, F, G, H, J and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B);
				Flats A, B, D, E, F, G, H, J and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)
	Utility platform	Aluminum frame with glass	Fluorocarbon coated aluminum frame with Insulated-Glass-Unit (IGU) glass with low-E coating	Lockset and door closer
			Fluorocarbon coated aluminum frame with single glazing of acid-etched finish: Flat B on 7/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A)	
			Fluorocarbon coated aluminum frame with single clear glazing: Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	
	Master Bedroom	Solid core timber door	Timber veneer and metal	Lockset and door stop

Item	Description			
(a) Doors		Material	Finishes	Accessories
	Bedroom 1	Solid core timber door	Timber veneer and metal	Lockset and door stop
		Laminated glass with metal frame door: Flats B, C, E, F, H, J and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flats A, B, C, D, G, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)	Laminated glass with metal frame	Not applicable
	Bedroom 2	Solid core timber door	Timber veneer and metal	Lockset and door stop
	Bedroom 3	Solid core timber door	Timber veneer and metal	Lockset and door stop
	Master Bathroom	Solid core timber door	Timber veneer, plastic laminate and metal	Lockset and door stop
		Solid core timber door with timber louver: Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)		
	Bathroom 1	Solid core timber door	Timber veneer, plastic laminate and metal	Lockset and door stop
		Solid core timber door with timber louver: Flats A and C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)		
		Solid core timber door, laminated glass with metal frame door and solid core timber door with timber louver: Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Timber veneer, plastic laminate, metal and laminated glass with metal frame	

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

Item	Description			
(a) Doors		Material	Finishes	Accessories
	Bathroom 1	Laminated glass with metal frame door: Flats B, C, E, F, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B);	Laminated glass with metal frame	Lockset
		Flats A, B, D, G, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)		
		Glass with metal frame door: Flat G on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B);		
		Flats E and F on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)		
	Bathroom 2	Solid core timber door	Timber veneer, plastic laminate and metal	Lockset and door stop
		Solid core timber door with timber louver: Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)		
	Kitchen	Fire-rated solid core timber door with vision panel	Timber veneer, plastic laminate, metal and fire-rated clear glass	Door closer, lockset and door stop
	Utility	Fire-rated solid core timber door	Plastic laminate	Door closer, lockset and door stop
		Solid core timber door: Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Timber veneer, plastic laminate and metal	Lockset and door stop
	W.C.	Aluminium frame with sandblasted tempered glass door	Aluminium frame with sandblasted tempered glass	Not Applicable
		Solid core timber sliding door: Flat B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	Timber veneer, plastic laminate and metal	Lockset

Item	Description		
(b) Bathroom	(i) Type and material of fittings and equipment		
	Fittings and equipment	Type	Material
	Cabinet	Basin countertop	Natural stone
		Basin cabinet	Wooden cabinet with plastic laminate, mirror and metal
		Mirror cabinet	Wooden cabinet with plastic laminate, mirror, glass, laminated glass and metal
			Wooden cabinet with natural stone, plastic laminate, mirror, glass, laminated glass and metal: M. Bath in Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); M. Bath in Flat C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A) Wooden cabinet with plastic laminate, mirror, glass and metal: Bath 1 in Flats B, C, E, F, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Bath 1 in Flats A, B, D, G, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) Mirror with metal frame: Bath 1 in Flat G on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Bath 1 in Flats E and F on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

Item	Description		
(b) Bathroom	(i) Type and material of fittings and equipment		
	Fittings and equipment	Type	Material
	Sanitary fittings	Wash basin mixer	Chrome plated
		Wash basin	Vitreous china
		Water closet	Vitreous china
		Towel bar	Mirror and metal
		Toilet paper holder	Chrome plated
	Bathroom fittings	Manually operated roller blinds: M. Bath in Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Bath 1 in Flats G and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); M. Bath in Flats A and C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A); Bath 1 in Flats C, E and F on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)	
	(ii) Type and material of water supply system	Copper water pipes for cold water supply and copper water pipes with thermal insulation for hot water supply	
	(iii) Type and material of bathing facilities (including shower or bath tub, if applicable)		
	Bathing facilities	Type	Material
	Shower	Shower compartment	Clear tempered glass
		Shower set	Chrome plated
	Bathtub	Bathtub	Enameled cast iron
		Bathtub mixer and shower set	Chrome plated
	(iv) Size of bath tub (if applicable)		
	1500mm (L) x 700mm (W) x 430mm (H) M. Bath in Flats A, B, C and D on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Bath 2 in Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); M. Bath in Flats A, B and C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A); Bath 2 in Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)		

Item	Description		
(c) Kitchen	(i) Material of sink unit	Stainless steel	
	(ii) Material of water supply system	Copper water pipes for cold water supply and copper water pipes with thermal insulation for hot water supply	
	(iii) Material and finishes of kitchen cabinet	Material	Finishes
		Wooden cabinet fitted with wooden cabinet door panel	High gloss acrylic panel, timber veneer, mirror, glass and metal
			High gloss acrylic panel, high gloss lacquer, glass and metal: Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flats B and C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A) High gloss acrylic panel: Flat D on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flat J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) High gloss acrylic panel and timber veneer: Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flat C and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B) High gloss acrylic panel, high gloss lacquer panel, laminated glass, glass and metal: Flat A on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A) High gloss acrylic panel, timber veneer, mirror and metal: Flat G on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flats E and F on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. INTERIOR FITTINGS

Item	Description		
(c) Kitchen	(iii) Material and finishes of kitchen cabinet	Material	Finishes
		Wooden cabinet fitted with wooden cabinet door panel	High gloss acrylic panel, mirror and metal: Flat K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B)
	(iv) Type of all other fittings and equipment	Sprinkler head and smoke detector installed for open kitchen	
		Manually operated roller blinds: Flats A and B on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3A); Flats A, B and C on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5A)	
(d) Bedroom	Type and material of fittings (including built-in wardrobe)	Type	Material
		Built-in wardrobe: Flats B, C, E, F, H, J and K on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 3 (3B); Flats A, B, C, D, G, H and J on 6/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F of Tower 5 (5B)	Mirror with metal frame and plastic laminate
		Manually operated curtain	Fabric

Item	Description	
(e) Telephone	Location and number of connection points	Please refer to the “Schedule of Mechanical and Electrical Provisions”
(f) Aerials	Location and number of connection points	Please refer to the “Schedule of Mechanical and Electrical Provisions”
(g) Electrical installations	(i) Electrical fittings (including safety devices)	Faceplate for all switches and power socket is provided. Three phases electricity supply with miniature circuit breaker distribution board is provided
	(ii) Whether conduits are concealed or exposed	Conduits are partly concealed and partly exposed Other than those part of the conduits concealed within concrete, the rest of them are exposed. The exposed conduit may be covered by false ceiling, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials
	(iii) Location and number of power points and air-conditioner points	Please refer to the “Schedule of Mechanical and Electrical Provisions”
(h) Gas supply	Type	Towngas
	System	Towngas supply is provided for gas hob
	Location	Please refer to the “Appliances Schedule - Kitchen/Open Kitchen/Utility”
(i) Washing machine connection point	Location	Please refer to the “Schedule of Mechanical and Electrical Provisions”
	Design	Drain point and water point are provided for washer dryer
(j) Water supply	(i) Material of water pipes	Copper water pipes are provided for cold water supply and copper water pipes with thermal insulation are provided for hot water supply
	(ii) Whether water pipes are concealed or exposed	Water pipes are partly concealed and partly exposed Other than those part of the water pipes concealed within concrete, the rest of them are exposed. The exposed water pipes may be covered by false ceiling, bulkheads, cabinets, claddings, non-concrete partition walls, designated pipe ducts or other materials
	(iii) Whether hot water is available	Hot water is available

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. MISCELLANEOUS

Item	Description	
(a) Lifts	Tower 3 (3A&3B) and Tower 5 (5A&5B)	
	(i)	Brand name Toshiba
		Model number ELBRIGHT (CL-300W)
	(ii)	Number of lifts 12
		Floor served by the lifts 5 number of lifts serve Tower 3 (3A&3B): 5/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F; 1 number of lift serves Tower 3 (3A&3B): 5/F to 12/F, 15/F to 23/F, 25/F to 28/F, 29/F*, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F, 55/F to 56/F and Roof; 5 number of lifts serve Tower 5 (5A&5B): 5/F to 12/F, 15/F to 23/F, 25/F to 28/F, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F and 55/F to 56/F; 1 number of lift serves Tower 5 (5A&5B): 5/F to 12/F, 15/F to 23/F, 25/F to 28/F, 29/F*, 30/F to 33/F, 35/F to 43/F, 45/F to 53/F, 55/F to 56/F and Roof *Lift door operates only upon activation of corresponding fireman's switch
		Shuttle Lift at Tower 5 (5A & 5B)
	(i)	Brand name Schindler
		Model number 5500MRL
	(ii)	Number of lifts 4
		Floor served by the lifts G/F, 2/F and 5/F (G/F and 2/F completed in Phase 2A of the Development, 5/F will complete in the Phase)

Item	Description			
b) Letter box	Material	Stainless steel		
c) Refuse collection	(i) Means of refuse collection	Refuse will be collected by cleaner		
	(ii) Location of refuse room	Refuse storage and material recovery room is provided at each residential floor of: Tower 3 (3A&3B) (except 5/F, 29/F and Roof); and Tower 5 (5A&5B) (except 5/F, 29/F and Roof) Refuse storage and material recovery chamber is provided at G/F		
d) Water meter, electricity meter and gas meter	(i) Location	Water meter	Electricity meter	Gas meter
	Tower 3 (3A&3B)	Inside common Water Meter Cabinet at the respective residential floor	Inside Electric Meter Room at respective residential floor	Inside Kitchen (Open Kitchen excluded)
	Tower 5 (5A&5B)	Inside common Water Meter Cabinet at the respective residential floor	Inside Electric Meter Room at respective residential floor	Inside Kitchen (Open Kitchen excluded)
	(ii) Whether they are separate or communal meters for residential properties	Separate meter	Separate meter	Separate meter

5. SECURITY FACILITIES

Item	Description		
Security facilities	Security system and equipment (including details of built-in provisions and their locations)	Access control and security system	Each residential flat of Tower 3 (3A&3B) and Tower 5 (5A&5B) is equipped with a video door phone system and connected to caretaker counter at 5/F respective entrance lobby. (Please refer to the “Schedule of Mechanical and Electrical Provisions” for location of video door phone in residential flat) Access card readers (Octopus card) are installed at each lift lobby of residential entrance at 5/F Car park control system is provided for car park and car park barrier is provided at 5/F vehicle entrance
		CCTV	CCTV cameras are provided at lobbies, lifts and common area which are connected to the caretaker counters at 5/F respectively for Tower 3 (3A&3B) and Tower 5 (5A&5B)

6. APPLIANCES

Item	Description
Appliances	Brand name and model number, please refer to "Appliances Schedule"

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

1. 外部裝修物料

細項	描述			
(a) 外牆	裝修物料的類型	幕牆、窗、金屬百葉窗、鋁板、玻璃裝飾板及外牆瓷磚		
(b) 窗	框的用料	鋁質窗框		
	玻璃的用料	雙層中空玻璃片配低輻射鍍膜、單片酸蝕玻璃及單片清玻璃(如適用)		
(c) 窗台	窗台用料	不適用		
	窗台板的裝修物料	不適用		
(d) 花槽	裝修物料的類型	不適用		
(e) 陽台或露台	裝修物料的類型	露台		
		地板	路緣	牆壁
		過底磚	過底磚、天然石及鋁板	鋁框夾層強化玻璃欄杆、瓷磚及鋁板
		陽台：不適用		
	是否有蓋	露台：所有露台均有蓋 陽台：不適用		
(f) 乾衣設施	類型及用料	不適用		

2. 室內裝修物料

細項	描述			
(a) 大堂	牆壁、地板、天花板的裝修物料的類型			
		牆壁	地板	天花板
	地下、2樓及5樓住宅穿梭升降機大堂	天然石、夾層玻璃飾面、膠質牆紙、鏡飾面及金屬	天然石	乳膠漆面石膏板及金屬
	5樓住宅大樓入口升降機大堂第3座 (3A 及 3B) 及第5座 (5A 及 5B)	天然石、夾層玻璃飾面、膠質牆紙、鏡飾面及金屬	天然石	乳膠漆面石膏板、膠板及金屬
	住宅層升降機大堂第3座 (3A) 及第5座 (5A)	天然石、高溫瓷磚、夾層玻璃飾面、鏡飾面、金屬、膠板、木紋木皮飾面及木百頁簾	天然石	乳膠漆面石膏板、膠板及金屬
	住宅層升降機大堂第3座 (3B) 及第5座 (5B)	天然石、高溫瓷磚、夾層玻璃飾面、鏡飾面、金屬、膠板、膠質牆紙及木百頁簾	天然石、高溫瓷磚及金屬	乳膠漆面石膏板及金屬
	住宅層消防員升降機大堂第3座 (3A 及 3B) 及第5座 (5A 及 5B)	瓷磚	防滑過底磚	乳膠漆

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. 室內裝修物料

細項	描述		
(b) 內牆及天花板	客廳、飯廳及睡房的牆壁及天花板的裝修物料的類型		
		內牆	天花板
	客廳及飯廳	外露牆身乳膠漆 外露牆身乳膠漆及木紋木皮飾面: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 D 單位; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 K 單位 外露牆身乳膠漆、木紋木皮飾面及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 D 單位; 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H 及 J 單位; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、D、G 及 H 單位 外露牆身乳膠漆、木紋木皮飾面、金屬及鏡飾面: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位; 外露牆身乳膠漆、木紋木皮飾面、膠板、金屬及鏡飾面: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 及 K 單位; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C、E、F 及 J 單位	外露乳膠漆及石膏板假陣乳膠漆
	睡房	外露牆身乳膠漆 外露牆身乳膠漆、木紋木皮飾面及人造石: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H 及 J 單位; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、D、G 及 H 單位	外露乳膠漆及石膏板假陣乳膠漆

細項	描述		
(b) 內牆及天花板	客廳、飯廳及睡房的牆壁及天花板的裝修物料的類型		
		內牆	天花板
	睡房	外露牆身乳膠漆及木紋木皮飾面: 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位 內牆的裝修物料鋪至假天花板及石膏板假陣	外露乳膠漆及石膏板假陣乳膠漆
(c) 內部地板	客廳、飯廳及睡房的地板及牆腳線的用料		
		地板	牆腳線
	客廳及飯廳	高溫瓷磚 複合木地板、人造石及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B 及 C 單位	木腳線
	睡房	高溫瓷磚 複合木地板: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B 及 C 單位 複合木地板、人造石及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位的睡房1 複合木地板及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 及 D 單位; 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 D 單位; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 K 單位	木腳線

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

2. 室內裝修物料

細項	描述		
(d) 浴室	(i) 牆壁、地板及天花板的裝修物料的類型		
	牆身	地板	天花板
	高溫瓷磚、人造石、鏡飾面、金屬、瓷磚及環氧樹脂漆 高溫瓷磚、鏡飾面、金屬、瓷磚及環氧樹脂漆: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位的主人浴室; 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 K 單位的浴室1; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位的主人浴室; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位的浴室1 高溫瓷磚、人造石、夾層玻璃、鏡飾面、金屬、瓷磚及環氧樹脂漆: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位的主人浴室 高溫瓷磚、夾層玻璃、金屬、瓷磚及環氧樹脂漆: 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 J 單位的浴室1 高溫瓷磚、人造石、膠板、夾層玻璃、金屬、瓷磚及環氧樹脂漆: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H 及 J 單位的浴室1; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、D、G 及 H 單位的浴室1 高溫瓷磚、天然石、人造石、強化清玻璃、木紋木皮飾面、鏡飾面、金屬、瓷磚及環氧樹脂漆: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位的浴室1; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 E 及 F 單位的浴室1	高溫瓷磚、人造石及洗手盆櫃躉面環氧樹脂漆 高溫瓷磚及洗手盆櫃躉面環氧樹脂漆: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 及 D 單位的主人浴室及A單位的浴室2; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之A及 B 單位的浴室2	乳膠漆面石膏板及鋁板天花
	(ii) 牆壁的裝修物料是否鋪至天花板	鋪至假天花高度	

細項	描述				
(e) 廚房	(i) 牆壁、地板、天花板及灶台的裝修物料的類型				
		牆身	地板	天花板	灶台
	廚房	鏡飾面、夾層玻璃、金屬、膠板、高溫瓷磚、瓷磚及環氧樹脂漆: 夾層玻璃、金屬、膠板、高溫瓷磚、瓷磚及環氧樹脂漆: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位 夾層玻璃、金屬、高溫瓷磚、瓷磚及環氧樹脂漆: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位	高溫瓷磚及環樹脂漆氧	乳膠漆面石膏板及鋁板天花	實心面板材料
	開放式廚房	鏡飾面、金屬、瓷磚及環氧樹脂漆	高溫瓷磚及環樹脂漆氧 高溫瓷磚、金屬及環樹脂漆氧: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位	乳膠漆面石膏板	實心面板材料及天然石: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位
(ii) 牆壁的裝修物料是否鋪至天花板				鋪至假天花高度	

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

細項	描述			
(a) 門		用料	裝修物料	配件
	單位主入口	防火實心木門	木紋木皮飾面及金屬	防盜眼、門鼓、鎖及門頂
	露台	鋁框配以雙層中空清玻璃片配低輻射鍍膜	氟碳塗層鋁框配以雙層中空清玻璃片配低輻射鍍膜	鎖
				鎖及門鼓： 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之C及D單位；
				第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之A，B，C，D，E，F， G， H， J及K單位； 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A， B， D， E， F， G， H， J及K 單位
	工作平台	鋁框配以玻璃片	氟碳塗層鋁框配以雙層中空清玻璃片配低輻射鍍膜	鎖及門鼓
			氟碳塗層鋁框配以單片酸蝕玻璃： 第3座(3A)之7樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位 氟碳塗層鋁框配以單片清玻璃： 第 5 座(5A)之 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓之 C 單位	
	主人睡房	實心木門	木紋木皮飾面及金屬	鎖及門頂

細項	描述			
(a) 門		用料	裝修物料	配件
	睡房1	實心木門	木紋木皮飾面及金屬	鎖及門頂
		金屬框夾層玻璃門： 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H、J 及 K 單位； 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、C、D、G、H 及 J 單位	金屬框夾層玻璃：	不適用
	睡房2	實心木門	木紋木皮飾面及金屬	鎖及門頂
	睡房3	實心木門	木紋木皮飾面及金屬	鎖及門頂
	主人浴室	實心木門 實心木門連木百葉： 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位； 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位	木紋木皮飾面、膠板及金屬	鎖及門頂
	浴室1	實心木門 實心木門連木百葉： 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 C 單位； 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位； 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位	木紋木皮飾面、膠板及金屬	鎖及門頂
		實心木門、金屬框夾層玻璃門及實心木門連木百葉： 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位； 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位		

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

細項	描述			
(a) 門		用料	裝修物料	配件
	浴室1	金屬框夾層玻璃門: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H 及 J 單位;	金屬框夾層玻璃	鎖
		第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、D、G、H 及 J 單位		
		金屬框玻璃門: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位;		
		第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 E 及 F 單位		
	浴室2	實心木門 實心木門連木百葉: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位	木紋木皮飾面、膠板及金屬	鎖及門頂
	廚房	防火實心木門配玻璃視窗	木紋木皮飾面、膠板、金屬及防火清玻璃	門鼓、鎖及門頂
	工作間	防火實心木門	膠板	門鼓、鎖及門頂
		實心木門: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位	木紋木皮飾面、膠板及金屬	鎖及門頂
	洗手間	鋁框磨沙強化玻璃門	鋁框磨沙強化玻璃	不適用
		實心木趟門: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 單位	木紋木皮飾面、膠板及金屬	鎖

細項	描述		
(b) 浴室	(i) 裝置及設備的類型及用料		
	裝置及設備	類型	用料
	櫃	洗手盆檯面	天然石
		洗手盆櫃	膠板、鏡飾面及金屬木製櫃
		鏡櫃	膠板、鏡飾面、玻璃、夾層玻璃飾面及金屬木製櫃 天然石、膠板、鏡飾面、玻璃、夾層玻璃飾面及金屬木製櫃: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位的主人浴室; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 單位的主人浴室 膠板、鏡飾面、玻璃及金屬木製櫃: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B、C、E、F、H 及 J 單位的浴室1; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、D、G、H 及 J 單位的浴室1 鏡飾面連金屬框: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位的浴室1; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 E 及 F 單位的浴室1

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

細項	描述		
(b) 浴室	(i) 裝置及設備的類型及用料		
	裝置及設備	類型	用料
	潔具裝置	洗手盆水龍頭	鍍鉻
		洗手盆	搪瓷
		坐廁	搪瓷
		毛巾架	鏡飾面及金屬
		廁紙架	鍍鉻
	浴室設備	手動捲簾: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位的主人浴室; 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 及 K 單位的浴室1; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 C 單位的主人浴室; 第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C、E 及 F 單位的浴室1	
	(ii) 供水系統的類型及用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣保護之銅喉	
	(iii) 沐浴設施(包括花灑或浴缸;如適用的話)		
	沐浴設施	類型	用料
	淋浴	淋浴間	強化清玻璃
		花灑套裝	鍍鉻
	浴缸	浴缸	搪瓷鑄鐵
		浴缸龍頭及花灑套裝	鍍鉻
	(iv) 浴缸大小 (如適用的話)		
	1500毫米 (長) x 700毫米(闊) x 430毫米(高) 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B、C 及 D 單位的主人浴室; 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位的浴室2; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B 及 C 單位的主人浴室; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位的浴室2		

細項	描述													
(c) 廚房	(i) 洗滌盆的用料	不銹鋼												
	(ii) 供水系統的用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣保護之銅喉												
	(iii) 廚櫃的用料及裝修物料	<table><tr><td>用料</td><td>裝修物料</td></tr><tr><td rowspan="10">木製廚櫃及木櫃門板</td><td>高光亞克力板、木紋木皮飾面、鏡飾面、玻璃飾面及金屬</td></tr><tr><td>高光亞克力板、高光烤漆板、玻璃飾面及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位;</td></tr><tr><td>第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 及 C 單位</td></tr><tr><td>高光亞克力板: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 D 單位;</td></tr><tr><td>第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 J 單位</td></tr><tr><td>高光亞克力板及木紋木皮飾面: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位;</td></tr><tr><td>第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 及 K 單位</td></tr><tr><td>高光亞克力板、高光烤漆板、夾層玻璃飾面、玻璃飾面及金屬: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位</td></tr><tr><td>高光亞克力板、木紋木皮飾面、鏡飾面及金屬: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位;</td></tr><tr><td>第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 E 及 F 單位</td></tr></table>	用料	裝修物料	木製廚櫃及木櫃門板	高光亞克力板、木紋木皮飾面、鏡飾面、玻璃飾面及金屬	高光亞克力板、高光烤漆板、玻璃飾面及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位;	第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 及 C 單位	高光亞克力板: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 D 單位;	第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 J 單位	高光亞克力板及木紋木皮飾面: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位;	第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 及 K 單位	高光亞克力板、高光烤漆板、夾層玻璃飾面、玻璃飾面及金屬: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位	高光亞克力板、木紋木皮飾面、鏡飾面及金屬: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位;
用料	裝修物料													
木製廚櫃及木櫃門板	高光亞克力板、木紋木皮飾面、鏡飾面、玻璃飾面及金屬													
	高光亞克力板、高光烤漆板、玻璃飾面及金屬: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位;													
	第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 B 及 C 單位													
	高光亞克力板: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 D 單位;													
	第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 J 單位													
	高光亞克力板及木紋木皮飾面: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位;													
	第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 C 及 K 單位													
	高光亞克力板、高光烤漆板、夾層玻璃飾面、玻璃飾面及金屬: 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 單位													
	高光亞克力板、木紋木皮飾面、鏡飾面及金屬: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 G 單位;													
	第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 E 及 F 單位													

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

3. 室內裝置

細項	描述		
(c) 廚房	(iii) 廚櫃的用料及裝修物料	用料	裝修物料
		木製廚櫃及木櫃門板	高光亞克力板、鏡飾面及金屬: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 K 單位
	(iv) 所有其他裝置及設備的類型	消防花灑頭及煙霧偵測器設於開放式廚房	
		手動捲簾: 第3座(3A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A 及 B 單位; 第5座(5A)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之 A、B 及 C 單位	
(d) 睡房	裝置(包括嵌入式衣櫃)的類型及用料	類型	用料
		嵌入式衣櫃: 第3座(3B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之B、C、E、F、H、J 及 K 單位;	鏡飾面連金屬框及膠板
		第5座(5B)之6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓之A、B、C、D、G、H 及 J 單位	
		手動窗簾	
			布質

細項	描述	
(e) 電話	接駁點的位置及數目	請參考“機電裝置數量說明表”
(f) 天線	接駁點的位置及數目	請參考“機電裝置數量說明表”
(g) 電力裝置	(i) 供電附件(包括安全裝置)	提供所有電制及插座之面板。提供三相電力並裝妥微型斷路器
	(ii) 導管是隱藏或外露	導管是部分隱藏及部分外露 除部分隱藏於混凝土內之導管外,其他部分的導管均為外露 外露的導管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋
	(iii) 電插座及空調機接駁點的位置及數目	請參考“機電裝置數量說明表”
(h) 氣體供應	類型	煤氣
	系統	煤氣喉接駁煤氣煮食爐
	位置	請參考“設備說明表 - 廚房 / 開放式廚房 / 工作間”
(i) 洗衣機接駁點	位置	請參考“機電裝置數量說明表”
	設計	設有洗衣乾衣機來去水位設計
(j) 供水	(i) 水管的用料	冷水喉採用銅喉及熱水喉採用配有隔熱絕緣保護之銅喉
	(ii) 水管是隱藏或外露	水管是部分隱藏及部分外露 除部分隱藏於混凝土內之水管外,其他部分的水管均為外露 外露的水管可能被假天花、假陣、貯存櫃、覆面、非混凝土間牆、指定之槽位或其他物料遮蓋
	(iii) 有否熱水供應	有熱水供應

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

4. 雜項

細項	描述		
(a) 升降機	第3座 (3A及3B) 及第5座 (5A及5B)		
	(i)	品牌名稱	東芝
		產品型號	ELBRIGHT (CL-300W)
	(ii)	升降機的數目	12部
		到達的樓層	5部升降機到達第3座(3A及3B) 樓層: 5 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、 30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓 1 部升降機到達第 3 座(3A 及 3B) 樓層: 5 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、 29 樓*、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓、55 樓至 56 樓 及天台 5 部升降機到達第 5 座(5A 及 5B) 樓層: 5 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、 30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓 1 部升降機到達第 5 座(5A 及 5B) 樓層: 5 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、29 樓*、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓、55 樓至 56 樓及天台 *電梯門只有在激活相關消防員開關掣時才運行
		穿梭升降機於第 5 座 (5A 及 5B)	
		(i)	品牌名稱
			迅達
		產品型號	5500MRL
		(ii)	升降機的數目
		到達的樓層	4 部 地下、2 樓及 5 樓 (地下及 2 樓已於發展項目的第 2A 期完成，5 樓會於本期數完成)

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

細項	描述			
(b) 信箱	用料	不銹鋼		
(c) 垃圾收集	(i) 垃圾收集的方法	由清潔工人收集垃圾		
	(ii) 垃圾房的位置	垃圾及物料回收室位於： 第3座 (3A及3B) 每層住宅樓層 (5樓、29樓及天台除外);及 第5座 (5A及5B) 每層住宅樓層 (5樓、29樓及天台除外) 垃圾及物料回收房設於地下		
(d) 水錶、電錶及氣體錶	(i) 位置	水錶	電錶	氣體錶
	第3座 (3A及3B)	每層之公共水錶箱內	每層之公共電錶房內	廚房內 (不包括開放式廚房)
	第5座 (5A及5B)	每層之公共水錶箱內	每層之公共電錶房內	廚房內 (不包括開放式廚房)
	(ii) 就住宅單位而言是獨立或公用的錶	獨立	獨立	獨立

5. 保安設施

細項	描述		
保安設施	保安系統及設備 (包括嵌入的式裝備的細節及其位置)	入口通道控制及保安系統	第3座 (3A及3B) 及第5座 (5A及5B) 每戶單位設有門口視像對講機並連接各大廈位於5樓入口大堂服務員櫃台 (有關住宅單位視像對講機位置，請參閱“機電裝置數量說明表”) 每座住宅大樓5樓之入口升降機大堂均設有智能卡系統 (八達通卡) 停車場設有停車場管理系統，並位於5樓車道入口提供車閘
		閉路電視	閉路電視設於入口大堂、升降機內及公用空間並連接至位於第3座 (3A及3B) 及第5座 (5A及5B) 5樓之大堂服務員櫃台

6. 設備

細項	描述
設備	品牌名稱及型號: 請參考「設備說明表」

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

APPLIANCES SCHEDULE - KITCHEN / OPEN KITCHEN / UTILITY 設備說明表 - 廚房 / 開放式廚房 / 工作間

Appliances 設備	Brand Name 品牌	Model Number 型號	Tower 3(3A) 第3座 (3A)				Tower 3 (3B) 第3座 (3B)										Tower 5 (5A) 第5座 (5A)			Tower 5 (5B) 第5座 (5B)										
			6/F - 12/F, 15/F - 23/F, 25/F - 28/F, 30/F - 33/F, 35/F - 43/F, 45/F - 53/F and 55/F-56/F 6樓至12樓、15樓至23樓、25樓至28樓、30樓至33樓、35樓至43樓、45樓至53樓及55樓至56樓																											
			A	B	C	D	A	B	C	D	E	F	G	H	J	K	A	B	C	A	B	C	D	E	F	G	H	J	K	
Induction hob 電磁爐	Siemens 西門子	EX375FXB1E	√	√	-	-	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	
		EH685DV19E	-	-	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cooker hoods 抽油煙機		LI67SA530B	-	-	√	√	√	√	√	√	√	√	√	√	√	√	√	-	-	√	√	√	√	√	√	√	√	√	√	
LC91BE542B		√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-	
Gas hob 氣體煮食爐		ER326AB92X	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-
		ER326BB90X	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-
Microwave oven 微波爐		CM656GBS1B	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-
		BE634LGS1B	-	-	-	-	-	√	-	-	-	-	√	√	-	√	-	-	-	-	√	√	-	-	√	-	-	√	-	√
		BE634RGS1B	-	-	√	√	√	-	√	√	√	√	-	-	√	-	√	-	-	-	-	-	√	√	-	√	√	-	√	-
Washer dryer 洗衣乾衣機		WK14D321HK	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
Fridge freezer 雪櫃連冰箱		KI28NP60HK	-	-	-	-	√	√	√	√	√	√	√	√	√	√	√	-	-	-	√	√	√	√	√	√	√	√	√	√
		KI34NP60HK	√	√	√	√	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-
Fridge 雪櫃		KU15RA65HK	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	√	√	√	-	-	-	-	-	-	-	-	-	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- Remarks:
- The symbol "-" as shown in the above table denotes "Not Provided".
 - Flame cooking is only allowed in residential properties provided with gas cooking hob. Gas main / gas supply is not provided in residential properties not provided with gas cooking hob.

附註:

- 上表符號 "-" 表示不提供。
- 只可在有提供煤氣煮食爐的住宅物業內明火煮食。沒有提供煤氣煮食爐的住宅物業不會有煤氣管道 / 煤氣供應。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Living Room/ Dining Room and Corridor 客廳/飯廳及走廊	Lighting Switch (Master Lights Off Switch) 燈掣(總熄燈掣)		1	1	1	1	1	1	1	1	1	1	-	1	1	1
	Lighting Switch 燈掣		6	7	4	4	4	2	2	3	2	2	3	2	2	2
	Lighting Point 燈位		5	7	4	3	4	3	3	3	3	3	2	3	3	3
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	2	2	2	1	2	2	2
	TV/FM Outlet 電視機/電台天線插座		2	2	2	2	2	2	2	2	2	2	1	2	2	2
	13A Single Socket Outlet 13A 單位電插座		-	-	-	-	-	-	-	-	-	-	1	-	-	-
	13A Twin Socket Outlet 13A 雙位電插座		4	4	4	4	4	4	4	3	4	4	1	4	4	3
	13A Twin Socket Outlet (with USB port) 13A 雙位電插座(附有 USB 接口)		-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Switch (Dehumidifier) 開關掣 (抽濕機)		1	1	1	1	-	-	-	1	-	-	-	-	-	-
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	1	1	1	-	-	-	1	-	-	-	-	-	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (2) 6 numbers of lighting switches for living room/ dining room and corridor at 6/F for Tower 3(3A) Flat B.
6 個燈掣供客廳/飯廳及走廊位於第 3 座(3A) 6 樓 B 單位

FITTINGS, FINISHES AND APPLIANCES
裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓 及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Living Room/ Dining Room and Corridor 客廳/飯廳及走廊	Switch (Exhaust Fan & Electric Water Heater & Dehumidifier) 開關掣(抽氣扇及電熱水器及抽濕機)		-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Switch (Electric Water Heater) 開關掣 (電熱水器)		-	-	1	1	1	1	1	1	1	1	1	1	1	1
	Switch (Exhaust Fan) 開關掣 (抽氣扇)		1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		2	2	1	1	1	1	1	1	1	1	1	1	1	1
	Door Bell 門鐘		1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Video Door Phone 視像對講機		-	-	1	1	1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet for Fridge Freezer 13A 單位電插座供雪櫃連冰箱	-	-	1	1	-	1	1	1	1	1	1	1	1	-
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	-	-	-	-	1	-	-	-	-	-	1	-	-	-
		Drain Point for Washer Dryer 去水位供洗衣乾衣機	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		Water Point for Washer Dryer 來水位供洗衣乾衣機	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		13A Single Socket Outlet for Microwave Oven 13A 單位電插座供微波爐	-	-	-	-	-	1	1	1	1	1	-	1	1	1
		Distribution Board 配電箱	-	-	-	-	-	1	1	1	1	1	1	1	1	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓 及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Master Bedroom 主人睡房	Lighting Switch 燈掣		2	2	2	2	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	1	1	1	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	1	1	1	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視機/電台天線插座		1	1	1	1	/	/	/	/	/	/	/	/	/	/
	13A Single Socket Outlet 13A 單位電插座		2	2	-	-	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		-	-	1	1	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet (with USB port) 13A 雙位電插座(附有 USB 接口)		1	1	1	1	/	/	/	/	/	/	/	/	/	/
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	1	1	1	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		1	1	1	1	/	/	/	/	/	/	/	/	/	/
Study Room 書房	Lighting Switch 燈掣		1	/	/	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	/	/	/	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	/	/	/	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視機/電台天線插座		1	/	/	/	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		1	/	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Bedroom 1 睡房 1	Lighting Switch 燈掣		3	1	1	1	1	2	2	1	2	2	/	2	2	2
	Lighting Point 燈位		1	1	1	1	1	2	2	1	2	2	/	2	2	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	1	1	1	/	1	1	1
	TV/FM Outlet 電視機/電台天線插座		1	1	1	1	1	1	1	1	1	1	/	1	1	1
	13A Single Socket Outlet 13A 單位電插座		-	-	-	-	-	1	1	-	1	1	/	1	1	-
	13A Twin Socket Outlet 13A 雙位電插座		2	2	2	2	1	1	1	1	1	1	/	1	1	1
	13A Twin Socket Outlet(with USB port) 13A 雙位電插座(附有 USB 接口)		-	-	-	-	1	1	1	1	1	1	/	1	1	1
	Switch (Exhaust Fan & Electric Water Heater & Dehumidifier) 開關掣(抽氣扇及電熱水器及抽濕機)		-	-	-	-	-	1	1	-	1	1	/	1	1	-
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	1	1	1	1	1	1	1	1	/	1	1	1
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	-	-	-	-	-	-	-	-	-	/	-	-	1
Bedroom 2 睡房 2	Switch (Dehumidifier) 開關掣 (抽濕機)		-	-	-	-	-	-	-	-	-	-	/	-	-	1
	Lighting Switch 燈掣		1	1	/	/	1	/	/	1	/	/	/	/	/	/
	Lighting Point 燈位		1	1	/	/	1	/	/	1	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	1	/	/	1	/	/	1	/	/	/	/	/	/
	TV/FM Outlet 電視機/電台天線插座		1	1	/	/	1	/	/	1	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		2	2	/	/	2	/	/	2	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	/	/	1	/	/	1	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Bedroom 3 睡房 3	Lighting Switch 燈掣		1	2	/	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視機/電台天線插座		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		2	2	/	/	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	/	/	/	/	/	/	/	/	/	/	/	/
Utility 工作間	Lighting Switch 燈掣		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Distribution Board 配電箱		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	/	/	/	/	/	/	/	/	/	/	/	/
Kitchen 廚房	Lighting Point 燈位		6	5	/	/	/	/	/	/	/	/	/	/	/	/
	Video Door Phone 視像對講機		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	Door Bell 門鐘		1	1	/	/	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		2	2	/	/	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	/	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	2	2	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))

機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房		Switch for Induction Hob 開關掣供電磁爐	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Cooker Hood 菲士座供抽油煙機	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Gas Hob 菲士座供氣體煮食爐	2	2	/	/	/	/	/	/	/	/	/	/	/	/
		Switch for Microwave Oven 開關掣供微波爐	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Drain Point for Washer Dryer 去水位供洗衣乾衣機	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Water Point for Washer Dryer 來水位供洗衣乾衣機	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Fridge Freezer 13A 單位電插座供雪櫃連冰箱	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Fridge 13A 單位電插座供雪櫃	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	2	2	/	/	/	/	/	/	/	/	/	/	/	/
		Switch 開關掣	1	1	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Open Kitchen 開放式廚房	13A Twin Socket Outlet 13A 雙位電插座		/	/	1	1	1	-	-	1	-	-	-	-	-	1
	Lighting Point 燈位		/	/	-	1	-	-	-	1	-	-	1	-	-	-
		Distribution Board 配電箱	/	/	1	1	1	-	-	-	-	-	-	-	-	1
		Fused Spur Unit for Lighting 菲士座供燈	/	/	1	1	1	1	1	1	1	1	1	1	1	1
		Switch for Induction Hob 開關掣供電磁爐	/	/	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Cooker Hood 菲士座供抽油煙機	/	/	1	1	1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet for Microwave Oven 13A 單位電插座供微波爐	/	/	1	1	1	-	-	-	-	-	1	-	-	-
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	/	/	1	1	-	1	1	1	1	1	-	1	1	1
		Drain point for Washer Dryer 去水位供洗衣乾衣機	/	/	1	1	1	1	1	1	1	1	-	1	1	1
		Water point for Washer Dryer 來水位供洗衣乾衣機	/	/	1	1	1	1	1	1	1	1	-	1	1	1
		13A Single Socket Outlet for Fridge Freezer 13A 單位電插座供雪櫃連冰箱	/	/	-	-	1	-	-	-	-	-	-	-	-	-
		Switch (Electric Water Heater) 開關掣 (電熱水器)	/	/	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))

機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Master Bathroom 主人浴室	Lighting Point 燈位		5	5	3	3	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	1	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	1	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	1	1	1	1	/	/	/	/	/	/	/	/	/	/
Bathroom 1 浴室 1	Lighting Point 燈位		3	4	3	3	3	3	3	3	3	3	3	3	3	3
		13A Single Socket Outlet 13A 單位電插座	1	2	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Lighting 菲士座供燈	1	2	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Dehumidifier 菲士座供抽濕機	1	1	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Bathroom 2 浴室 2	Lighting Point 燈位		3	/	/	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	1	/	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	/	/	/	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	/	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	1	/	/	/	/	/	/	/	/	/	/	/	/	/
Water Closet 洗手間	Lighting Point 燈位		1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 3 (3A&3B))
機電裝置數量說明表(第 3 座 (3A 及 3B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Balcony 露台	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位		1	1	/	/	/	/	/	/	/	/	/	/	/	/
A/C platform 冷氣機平台	Switch for outdoor A/C unit 開關掣供冷氣室外機		5	4	3	2	2	1	1	2	1	1	1	1	1	1
Lift Lobby 升降機大堂	Door Bell Push Button 門鐘襟手掣		1	1	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。
- (2) 1 number of switch for outdoor A/C units in A/C platform and 4 numbers of switches for outdoor A/C units on A/C plinth at roof for Tower 3(3A) 56/F flat A.
1 個開關掣供冷氣室外機位於冷氣機平台及 4 個開關掣供冷氣室外機位於天台的冷氣機基座供第 3 座(3A) 56 樓 A 單位。
- 2 numbers of switches for outdoor A/C units in A/C platform and 2 numbers of switches for outdoor A/C unit on A/C plinth at roof for Tower 3(3A) 56/F flat B.
2 個開關掣供冷氣室外機位於冷氣機平台及 2 個開關掣供冷氣室外機位於天台的冷氣機基座供第 3 座(3A) 56 樓 B 單位。
- 3 numbers of switches for outdoor A/C unit on A/C plinth at roof for Tower 3(3A) 56/F flat C.
3 個開關掣供冷氣室外機位於天台的冷氣機基座供第 3 座(3A) 56 樓 C 單位。
- (3) No Utility Platform at 6/F for Tower 3(3A) Flat B.
第 3 座(3A) 6 樓 B 單位沒有工作平台

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Living Room /Dining Room and Corridor 客廳/飯廳及走廊	Lighting Switch (Master Lights Off Switch) 燈掣(總熄燈掣)		1	1	1	1	1	1	1	-	-	1	1	1	1
	Lighting Switch 燈掣		7	7	6	2	2	3	2	3	3	2	2	2	4
	Lighting Point 燈位		10	7	6	3	3	3	3	3	3	3	3	4	5
	Video Door Phone 視像對講機		-	-	-	1	1	1	1	1	1	1	1	1	1
	Telephone Outlet 電話插座		2	2	2	2	2	2	2	1	1	2	2	2	2
	TV/FM Outlet 電視/電台天線插座		2	2	2	2	2	2	2	1	1	2	2	2	2
	Door Bell 門鐘		1	1	1	1	1	-	1	1	1	1	1	1	1
	13A Single Socket Outlet 13A 單位電插座		-	-	-	-	-	-	-	1	1	-	-	-	-
	13A Twin Socket Outlet 13A 雙位電插座		5	5	4	4	4	3	4	1	1	4	4	3	3
	13A Twin Socket Outlet (with USB port) 13A 雙位電插座 (附有 USB 接口)		-	-	-	-	-	-	-	1	1	-	-	-	-
	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		3	3	2	1	1	1	1	1	1	1	1	1	1
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		2	2	1	-	-	-	-	-	-	-	-	-	1
	Switch (Dehumidifier) 開關掣(抽濕機)		1	1	1	-	-	-	-	-	-	-	-	-	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))

機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Living Room /Dining Room and Corridor 客廳/飯廳及走廊	Switch (Exhaust Fan) 開關掣(抽氣扇)		-	1	1	-	-	-	-	-	-	-	-	-	-
	Switch (Electric Water Heater) 開關掣(電熱水器)		1	-	-	1	1	1	1	1	1	1	1	1	1
	Switch (Exhaust Fan & Electric Water Heater & Dehumidifier) 開關掣(抽氣扇及電熱水器及抽濕機)		-	-	-	-	-	1	-	1	1	-	-	-	-
		13A Single Socket Outlet for Fridge Freezer 13A 單位電插座供雪櫃連冰箱	-	-	-	1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet for Fridge 13A 單位電插座供雪櫃	1	-	-	-	-	-	-	-	-	-	-	-	-
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	-	-	-	-	-	-	-	1	1	-	-	-	-
		Drain point for Washer Dryer 去水位供洗衣乾衣機	-	-	-	-	-	-	-	1	1	-	-	-	-
		Water point for Washer Dryer 來水位供洗衣乾衣機	-	-	-	-	-	-	-	1	1	-	-	-	-
		13A Single Socket Outlet for Microwave Oven 13A 單位電插座供微波爐	-	-	-	1	1	-	1	-	-	1	1	1	1
		Distribution Board 配電箱	-	1	-	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Lighting 菲士座供燈	2	-	-	-	-	-	-	-	-	-	-	-	-
		Switch 開關掣	1	-	-	-	-	-	-	-	-	-	-	-	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Master Bedroom 主人睡房	Lighting Switch 燈掣		2	2	2	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	1	1	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	1	1	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視/電台天線插座		1	1	1	/	/	/	/	/	/	/	/	/	/
	13A Single Socket Outlet 13A 單位電插座		2	2	2	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet (with USB port) 13A 雙位電插座(附有 USB 接口)		1	1	1	/	/	/	/	/	/	/	/	/	/
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	1	1	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		1	1	1	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))

機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Bedroom 1 睡房 1	Lighting Switch 燈掣		1	2	2	2	3	1	2	/	/	2	2	2	1
	Lighting Point 燈位		1	2	1	2	2	1	2	/	/	2	2	1	1
	Telephone Outlet 電話插座		1	1	1	1	1	1	1	/	/	1	1	1	1
	TV/FM Outlet 電視/電台天線插座		1	1	1	1	1	1	1	/	/	1	1	1	1
	13A Single Socket Outlet 13A 單位電插座		-	-	-	1	1	-	1	/	/	1	1	-	-
	13A Twin Socket Outlet 13A 雙位電插座		2	2	2	1	1	1	1	/	/	1	1	1	1
	13A Twin Socket Outlet (with USB port) 13A 雙位電插座 (附有 USB 接口)		-	-	-	1	1	1	1	/	/	1	1	1	1
	Switch (Electric Water Heater & Exhaust Fan) 開關掣(電熱水器及抽氣扇)		-	1	-	-	-	-	-	/	/	-	-	-	-
	Switch (Exhaust Fan & Electric Water Heater & Dehumidifier) 開關掣(抽氣扇及電熱水器及抽濕機)		-	-	-	1	1	-	1	/	/	1	1	1	-
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		1	1	1	1	1	1	1	/	/	1	1	1	1
Study Room 書房	Lighting Switch 燈掣		1	/	/	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	/	/	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	/	/	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視機/電台天線插座		1	/	/	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		1	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房 2	Lighting Switch 燈掣		1	1	1	/	/	/	/	/	/	/	/	/	1
	Lighting Point 燈位		1	1	1	/	/	/	/	/	/	/	/	/	1
	Telephone Outlet 電話插座		1	1	1	/	/	/	/	/	/	/	/	/	1
	TV/FM Outlet 電視/電台天線插座		1	1	1	/	/	/	/	/	/	/	/	/	1
	13A Twin Socket Outlet 13A 雙位電插座		2	2	2	/	/	/	/	/	/	/	/	/	1
	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		1	1	1	/	/	/	/	/	/	/	/	/	1
Bedroom 3 睡房 3	Lighting Switch 燈掣		2	1	1	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	1	1	/	/	/	/	/	/	/	/	/	/
	Telephone Outlet 電話插座		1	1	1	/	/	/	/	/	/	/	/	/	/
	TV/FM Outlet 電視/電台天線插座		1	1	1	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		2	2	2	/	/	/	/	/	/	/	/	/	/
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	-	-	/	/	/	/	/	/	/	/	/	/
Utility 工作間	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		1	1	1	/	/	/	/	/	/	/	/	/	/
	Lighting Switch 燈掣		1	/	1	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		1	/	1	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		1	/	1	/	/	/	/	/	/	/	/	/	/
	Distribution Board 配電箱		1	/	1	/	/	/	/	/	/	/	/	/	/
	Switch (Exhaust Fan & Electric Water Heater) 開關掣(抽氣扇及電熱水器)		1	/	1	/	/	/	/	/	/	/	/	/	/
Utility 工作間	Switch (Air conditioner indoor unit) 開關掣(室內冷氣機)		1	/	1	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Lighting Switch 燈掣		-	-	1	/	/	/	/	/	/	/	/	/	/
	Lighting Point 燈位		3	5	4	/	/	/	/	/	/	/	/	/	/
	Video Door Phone 視像對講機		1	1	1	/	/	/	/	/	/	/	/	/	/
	Door Bell 門鐘		1	1	1	/	/	/	/	/	/	/	/	/	/
	13A Twin Socket Outlet 13A 雙位電插座		2	2	2	/	/	/	/	/	/	/	/	/	/
	Switch (Air conditioner indoor unit) 開關掣 (室內冷氣機)		-	1	1	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房		Switch for Microwave Oven 開關掣供微波爐	1	1	1	/	/	/	/	/	/	/	/	/	/
		Switch for Induction Hob 開關掣供電磁爐	-	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Cooker Hood 菲士座供抽油煙機	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Gas Hob 菲士座供氣體煮食爐	2	2	2	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	1	1	1	/	/	/	/	/	/	/	/	/	/
		Drain point for Washer Dryer 去水位供洗衣乾衣機	1	1	1	/	/	/	/	/	/	/	/	/	/
		Water point for Washer Dryer 來水位供洗衣乾衣機	1	1	1	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Fridge Freezer 13A 單位電插座供雪櫃連冰箱	1	1	1	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet for Fridge 13A 單位電插座供雪櫃	-	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	1	2	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	-	2	2	/	/	/	/	/	/	/	/	/	/
		Switch 開關掣	-	1	1	/	/	/	/	/	/	/	/	/	/
		Switch (Electric Water Heater) 開關掣 (電熱水器)	1	-	-	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.

賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。

(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表(第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Open Kitchen 開放式廚房	Lighting Point 燈位		3	/	/	-	-	-	-	-	-	-	-	1	-
	13A Twin Socket Outlet 13A 雙位電插座		-	/	/	-	-	1	-	-	-	-	-	1	1
		Door Bell 門鐘	-	/	/	-	-	1	-	-	-	-	-	-	-
		Fused Spur Unit for Lighting 菲士座供燈	-	/	/	1	1	1	1	1	1	1	1	1	1
		Switch for Induction Hob 開關掣供電磁爐	1	/	/	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Cooker Hood 菲士座供抽油煙機	1	/	/	1	1	1	1	1	1	1	1	1	1
		13A Single Socket Outlet for Microwave Oven 13A 單位電插座供微波爐	-	/	/	-	-	1	-	1	1	-	-	-	-
		13A Single Socket Outlet for Washer Dryer 13A 單位電插座供洗衣乾衣機	-	/	/	1	1	1	1	-	-	1	1	1	1
		Drain point for Washer Dryer 去水位供洗衣乾衣機	-	/	/	1	1	1	1	-	-	1	1	1	1
		Water point for Washer Dryer 來水位供洗衣乾衣機	-	/	/	1	1	1	1	-	-	1	1	1	1
		13A Single Socket Outlet 13A 單位電插座	2	/	/	-	-	-	-	-	-	-	-	-	-
		Switch (Electric Water Heater) 開關掣 (電熱水器)	1	/	/	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表 (第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Master Bathroom 主人浴室	Lighting Point 燈位		4	4	5	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	1	1	1	/	/	/	/	/	/	/	/	/	/
Bathroom 1 浴室 1	Lighting Point 燈位		3	3	4	3	3	3	3	3	3	3	3	3	3
		13A Single Socket Outlet 13A 單位電插座	1	1	2	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	1	1	1	1	1	1	1	1	1	1
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Lighting 菲士座供燈	1	1	2	1	1	1	1	1	1	1	1	1	1
		Fused Spur Unit for Dehumidifier 菲士座供抽濕機	1	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

(1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表 (第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Bathroom 2 浴室 2	Lighting Point 燈位		3	3	/	/	/	/	/	/	/	/	/	/	/
		13A Single Socket Outlet 13A 單位電插座	1	1	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	/	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	1	1	/	/	/	/	/	/	/	/	/	/	/
Water Closet 洗手間	Lighting Point 燈位		1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Exhaust Fan 菲士座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		Connection Unit for Exhaust Fan 接線座供抽氣扇	1	1	1	/	/	/	/	/	/	/	/	/	/
		Fused Spur Unit for Lighting 菲士座供燈	-	1	-	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
(2) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Schedule of Mechanical and Electrical Provisions (Tower 5 (5A&5B))
機電裝置數量說明表 (第 5 座 (5A 及 5B))

Location 位置	Mechanical and Electrical Provisions 機電裝置		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
	Exposed Type 外露型	Non-exposed Type 非外露型	A	B	C	A	B	C	D	E	F	G	H	J	K
Balcony 露台	Lighting Point 燈位		1	1	1	1	1	1	1	1	1	1	1	1	1
Utility Platform 工作平台	Lighting Point 燈位		/	/	1	/	/	/	/	/	/	/	/	/	/
A/C platform 冷氣機平台	Switch for outdoor A/C unit 開關掣供冷氣室外機		5	5	4	2	2	1	1	1	1	1	1	1	2
Lift Lobby 升降機大堂	Door Bell Push Button 門鐘襟手掣		1	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/"表示不適用。
- (2) 2 numbers of switches for outdoor A/C units in A/C platform and 3 numbers of switches for outdoor A/C unit on A/C plinth at roof for Tower 5(5A) 56/F flat B.
2 個開關掣供冷氣室外機位於冷氣機平台及 3 個開關掣供冷氣室外機位於天台的冷氣機基座供第 5 座(5A) 56 樓 B 單位。
- 1 number of switch for outdoor A/C units in A/C platform and 3 numbers of switches for outdoor A/C unit on A/C plinth at roof for Tower 5(5A) 56/F flat C.
1 個開關掣供冷氣室外機位於冷氣機平台及 3 個開關掣供冷氣室外機位於天台的冷氣機基座供第 5 座(5A) 56 樓 C 單位。
- 1 number of switch for outdoor A/C units in A/C platform and 1 number of switch for outdoor A/C unit on A/C plinth at roof for Tower 5(5B) 56/F flat A.
1 個開關掣供冷氣室外機位於冷氣機平台及 1 個開關掣供冷氣室外機位於天台的冷氣機基座供第 5 座(5B) 56 樓 A 單位。
- 1 number of switch for outdoor A/C units in A/C platform and 1 number of switch for outdoor A/C unit on A/C plinth at roof for Tower 5(5B) 56/F flat B.
1 個開關掣供冷氣室外機位於冷氣機平台及 1 個開關掣供冷氣室外機位於天台的冷氣機基座供第 5 座(5B) 56 樓 B 單位。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioner (Split Type) - Tower 3 (3A&3B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 3 座 (3A 及 3B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
				6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Living Room/ Dining Room and Corridor 客廳/飯廳及走廊	Mitsubishi Electric 三菱電機	MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		MSZ-GE50VA-E1	MUZ-GE50VA-E1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
		MSZ-GE60VA-E1	MUZ-GE60VA-E1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
		MSZ-GE35VA-E1	MXZ-3C68VA	-	-	-	-	-	1*	1*	-	1*	1*	-	1*	1*	1*
		MSZ-GE50VA-E1	MXZ-4C80VA	1 *	1*	-	-	-	-	-	-	-	-	-	-	-	-
		MSZ-GE50VA-E1	MXZ-4C80VA	1 **	1****	-	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房		MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	1	-	/	/	/	/	/	/	/	/	/	/
		MSZ-GE35VA-E1	MXZ-3C68VA	-	-	-	1*	/	/	/	/	/	/	/	/	/	/
		MSZ-GE50VA-E1	MXZ-4C80VA	1 ****	1**	-	-	/	/	/	/	/	/	/	/	/	/
Bedroom 1 睡房 1		MSZ-GE25VA-E1	MUZ-GE25VA-E1	-	-	1	-	-	-	-	-	-	-	/	-	-	-
		MSZ-GE25VA-E1	MXZ-2C52VA	-	-	-	-	1*	-	-	1*	-	-	/	-	-	-
		MSZ-GE25VA-E1	MXZ-3C68VA	-	-	-	1*	-	1*	1*	-	1*	1*	/	1*	1*	1*
		MSZ-GE25VA-E1	MXZ-4C80VA	-	1*	-	-	-	-	-	-	-	-	/	-	-	-
		MSZ-GE35VA-E1	MXZ-4C80VA	1*****	-	-	-	-	-	-	-	-	-	/	-	-	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
- (2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
- (3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
- (4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
- (5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
- (6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioners (Split Type) -Tower 3 (3A&3B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 3 座 (3A 及 3B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
				6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6樓至 12樓、15樓至 23樓、25樓至 28樓、30樓至 33樓、35樓至 43樓、45樓至 53樓及 55樓至 56樓													
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	D	A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房 2	Mitsubishi Electric 三菱電機	MSZ-GE25VA-E1	MXZ-2C52VA	-	-	/	/	1*	/	/	1*	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-4C80VA	1 **	1**	/	/	-	/	/	-	/	/	/	/	/	/
Bedroom 3 睡房 3		MSZ-GE25VA-E1	MUZ-GE25VA-E1	1	-	/	/	/	/	/	/	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-2C52VA	-	1***	/	/	/	/	/	/	/	/	/	/	/	/
Kitchen 廚房		MSZ-GE25VA-E1	MXZ-2C52VA	-	1***	/	/	/	/	/	/	/	/	/	/	/	/
		MSZ-GE35VA-E1	MXZ-4C80VA	1****	-	/	/	/	/	/	/	/	/	/	/	/	/
Study Room 書房		MSZ-GE25VA-E1	MXZ-4C80VA	1***	/	/	/	/	/	/	/	/	/	/	/	/	/
Utility 工作間		MSZ-GE25VA-E1	MXZ-4C80VA	1 *	1****	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
(2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
(3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
(4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
(5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
(6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioners (Split Type) - Tower 5(5A&5B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
				6/F-12/F, 15/F-23/F and 25/F-28/F 6 樓至 12 樓、15 樓至 23 樓及 25 樓至 28 樓												
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	A	B	C	D	E	F	G	H	J	K
Living Room/ Dining Room and Corridor 客廳/飯廳及走廊	Mitsubishi Electric 三菱電機	MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	-	-	-	-	-	1	1	-	-	-	-
		MSZ-GE50VA-E1	MUZ-GE50VA-E1	1	-	-	1	1	-	-	-	-	-	-	-	1
		MSZ-GE60VA-E1	MUZ-GE60VA-E1	-	-	1	-	-	-	-	-	-	-	-	-	-
		MSZ-GE35VA-E1	MXZ-3C68VA	-	-	-	-	-	-	1*	-	-	1*	1*	-	-
		MSZ-GE25VA-E1	MXZ-4C80VA	1*	1*	-	-	-	-	-	-	-	-	-	-	-
		MSZ-GE50VA-E1	MXZ-4C80VA	1*	1*	1**	-	-	1*	-	-	-	-	-	1*	-
		MSZ-GE50VA-E1	MXZ-4C80VA	-	1***	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房		MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	1	-	/	/	/	/	/	/	/	/	/	/
Bedroom 1 睡房 1		MSZ-GE50VA-E1	MXZ-4C80VA	1**	-	1*	/	/	/	/	/	/	/	/	/	/
		MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	-	1	1	-	-	/	/	-	-	-	-
		MSZ-GE25VA-E1	MXZ-2C52VA	-	1**	-	-	-	-	-	/	/	-	-	-	1*
		MSZ-GE25VA-E1	MXZ-3C68VA	-	-	-	-	-	-	1*	/	/	1*	1*	-	-
		MSZ-GE25VA-E1	MXZ-4C80VA	1***	-	1***	-	-	1*	-	/	/	-	-	1*	-

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
- (2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
- (3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
- (4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
- (5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
- (6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioners (Split Type) - Tower 5(5A&5B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
				6/F-12/F, 15/F-23/F and 25/F-28/F 6 樓至 12 樓、15 樓至 23 樓及 25 樓至 28 樓												
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房 2	Mitsubishi Electric 三菱電機	MSZ-GE25VA-E1	MUZ-GE25VA-E1	-	1	-	/	/	/	/	/	/	/	/	/	-
		MSZ-GE25VA-E1	MXZ-2C52VA	-	-	-	/	/	/	/	/	/	/	/	/	1*
		MSZ-GE25VA-E1	MXZ-4C80VA	1***	-	1**	/	/	/	/	/	/	/	/	/	-
Bedroom 3 睡房 3		MSZ-GE25VA-E1	MUZ-GE25VA-E1	1	-	-	/	/	/	/	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-2C52VA	-	1**	-	/	/	/	/	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-4C80VA	-	-	1*	/	/	/	/	/	/	/	/	/	/
Study Room 書房		MSZ-GE25VA-E1	MXZ-4C80VA	1**	/	/	/	/	/	/	/	/	/	/	/	/
Kitchen 廚房		MSZ-GE25VA-E1	MXZ-4C80VA	-	1***	1***	/	/	/	/	/	/	/	/	/	/
Utility 工作間		MSZ-GE25VA-E1	MXZ-4C80VA	1***	/	1***	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
(2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
(3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
(4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
(5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
(6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
(7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioners (Split Type) - Tower 5(5A&5B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
				30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	A	B	C	D	E	F	G	H	J	K
Living Room/ Dining Room and Corridor 客廳/飯廳及走廊	Mitsubishi Electric 三菱電機	MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	-	-	-	-	-	1	1	-	-	-	-
		MSZ-GE50VA-E1	MUZ-GE50VA-E1	1	-	-	1	1	-	-	-	-	-	-	-	1
		MSZ-GE60VA-E1	MUZ-GE60VA-E1	-	-	1	-	-	-	-	-	-	-	-	-	-
		MSZ-GE35VA-E1	MXZ-3C68VA	-	-	-	-	-	-	1*	-	-	1*	1*	-	-
		MSZ-GE50VA-E1	MXZ-4C80VA	1*	-	1**	-	-	1*	-	-	-	-	-	1*	-
		MSZ-GE25VA-E1	MXZ-4C80VA	1*	-	-	-	-	-	-	-	-	-	-	-	-
		MSZ-GE25VA-E1	MXZ-5C100VA	-	1*	-	-	-	-	-	-	-	-	-	-	-
		MSZ-GE60VA-E1	MXZ-5C100VA	-	1*	-	-	-	-	-	-	-	-	-	-	-
		MSZ-GE71VA-E1	MXZ-5C100VA	-	1***	-	-	-	-	-	-	-	-	-	-	-
Master Bedroom 主人睡房	MSZ-GE50VA-E1	MXZ-4C80VA	1**	-	1*	/	/	/	/	/	/	/	/	/	/	
	MSZ-GE50VA-E1	MXZ-5C100VA	-	1***	-	/	/	/	/	/	/	/	/	/	/	
Bedroom 1 睡房 1	MSZ-GE35VA-E1	MUZ-GE35VA-E1	-	-	-	1	1	-	-	/	/	-	-	-	-	
	MSZ-GE25VA-E1	MXZ-2C52VA	-	-	-	-	-	-	-	/	/	-	-	-	1*	
	MSZ-GE25VA-E1	MXZ-3C68VA	-	-	-	-	-	-	1*	/	/	1*	1*	-	-	
	MSZ-GE25VA-E1	MXZ-4C80VA	1***	1**	1***	-	-	1*	-	/	/	-	-	1*	-	

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
- (2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
- (3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
- (4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
- (5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
- (6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Air Conditioners (Split Type) - Tower 5(5A&5B)
設備說明表-冷氣裝置-分體式冷氣機 - 第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號		Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
				30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
		Indoor Unit 室內機	Outdoor Unit 室外機	A	B	C	A	B	C	D	E	F	G	H	J	K
Bedroom 2 睡房 2	Mitsubishi Electric 三菱電機	MSZ-GE25VA-E1	MXZ-2C52VA	-	-	-	/	/	/	/	/	/	/	/	/	1*
		MSZ-GE25VA-E1	MXZ-4C80VA	1***	1**	1**	/	/	/	/	/	/	/	/	/	-
Bedroom 3 睡房 3		MSZ-GE25VA-E1	MUZ-GE25VA-E1	1	-	-	/	/	/	/	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-4C80VA	-	-	1*	/	/	/	/	/	/	/	/	/	/
		MSZ-GE25VA-E1	MXZ-5C100VA	-	1*	-	/	/	/	/	/	/	/	/	/	/
Study Room 書房		MSZ-GE25VA-E1	MXZ-4C80VA	1**	/	/	/	/	/	/	/	/	/	/	/	/
Kitchen 廚房		MSZ-GE25VA-E1	MXZ-4C80VA	-	1**	1***	/	/	/	/	/	/	/	/	/	/
Utility 工作間		MSZ-GE25VA-E1	MXZ-4C80VA	1***	/	1***	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) * Shared Outdoor Unit for different location of a flat (Combination 1) /同一單位不同位置共用一部室外機 (組合 1)
- (2) ** Shared Outdoor Unit for different location of a flat (Combination 2) /同一單位不同位置共用一部室外機 (組合 2)
- (3) *** Shared Outdoor Unit for different location of a flat (Combination 3) /同一單位不同位置共用一部室外機 (組合 3)
- (4) **** Shared Outdoor Unit for different location of a flat (Combination 4) /同一單位不同位置共用一部室外機 (組合 4)
- (5) ***** Shared Outdoor Unit for different location of a flat (Combination 5) /同一單位不同位置共用一部室外機 (組合 5)
- (6) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號 "-" 表示不提供。
- (7) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Exhaust Air Fans - Tower 3 (3A&3B)
設備說明表-抽氣扇 -第 3 座 (3A 及 3B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
			A	B	C	D	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Panasonic 樂聲	FV-07NU1H	1	1	/	/	/	/	/	/	/	/	/	/	/	/
Master Bathroom 主人浴室		FV-04NU1H	1	1	1	1	/	/	/	/	/	/	/	/	/	/
Bathroom 1 浴室 1		FV-02NU1H	-	-	-	-	-	1	1	-	1	1	-	1	1	-
		FV-04NU1H	1	1#	1	1	1	-	-	1	-	-	1	-	-	1
Bathroom 2 浴室 2		FV-04NU1H	1	/	/	/	/	/	/	/	/	/	/	/	/	/
Water Closet 洗手間		FV-02NU1H	1	1	/	/	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The symbol "#" as shown in the above table denotes "located in corridor". 上表符號"#"表示抽氣扇安裝於走廊。
- (2) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
- (3) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號 "/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Exhaust Air Fans - Tower 5 (5A & 5B)
設備說明表-抽氣扇 -第 5 座(5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
			A	B	C	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Panasonic 樂聲	FV-04NU1H	1	-	-	/	/	/	/	/	/	/	/	/	/
		FV-05NU1H	-	-	1	/	/	/	/	/	/	/	/	/	/
		FV-07NU1H	-	1	-	/	/	/	/	/	/	/	/	/	/
Master Bathroom 主人浴室		FV-04NU1H	1	1	1	/	/	/	/	/	/	/	/	/	/
Bathroom 1 浴室 1		FV-04NU1H	1	1	1#	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2		FV-04NU1H	1	1	/	/	/	/	/	/	/	/	/	/	/
Water Closet 洗手間		FV-02NU1H	1	1	1	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

- (1) The symbol "#" as shown in the above table denotes "located in Bedroom 1". 上表符號"#"表示抽氣扇安裝於睡房 1。
- (2) The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
- (3) The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Dehumidifiers (Tower 3 (3A&3B) and Tower 5 (5A&5B))
設備說明表-抽濕機 (第 3 座 (3A 及 3B) 及第 5 座 (5A 及 5B))

Tower 3 (3A&3B)
第 3 座(3A 及 3B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
			A	B	C	D	A	B	C	D	E	F	G	H	J	K
Bathroom 1 浴室 1	Cold Magic 高美	CDH-22-R2B	1	1	1	1	1	1	1	1	1	1	1	1	1	

Tower 5 (5A&5B)
第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 5 (5A) 第 5 座(5A)			Tower 5 (5B) 第 5 座(5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
Bathroom 1 浴室 1	Cold Magic 高美	CDH-22-R2B	A	B	C	A	B	C	D	E	F	G	H	J	K
			1	1	1	1	1	1	1	1	1	1	1	1	1

The Vendor undertakes that if lifts or appliances of the specific brand name or model number are not installed in the phase , lifts or appliances of comparable quantity will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若升降機或設備。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Electric Water Heaters - Tower 3 (3A&3B)
設備說明表-電熱水器 -第 3 座 (3A 及 3B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 3 (3A) 第 3 座 (3A)				Tower 3 (3B) 第 3 座 (3B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓													
			A	B	C	D	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Stiebel Eltron 斯寶亞創	DHB 21 STi	1#	1#	/	/	/	/	/	/	/	/	/	/	/	
Open Kitchen 開放式廚房		DHM 6	/	/	1	1	1	1	1	1	1	1	1	1	1	
Master Bathroom 主人浴室		DHB 27 STi	1	1	1	1	/	/	/	/	/	/	/	/	/	
Bathroom 1 浴室 1		DHB 21 STi	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bathroom 2 浴室 2		DHB 21 STi	1	/	/	/	/	/	/	/	/	/	/	/	/	
Water Closet 洗手間		DHB 21 STi	1#	1#	/	/	/	/	/	/	/	/	/	/	/	

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

1. The symbol "#" as shown in the above table denotes "Shared with Electric Water Heater in Water Closet". 上表符號"#"表示共用一部安裝於洗手間的電熱水器。
2. The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/" 表示不適用。

FITTINGS, FINISHES AND APPLIANCES

裝置、裝修物料及設備

Appliances Schedule - Electric Water Heaters - Tower 5 (5A&5B)
設備說明表-電熱水器-第 5 座 (5A 及 5B)

Location 位置	Brand Name 品牌	Model Number 型號	Tower 5 (5A) 第 5 座 (5A)			Tower 5 (5B) 第 5 座 (5B)									
			6/F-12/F, 15/F-23/F, 25/F-28/F, 30/F-33/F, 35/F-43/F, 45/F-53/F and 55/F-56/F 6 樓至 12 樓、15 樓至 23 樓、25 樓至 28 樓、30 樓至 33 樓、35 樓至 43 樓、45 樓至 53 樓及 55 樓至 56 樓												
			A	B	C	A	B	C	D	E	F	G	H	J	K
Kitchen 廚房	Stiebel Eltron 斯寶亞創	DHM 6	1	-	-	/	/	/	/	/	/	/	/	/	/
		DHB 21 STi	-	1*	1#	/	/	/	/	/	/	/	/	/	/
Open Kitchen 開放式廚房		DHM 6	1	/	/	1	1	1	1	1	1	1	1	1	1
Master Bathroom 主人浴室		DHB 27 STi	1	1	1	/	/	/	/	/	/	/	/	/	/
Bathroom 1 浴室 1		DHB 21 STi	1	1	1	1	1	1	1	1	1	1	1	1	1
Bathroom 2 浴室 2		DHB 21 STi	1	1	/	/	/	/	/	/	/	/	/	/	/
Water Closet 洗手間		DHB 21 STi	-	1*	1#	/	/	/	/	/	/	/	/	/	/
Utility 工作間		DHB 21 STi	1+	/	-	/	/	/	/	/	/	/	/	/	/

The Vendor undertakes that if lifts or appliances of the specified brand name or model number are not installed in the Phase, lifts or appliances of comparable quality will be installed.
賣方承諾如期數中沒有安裝指明的品牌名稱或產品型號的升降機或設備，便會安裝品質相若的升降機或設備。

1. The symbol "#" as shown in the above table denotes "Shared with Electric Water Heater in Water Closet ". 上表符號"#"表示共用一部安裝於洗手間的電熱水器。
2. The symbol "*" as shown in the above table denotes "Shared with Electric Water Heater in Kitchen". 上表符號"*"表示共用一部安裝於廚房的電熱水器。
3. The symbol "+" as shown in the above table denotes "Electric Water Heater serve Water Closet". 上表符號"+"表示電熱水器供應洗手間。
4. The Symbol "-" as shown in the above table denotes "Not Provided". 上表符號"-"表示不提供。
5. The Symbol "/" as shown in the above table denotes "Not Applicable". 上表符號"/" 表示不適用。



This page is left blank intentionally

此頁保留空白

SERVICE AGREEMENTS

服務協議

Potable and flushing water is supplied by Water Supplies Department.
Electricity is supplied by The CLP Power Hong Kong Ltd.
Towngas is supplied by The Hong Kong and China Gas Co., Ltd.

食水及沖廁水由水務署供應。
電力由中華電力有限公司供應。
煤氣由香港中華煤氣有限公司供應。

GOVERNMENT RENT

地稅

The Vendor will pay/has paid (as the case may be) all outstanding Government rent in respect of the residential property up to and including the date of the Assignment of the residential property.

賣方將會繳付/已繳付(視情況而定)有關住宅物業之地稅直至包括住宅物業之買賣成交日期。

MISCELLANEOUS PAYMENTS BY PURCHASER

買方的雜項付款

1. On the delivery of the vacant possession of the residential property to the purchaser, the purchaser is liable to reimburse the Owner for the deposits for water, electricity and gas.
2. On that delivery, the purchaser is not liable to pay to the Owner a debris removal fee.

Remarks:

On that delivery, the purchaser should in fact reimburse the Manager for the deposits for water, electricity and gas and pay to the Manager of the Phase a debris removal fee, or where the Owner has paid that debris removal fee, the purchaser shall reimburse the Owner for the same.

1. 在向買方交付住宅物業在空置情況下的管有權時，買方須負責向擁有人補還水、電力及氣體的按金。
2. 在交付時，買方無須向擁有人支付清理廢料的費用。

備註：

在交付時，買方事實上須向期數的管理人補還水、電力及氣體的按金及支付清理廢料的費用，如擁有人已支付清理廢料的費用，買方須向擁有人補還清理廢料的費用。

DEFECT LIABILITY WARRANTY PERIOD

欠妥之處的保養責任期

Defect liability warranty period for the residential property and the fittings, finishes and appliances as provided in the agreement for sale and purchase is within six (6) months from the date of completion of the sale and purchase.

按買賣合約規定，住宅物業及其內裝置、裝修物料及設備之欠妥之處的保養責任期為住宅物業之成交日期起計為期六(6)個月內。

MAINTENANCE OF SLOPES

斜坡維修

1. The Land Grant requires the owners of the residential properties in the Phase of the Development to maintain slope at their own cost.
2. The terms of the requirement, as stipulated in Special Condition (56) of the Land Grant, are as follows:-

“(56) (a) Where there is or has been any cutting away, removal or setting back of any land, or any building-up or filling-in or any slope treatment works of any kind whatsoever, whether with or without the prior written consent of the Director, either within the lot or on any Government land, which is or was done for the purpose of or in connection with the foundation, levelling or development of the lot or any part thereof or any other works required to be done by the Grantee under these Conditions, or for any other purpose, the Grantee shall at his own expense carry out and construct such slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works as shall or may then or at any time thereafter be necessary to protect and support such land within the lot and also any adjacent or adjoining Government or leased land and to obviate and prevent any falling away, landslip or subsidence occurring thereafter. The Grantee shall at all times during the term hereby agreed to be granted maintain at his own expense the said land, slope treatment works, retaining walls or other support, protection, drainage or ancillary or other works in good and substantial repair and condition to the satisfaction of the Director.

(b) Nothing in sub-clause (a) of this Special Condition shall prejudice the Government's rights under these Conditions, in particular Special Condition No. (55) hereof.

(c) In the event that as a result of or arising out of any formation, levelling, development or other works done by the Grantee or owing to any other reason, any falling away, landslip or subsidence occurs at any time, whether in or from any land within the lot or from any adjacent or adjoining Government or leased land, the Grantee shall at his own expense reinstate and make good the same to the satisfaction of the Director and shall indemnify the Government, its agents and contractors from and against all costs, charges, damages, demands and claims whatsoever which shall or may be made, suffered or incurred through or by reason of such falling away, landslip or subsidence.

(d) In addition to any other rights or remedies herein provided for breach of any of these Conditions, the Director shall be entitled by notice in writing to call upon the Grantee to carry out, construct and maintain the said land, slope treatment works, retaining walls, or other support, protection, and drainage or ancillary or other works or to reinstate and make good any falling away, landslip or subsidence, and if the Grantee shall neglect or fail to comply with the notice to the satisfaction of the Director within the period specified therein, the Director may forthwith execute and carry out any necessary works and the Grantee shall on demand repay to the Government the cost thereof, together with any administrative and professional fees and charges.”
3. Each of the owners is obliged to contribute towards the costs of the maintenance work.
4. There is a portion of an existing retaining wall with Feature No. 11NW-C/R 143 within the Lot. According to the public records of Slope Information System of Geotechnical Engineering Office, Civil Engineering and Development Department and the public records of Slope Maintenance Responsibility Information System of Lands Department retrieved on the date of printing of the sales brochure, the maintenance responsibility of the said portion of the existing retaining wall falls on Highways Department.
5. Under the deed of mutual covenant, the Manager of the Phase has the owners’ authority to carry out the maintenance work.

1. 批地文件規定本發展項目期數中的住宅物業的擁有人須自費維修斜坡。
2. 該規定的條款於批地文件特別條件第(56)條規定如下：

『(56) (a) 如該地段或任何「政府」官地現時或以往曾經配合或因應該地段或其任何部分的平整、水準測量或發展事宜或此等「批地條款」規定「承批人」執行的其他工程或其他目的進行削土、移土或土地後移工程，或任何建造或填土工程或任何類型的斜坡處理工程，不論事前是否獲「署長」書面同意，「承批人」亦須按當時或嗣後任何時間的需要自費進行及建造斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助或其他工程，以保護和支撐該地段內的土地及任何毗連或毗鄰「政府」官地或已批租土地，同時避免及防止其後發生滑土、山泥傾瀉或地陷。「承批人」應在本文協定的整個批租年期內任何時候自費維修上述土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或附屬或其他工程，以保持其修繕妥當與狀態良好，令「署長」滿意。

(b) 本特別條款(a)款之規定概不妨礙此等「批地條款」賦予「政府」的權利，其中特別以本文特別條款第(55)條所訂權利為要。

(c) 無論何時，如因「承批人」進行平整、水準測量、發展或其他工程或因其他事故導致或引起該地段內的土地或任何毗連或毗鄰「政府」官地或已批租土地發生滑土、山泥傾瀉或地陷，「承批人」須自費還原並修葺該處，以令「署長」滿意，同時就「政府」、其代理及承辦商作出彼等因滑土、山泥傾瀉或地陷所蒙受或招致的所有費用、收費、損害、索求及索償作出賠償，並確保彼等免責。

(d) 除享有本文訂明可就違反此等「批地條款」追討之任何其他權利或補償權外，「署長」另有權向「承批人」發出書面通知，要求「承批人」進行、建造和維修上述的土地、斜坡處理工程、護土牆或其他支承結構、防護結構、排水或輔助或其他工程，又或還原並修葺任何滑土、山泥傾瀉或地陷範圍。如「承批人」疏忽或未能在通知書訂明期限內以「署長」滿意的方式完成通知書的指示，「署長」可即時執行及進行必要的工程。「承批人」必須在接獲通知時向「政府」償還有關的費用，以及任何行政或專業費用與收費。』
3. 每名擁有人均須分擔維修工程的費用。
4. 該地段內有一幅現有擋土牆（登記編號11NW-C/R 143）之部份。根據於售樓說明書印製日期獲取的土木工程拓展署土力工程處的斜坡資訊系統的公眾紀錄及地政總署的斜坡維修責任信息系統的公眾紀錄，該幅現有擋土牆之部份的維修責任屬於路政署。
5. 根據公契，期數的管理人獲擁有人授權進行維修工程。

MODIFICATION 修訂

No application to the Government for a modification of the Land Grant for the Phase is underway.

期數現時並沒有向政府提出申請修訂批地文件。

WEBSITE ADDRESS FOR THE PHASE 期數的互聯網網站的網址

The website address designated by the Vendor for the Phase:
www.cullinanwest2.com.hk

賣方就期數指定的互聯網網站的網址：
www.cullinanwest2.com.hk

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Breakdown of GFA Concessions Obtained for All Features

Latest information on breakdown of GFA concessions as shown on the general building plans submitted to and approved by the Building Authority (BA) prior to the printing of the sales brochure is tabulated below. Information marked (#) may be based on information provided by the authorized person if the sales brochure is printed prior to submission of the final amendment plans to the BA. The breakdown of GFA concessions may be subject to further changes until final amendment plans are submitted to and approved by the BA prior to the issuance of the occupation permit for the Phase.

獲寬免總樓面面積的設施分項

於印製售樓說明書前呈交予並已獲建築事務監督批准的一般建築圖則上有關總樓面面積寬免的分項最新資料，請見下表。如印製售樓說明書時尚未呈交最終修訂圖則予建築事務監督，則有(#)號的資料可以由認可人士提供的資料作為基礎。直至最終修訂圖則於發出期數的佔用許可證前呈交予並獲建築事務監督批准前，以下分項資料仍可能有所修改。

		Area (m²) 面積(平方米)
Disregarded GFA under Building (Planning) Regulations 23(3)(b) 根據《建築物(規劃)條例》第23 (3) (b)條不計算的總樓面面積		
1.	Carpark and loading/unloading area excluding public transport terminus 停車場及上落客貨地方(公共交通總站除外)	Not applicable 不適用
2.	Plant rooms and similar services 機房及相類設施	
2.1(#)	Mandatory feature or essential plant room, area of which is limited by respective Practice Notes for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers (PNAP) or regulation such as lift machine room, telecommunication and broadcasting (TBE) room, refuse storage and material recovery chamber, etc. 所佔面積受相關《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如升降機機房、電訊及廣播設備室、垃圾及物料回收房等	434.592
2.2(#)	Mandatory feature or essential plant room, area of which is NOT limited by any PNAP or regulation such as room occupied solely by fire services installations (FSI) and equipment, meter room, transformer room, potable and flushing water tank, etc. 所佔面積不受任何《認可人士、註冊結構工程師及註冊岩土工程師作業備考》或規例限制的強制性設施或必要機房，例如僅供消防裝置及設備佔用的房間、電錶房、電力變壓房、食水及鹹水缸等	2756.724
2.3(#)	Non-mandatory or non-essential plant room such as air-conditioning plant room, air handling unit (AHU) room, etc. 非強制性或非必要的機房，例如空調機房、風櫃房等	23.265
Disregarded GFA under Regulation 23A(3) of the B(P)R 根據《規劃規例》第23A(3)條不計算的總樓面面積		
3.	Area for picking up and setting down persons departing from or arriving at the hotel by vehicle 供人離開或到達旅館時上落汽車的地方	Not applicable 不適用
4.	Supporting facilities for a hotel 旅館的輔助性設施	Not applicable 不適用
Green Features under Joint Practice Notes 1 and 2 根據聯合作業備考第 1 及第 2 號提供的環保設施		
5.	Balcony 露台	1434.048
6.	Wider common corridor and lift lobby 加闊的公用走廊及升降機大堂	522.632
7.	Communal sky garden 公用空中花園	Not applicable 不適用
8.	Communal podium garden for non-residential buildings 非住宅樓宇的公用平台花園	Not applicable 不適用
9.	Acoustic fin 隔聲鰭	Not applicable 不適用
10.	Wing wall, wind catcher and funnel 翼牆、捕風器及風斗	Not applicable 不適用
11.	Non-structural prefabricated external wall 非結構預製外牆	905.212
12.	Utility platform 工作平台	98.250
13.	Noise barrier 隔音屏障	Not applicable 不適用

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

		Area (m²) 面積(平方米)
Amenity Features 適意設施		
14.	Counter, office, store guard room and lavatory for watchman and management staff, Owners' Corporation Office 供保安人員和管理處員工使用的櫃枱、辦公室、儲物室、警衛室和廁所、業主立案法團辦公室	Not applicable 不適用
15.	Residential Recreational facilities including void, plant room, swimming pool filtration plant room, covered walkway etc. serving solely the recreational facilities 住宅康樂設施，包括僅供康樂設施使用的中空、機房、游泳池的濾水器機房、有蓋人行道等	Not applicable 不適用
16.	Covered landscaped and play area 有上蓋的園景區及遊樂場	1152.424
17.	Horizontal screens/covered walkways, trellis 橫向屏障/有蓋人行道、花棚	110.263
18.	Larger lift shaft 擴大升降機井道	1176.779
19.	Chimney shaft 煙囪管道	Not applicable 不適用
20.	Other non-mandatory or non-essential plant room, such as boiler room, satellite master antenna television (SMATV) room 其他非強制性或非必要的機房，例如鍋爐房、衛星電視共用天線房	Not applicable 不適用
21(#)	Pipe duct, air duct for mandatory feature or essential plant room 強制性設施或必要機房所需的管槽、氣槽	1318.855
22.	Pipe duct, air duct for non-mandatory feature or essential plant room 非強制性設施或非必要機房所需的管槽、氣槽	Not applicable 不適用
23.	Plant room, pipe duct, air duct for environmentally friendly system and feature 環保系統及設施所需的機房、管槽及氣槽	Not applicable 不適用
24.	High headroom and void in front of cinema, shopping arcade etc. in non-domestic development 非住用發展項目中電影院、商場等的較高的淨高及前方中空	Not applicable 不適用
25.	Void over main common entrance (prestige entrance) in non-domestic development 非住用發展項目的公用主要入口（尊貴入口）上方的中空	Not applicable 不適用
26.	Void in duplex domestic flat and house 複式住宅單位及洋房的中空	Not applicable 不適用
27.	Sunshade and reflector 遮陽篷及反光罩	Not applicable 不適用
28.	Minor projection such as AC box, window sill, projecting window 小型伸出物，例如空調機箱、窗台、伸出的窗台	1904.012
29.	Projections such as air-conditioning box and platform with a projection of more than 750 mm from the external wall 伸出物，如空調機箱及伸出外牆超過750毫米的平台	Not applicable 不適用
Other Exempted Items 其他項目		
30(#)	Refuge floor including refuge floor cum sky garden 庇護層，包括庇護層兼空中花園	1220.412
31(#)	Covered area under large projecting/overhanging feature 大型伸出／外懸設施下的有蓋面積	43.402
32.	Public transport terminus 公共交通總站	Not applicable 不適用

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

		Area (m²) 面積(平方米)
33(#)	Party structure and common staircase 共用構築物及樓梯	Not applicable 不適用
34(#)	Horizontal area of staircase, lift shaft and vertical duct solely serving floor accepted as not being accountable for GFA 僅供獲接納不計入總樓面面積的樓層使用的樓梯、升降機槽及垂直管道的水平面積	592.329
35(#)	Public passage 公眾通道	Not applicable 不適用
36.	Covered set back area 因建築物後移導致的覆蓋面積	Not applicable 不適用
Bonus GFA 額外總樓面面積		
37.	Bonus GFA 額外總樓面面積	Not applicable 不適用

Note: The above table is based on the requirements as stipulated in the Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers ADM-2 issued by the Buildings Department.
 The Buildings Department may revise such requirements from time to time as appropriate.

備註: 上述表格是根據屋宇署所發出的《認可人士、註冊結構工程師及註冊岩土工程師作業備考》ADM-2 規定的要求而制訂的。屋宇署會按實際需要不時更改有關要求。

Environment Assessment of the Building

建築物的環境評估

Green Building Certification

Assessment result under the **BEAM Plus** certification conferred / issued by Hong Kong Green Building Council Limited (HKGBC) for the building prior to the printing of the sales brochure or its addenda.

GOLD

This is the Preliminary Final Assessment (PFA) result and the Final Assessment (FA) rating is subject to the result of the Last Final Assessment (LFA).

Application no.: PFAG0001/19

Remark: Preliminary Final Assessment (PFA) covers intermediate part of a large development project where the Final Assessment (FA) is carried out in phases. The Last Final Assessment (LFA) will cover the whole site.



HKGBC

香港綠色建築議會

綠色建築認證

在印刷此售樓說明書或其附頁前，本物業根據香港綠色建築議會有限公司頒授 / 發出的綠建環評認證評級。

金級

此評級為初步最終評估的結果，最終評級會根據最後最終評估的結果而定。

申請編號: PFAG0001/19

備註: 當大型發展項目分階段進行最終評估時，初步最終評估只涵蓋發展項目的一部份。最後最終評估將包括整個項目的範圍。



HKGBC

香港綠色建築議會

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Estimated Energy Performance or Consumption for the Common Parts of the Phase
期數的公用部分的預計能量表現或消耗

Latest information on the estimated energy performance or consumption for the common parts of the Phase as submitted to the Building Authority prior to the printing of the sales brochures:
於印製售樓說明書前呈交予建築事務監督期數的公用部份的預計能量表現或消耗的最近期資料:

Part I 第I部分						
Provision of Central Air Conditioning 提供中央空調		NO 否				
Provision of Energy Efficient Features 提供具能源效益的設施		YES 是				
Energy Efficient Features proposed: 擬安裝的具能源效益的設施:-		1. Design building orientation for reducing solar heat gain; 2. Provide double IGU Low-E glazing and shading facilities; 3. Select split type air-conditioning unit with energy efficiency label, high energy-efficient lifts and rain water recycling system; And Reduce the window-to-wall ratio. 1. 建築物座向設計以減少日照吸熱量; 2. 提供雙層中空低幅射玻璃及遮蔽裝置; 3. 選用貼有能源效益標籤的分體式空調機組、高效能電梯及雨水收集系統; 及降低窗牆比率。				
Part II: The predicted annual energy use of the proposed building/ part of building (Note 1) 第 II 部分: 擬興建樓宇/部分樓宇預計每年能源消耗量 (註腳 1):-						
Type of Development 發展項目類型	Location 位置	Internal Floor Area Served (m²) 使用有關裝置的內部樓面面積 (平方米)	Annual Energy Use of Baseline Building (Note 2) 基線樓宇每年能源消耗量 (註腳 2)		Annual Energy Use of Proposed Building 擬興建樓宇每年能源消耗量	
			Electricity kWh/m²/annum 電力 千瓦小時/平方米/年	Town Gas / LPG unit/m²/annum 煤氣/石油氣 用量單位/平方米/年	Electricity kWh/m²/annum 電力 千瓦小時/平方米/年	Town Gas / LPG unit/m²/annum 煤氣/石油氣 用量單位/平方米/年
Domestic Development 住用發展項目	Area served by central building services installation (Notes 3) 有使用中央屋宇裝備裝置 (註腳 3) 的部份	13834.53	144.02	Not applicable 不適用	131.26	Not applicable 不適用
Part III: The following installation(s) are designed in accordance with the relevant Codes of Practices published by the Electrical & Mechanical Services Department (EMSD) 第III部分: 以下裝置乃按機電工程署公布的相關實務守則設計:-						
Type of Installations 裝置類型	YES 是		NO 否		Not applicable 不適用	
Lighting Installations 照明裝置	√					
Air Conditioning Installations 空調裝置	√					
Electrical Installations 電力裝置	√					
Lift & Escalator Installations 升降機及自動梯的裝置	√					
Performance-based Approach 以總能源為本的方法					√	

INFORMATION IN APPLICATION FOR CONCESSION ON GROSS FLOOR AREA OF BUILDING

申請建築物總樓面面積寬免的資料

Notes:

1. In general, the lower the estimated "Annual Energy Use" of the building, the more efficient of the building in terms of energy use. For example, if the estimated "annual energy use of proposed building" is less than the estimated "annual energy use of baseline building", it means the predicted use of energy is more efficient in the proposed building than in the baseline building. The larger the reduction, the greater the efficiency.

The predicted annual energy use, in terms of electricity consumption (kWh/m²/annum) and town gas/LPG consumption (unit/m²/annum), of the Phase by the internal floor area served, where:
(a) "total annual energy use" has the same meaning of "annual energy use" under Section 4 and Appendix 8 of the BEAM Plus for New Buildings (current version); and
(b) "internal floor area", in relation a building, a space or a unit means the floor area of all enclosed space measured to the internal faces of enclosing external and/or party walls.
2. "Baseline Building" has the same meaning as "Baseline Building Model (zero-credit benchmark)" under Section 4 and Appendix 8 of the BEAM Plus for New Building (current version).
3. "Central Building Services Installation" has the same meaning as that in the Code of Practice for Energy Efficiency of Building Services Installations in Buildings (2012 Rev. 1).

註腳:

1. 一般而言，一棟樓宇的預計"每年能源消耗量"愈低，其節約能源的效益愈高。如一棟樓宇預計的 "每年能源消耗量" 低於該樓宇的 "基線樓宇每年能源消耗量"，則代表預計該樓宇的能源應用較其基線樓宇有效，削減幅度愈大則代表有關樓宇能源節約的效益愈高。

預計每年能源消耗量 [以耗電量 (千瓦小時/平方米/年) 及煤氣/石油氣消耗量 (用量單位/平方米/年) 計算]，指將期數的每年能源消耗總量除以使用有關裝置的內部樓面面積所得出的商，其中:-

- (a) "每年能源消耗量" 與新建樓宇BEAM Plus 標準 (現行版本) 第4節及附錄8中的「年能源消耗」具有相同涵義；及
(b) 樓宇、空間或單位的 "內部樓面面積"，指外牆及/或共用牆的內壁之內表面起量度出來的樓面面積。
2. "基準樓宇" 與新建樓宇BEAM Plus 標準 (現行版本) 第4節及附錄8中的 " 基準建築物模式 (零分標準)" 具有相同涵義。
3. "中央屋宇裝備裝置"與樓宇的屋宇裝備裝置能源效益實務守則(2012年第一次修訂版)中的涵義相同。

DATE OF PRINTING OF SALES BROCHURE

售樓說明書印製日期

Date of printing of Sales Brochure: 10 November 2017

售樓說明書印製日期：2017年11月10日

CHANGES

改變

There may be future changes to the Phase and the surrounding areas.

期數及其周邊地區日後可能出現改變。

EXAMINATION RECORD

檢視記錄

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
1 February 2018 2018年2月1日	AC	Information on the Phase is updated. 更新期數的資料。
	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AI01	Aerial Photograph of the Phase is updated. 更新期數的鳥瞰照片。
	AI02 - AI04	Aerial Photograph of the Phase are deleted. 取消期數的鳥瞰照片。
	AK	Layout Plan of the Development is updated. 更新發展項目的布局圖。
	AL04, AL06, AL11, AL13	Floor Plans of Residential Properties in the Phase are updated. 更新期數的住宅物業的樓面平面圖。
	AN01	Floor Plans of Parking Spaces in the Phase is updated. 更新期數中的停車位的樓面平面圖。
30 April 2018 2018年4月30日	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AI01	Aerial Photograph of the Phase is updated. 更新期數的鳥瞰照片。
	AK	Layout Plan of the Development is updated. 更新發展項目的布局圖。
	AN01	Floor Plans of Parking Spaces in the Phase is updated. 更新期數中的停車位的樓面平面圖。
	AX02, AX03, AX10, AX11	Fittings, Finishes and Appliances are updated. 更新裝置、裝修物料及設備。
30 July 2018 2018年7月30日	AD	Information on Vendor and others Involved in the Phase is updated. 更新賣方及有參與期數的其他人的資料。
	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AJ01	Outline Zoning Plan relating to the Development is updated. 更新關乎發展項目的分區計劃大綱圖。
	AQ08, AQ14, AQ16 - AQ20, AQ22, AQ24, AQ26, AQ27, AQ29	Summary of Land Grant are updated. 更新批地文件的摘要。
	AR01, AR25, AR32 - AR36, AR38 - AR44, AR46 - AR50	Information on Public Facilities and Pubic Open Spaces are updated. 更新公共設施及公眾休憩用地的資料。
	AX01 - AX04, AX09 - AX12, AX22, AX33, AX36	Fittings, Finishes and Appliances are updated. 更新裝置、裝修物料及設備。
	BC	Maintenance of Slopes is updated. 更新斜坡維修。

EXAMINATION RECORD

檢視記錄

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
30 October 2018 2018年10月30日	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AN01	Floor Plans of Parking Spaces in the Phase is updated. 更新期數中的停車位的樓面平面圖。
	AX07, AX15	Fittings, Finishes and Appliances are updated. 更新裝置、裝修物料及設備。
30 January 2019 2019年1月30日	AF01	Information on Design of the Phase is updated. 更新期數的設計的資料。
	AG	Information on Property Management is updated. 更新物業管理的資料。
	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AK	Layout Plan of the Development is updated. 更新發展項目的布局圖。
	AL03, AL05, AL07, AL08, AL10, AL12, AL14, AL15	Floor Plans of Residential Properties in the Phase are updated. 更新期數的住宅物業的樓面平面圖。
	AN01	Floor Plans of Parking Spaces in the Phase is updated. 更新期數中的停車位的樓面平面圖。
	AP01, AP04	Summary of Deed of Mutual Covenant are updated. 更新公契的摘要。
	AW	Inspection of Plans and Deed of Mutual Covenant is updated. 更新閱覽圖則及公契。
	BJ01	Information Required by the Director of Lands to be set out in the Sales Brochure as a condition for giving the Presale Consent is updated. 更新地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料。
30 April 2019 2019年4月30日	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AI01	Aerial Photograph of the Phase is updated. 更新期數的鳥瞰照片。
	AI02 - AI04	Aerial Photograph of the Phase are added. 新增期數的鳥瞰照片。
	AK	Layout Plan of the Development is updated. 更新發展項目的布局圖。
	BG03	Information in Application for Concession on Gross Floor Area of Building is updated. 更新申請建築物總樓面面積寬免的資料。
30 July 2019 2019年7月30日	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AI01 - AI04	Aerial Photograph of the Phase are updated. 更新期數的鳥瞰照片。

EXAMINATION RECORD

檢視記錄

Examination/Revision Date 檢視/修改日期	Revision Made 所作修改	
	Page Number 頁次	Revision Made 所作修改
30 October 2019 2019年10月30日	AC	Information on the Phase is updated. 更新期數的資料。
	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。
	AJ01	Outline Zoning Plan relating to the Development is updated. 更新關乎發展項目的分區計劃大綱圖。
	AK	Layout Plan of the Development is updated. 更新發展項目的布局圖。
	AN01	Floor Plans of Parking Spaces in the Phase is updated. 更新期數中的停車位的樓面平面圖。
	AP01, AP04	Summary of Deed of Mutual Covenant are updated. 更新公契的摘要。
	AW	Inspection of Plans and Deed of Mutual Covenant is updated. 更新閱覽圖則及公契。
	BJ01 - BJ03	Information Required by the Director of Lands to be set out in the Sales Brochure as a condition for giving the Presale Consent are deleted. 取消地政總署署長作為給予預售樓花同意書的條件而規定列於售樓說明書的資料。
23 January 2020 2020年1月23日	AH	Location Plan of the Development is updated. 更新發展項目的所在位置圖。



