



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

21號洋房樓面平面圖



B/F Plan
地庫平面圖






G/F Plan
地下平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 21 Floor Plan 21號洋房樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 21 Floor Plan 21號洋房樓面平面圖



Roof Plan
天台平面圖



Top of Stairhood Plan
梯屋頂層平面圖



11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 21 Floor Plan

21號洋房樓面平面圖

Floor 樓層	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	200	5.000
G/F 地下	150, 200, 250, 300	4.200, 4.250, 4.300, 4.500, 7.200
1/F 1樓	150, 200, 250, 450	3.250, 3.300, 3.450*, 3.500, 3.500*, 3.600*, 3.700*, 3.800*
2/F 2樓	150, 200	3.450, 3.500, 3.700*, 3.775, 4.300*
Roof 天台	175, 200	3.000
Top of Stairhood 梯屋頂層	Not applicable 不適用	Not applicable 不適用

* Inclusive of the thickness of mass concrete fill on sunken slab

* 包括跌級樓板上之混凝土填充層厚度。

Notes:

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

22號洋房樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 22 Floor Plan 22號洋房樓面平面圖



1/F Plan
1樓平面圖




2/F Plan
2樓平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 22 Floor Plan 22號洋房樓面平面圖



Roof Plan
天台平面圖



Top of Stairhood Plan
梯屋頂層平面圖



11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 22 Floor Plan

22號洋房樓面平面圖

Floor 樓層	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	200	5.000
G/F 地下	150, 200, 250, 300	4.200, 4.250, 4.300, 4.500, 7.200
1/F 1樓	150, 200, 250, 450	3.250, 3.300, 3.450*, 3.500, 3.500*, 3.600*, 3.700*, 3.800*
2/F 2樓	150, 200	3.450, 3.500, 3.700*, 3.775, 4.300*
Roof 天台	175, 200	3.000
Top of Stairhood 梯屋頂層	Not applicable 不適用	Not applicable 不適用

* Inclusive of the thickness of mass concrete fill on sunken slab

* 包括跌級樓板上之混凝土填充層厚度。

Notes:


1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：


1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 23 Floor Plan 23號洋房樓面平面圖



B/F Plan
地庫平面圖



G/F Plan
地下平面圖


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

23號洋房樓面平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 23 Floor Plan 23號洋房樓面平面圖



Roof Plan
天台平面圖



Top of Stairhood Plan
梯屋頂層平面圖



11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 23 Floor Plan

23號洋房樓面平面圖

Floor 樓層	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	200	5.000
G/F 地下	150, 200, 250, 300	4.200, 4.250, 4.300, 4.500, 7.200
1/F 1樓	150, 200, 250, 450	3.250, 3.300, 3.450*, 3.500, 3.500*, 3.600*, 3.700*, 3.800*
2/F 2樓	150, 200	3.450, 3.500, 3.700*, 3.775, 4.300*
Roof 天台	175, 200	3.000
Top of Stairhood 梯屋頂層	Not applicable 不適用	Not applicable 不適用

* Inclusive of the thickness of mass concrete fill on sunken slab

* 包括跌級樓板上之混凝土填充層厚度。

Notes:


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示。
- 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 25 Floor Plan 25號洋房樓面平面圖



B/F Plan
地庫平面圖


Scale 比例 0 5
metres 米




G/F Plan
地下平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖


HOUSE 25 Floor Plan 25號洋房樓面平面圖



1/F Plan
1樓平面圖




2/F Plan
2樓平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 25 Floor Plan 25號洋房樓面平面圖



Roof Plan
天台平面圖



Top of Stairhood Plan
梯屋頂層平面圖



11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 25 Floor Plan

25號洋房樓面平面圖

Floor 樓層	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	200	5.000
G/F 地下	150, 200, 250, 300	4.200, 4.250, 4.300, 4.500, 7.200
1/F 1樓	150, 200, 250, 450	3.250, 3.300, 3.450*, 3.500, 3.500*, 3.600*, 3.700*, 3.800*
2/F 2樓	150, 200	3.450, 3.500, 3.700*, 3.775, 4.300*
Roof 天台	175, 200	3.000
Top of Stairhood 梯屋頂層	Not applicable 不適用	Not applicable 不適用

* Inclusive of the thickness of mass concrete fill on sunken slab

* 包括跌級樓板上之混凝土填充層厚度。

Notes:


1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：


1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 26 Floor Plan 26號洋房樓面平面圖




B/F Plan
地庫平面圖




G/F Plan
地下平面圖

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 26 Floor Plan 26號洋房樓面平面圖



1/F Plan
1樓平面圖




2/F Plan
2樓平面圖




11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

HOUSE 26 Floor Plan 26號洋房樓面平面圖



Roof Plan
天台平面圖



Top of Stairhood Plan
梯屋頂層平面圖



11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

HOUSE 26 Floor Plan

26號洋房樓面平面圖

Floor 樓層	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	200	5.000
G/F 地下	100, 150, 200, 250, 300	4.250, 4.300, 4.500, 7.000, 7.200
1/F 1樓	100, 150, 200, 250	3.250, 3.500, 3.500*, 3.700*
2/F 2樓	200	3.450, 3.500, 3.700*, 3.775, 4.300*
Roof 天台	175, 200	3.000
Top of Stairhood 梯屋頂層	Not applicable 不適用	Not applicable 不適用

* Inclusive of the thickness of mass concrete fill on sunken slab

* 包括跌級樓板上之混凝土填充層厚度。

Notes:

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- The dimensions in the floor plans are all in millimetre.
- Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.


備註：

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖所列之尺寸為以毫米標示。
- 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 01 to ROOM 03)

地庫平面圖（供居室01至居室03）



0 5
Scale 比例
metres 米

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 01 to ROOM 03)

地庫平面圖（供居室01至居室03）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 01 居室01	200, 225	3.475, 3.500, 4.450
	Room 02 居室02	200, 225	3.475, 3.500
	Room 03 居室03	200, 225	3.475, 3.500, 4.450

Notes:

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.


備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 05 to ROOM 07)

地庫平面圖（供居室05至居室07）



0 5
Scale 比例
metres 米

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 05 to ROOM 07)
地庫平面圖（供居室05至居室07）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 05 居室05	200, 225	3.475, 3.500, 4.450
	Room 06 居室06	200, 225	3.475, 3.500, 4.450
	Room 07 居室07	200, 225	3.475, 3.500

Notes:

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.


備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 08 to ROOM 10)

地庫平面圖（供居室08至居室10）



0 5
Scale 比例
metres 米

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 08 to ROOM 10)

地庫平面圖（供居室08至居室10）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 08 居室08	200, 225	3.475, 3.500
	Room 09 居室09	200, 225	3.475, 3.500
	Room 10 居室10	200, 225	3.475, 3.500

Notes:


1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 11 to ROOM 12 and ROOM 15) 地庫平面圖 (供居室11至居室12及居室15)



11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 11 to ROOM 12 and ROOM 15)

地庫平面圖（供居室11至居室12及居室15）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 11 居室11	200, 225	3.475, 3.500
	Room 12 居室12	200, 225	3.475, 3.500
	Room 15 居室15	200, 225	3.475, 3.500, 5.000

Notes:

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.


備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 19 to ROOM 21)

地庫平面圖（供居室19至居室21）



0 5
Scale 比例
metres 米

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 19 to ROOM 21)

地庫平面圖（供居室19至居室21）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 19 居室19	200, 225	3.475, 3.500, 3.605
	Room 20 居室20	200, 225	3.475, 3.500, 3.605
	Room 21 居室21	200, 225	3.475, 3.500, 3.605

Notes:


1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 22 to ROOM 23 and ROOM 25 to ROOM 26) 地庫平面圖（供居室22至居室23及居室25至居室26）



0 5
Scale 比例
metres 米

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Basement Floor Plan (For ROOM 22 to ROOM 23 and ROOM 25 to ROOM 26)

地庫平面圖（供居室22至居室23及居室25至居室26）

Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (mm) 每個住宅物業的層與層之間的高度(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米)
B/F 地庫	Room 22 居室22	200, 225	3.475, 3.500, 3.605
	Room 23 居室23	200, 225	3.475, 3.500, 3.605
	Room 25 居室25	200, 225	3.475, 3.500, 3.605
	Room 26 居室26	200, 225	3.475, 3.500, 3.605

Notes:

1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
2. The dimensions in the floor plans are all in millimetre.
3. Please refer to pages 24 and 25 of this sales brochure for legend of the terms and abbreviation shown on the floor plans.

備註：

1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
2. 樓面平面圖所列之尺寸為以毫米標示。
3. 請參閱本售樓說明書第24及25頁為樓面平面圖而設之名詞及簡稱的圖例。