


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1
第1座

Ground Floor
地下



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 Ground Floor
第1座 地下

	Tower 座	Floor 樓層	Unit 單位	
			A	B
Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	Ground Floor 地下	150, 1300	150, 1300
Floor-to-floor height (mm) 層與層之間的高度(毫米)			3700, 4850, 5200, 5500	3700, 4850, 5500

- Notes:
1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 2. The dimensions of the floor plans are all structural dimensions in millimetre.
 3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

- 備註：
1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 2. 樓面平面圖所列之尺寸數字為毫米標示的結構尺寸。
 3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 **1/F-3/F, 5/F-10/F (4/F is omitted)**
第1座 **1樓至3樓，5樓至10樓（不設4樓）**


	Tower 座	Floor 樓層	Unit 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	1/F-3/F, 5/F-10/F 1樓至3樓， 5樓至10樓	125, 140	125, 140	125, 140	125, 140	125, 140	125, 140
Floor-to-floor height (mm) 層與層之間的高度(毫米)		1/F 1樓	3150, 3250	3150, 3250	3050, 3150, 3250	3150, 3250	3150, 3250	3050, 3150, 3250
		2/F-3/F, 5/F-9/F 2樓至3樓， 5樓至9樓	3150	3150	3150	3150	3150	3150
		10/F 10樓	3150, 3400, 3750	3050, 3400, 3750	3400	3400	3400, 3750	3400, 3750

- Notes:
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - The dimensions of the floor plans are all structural dimensions in millimetre.
 - Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.
 - The areas shown marked "LIFT LOBBY" on the floor plan on page 24 of this Sales Brochure are private lift lobbies and form part of the respective residential properties, and are not part of the common areas of the Development. The saleable area of each of the relevant residential properties specified in the section “Area of Residential Properties in the Development” includes the floor area of that private lift lobby.

- 備註：
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖所列之尺寸數字為毫米標示的結構尺寸。
 - 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。
 - 本售樓說明書第24頁的樓面平面圖以 "LIFT LOBBY" 標示的範圍為私人升降機大堂並屬住宅物業一部分，並非發展項目之公用地方的一部分。「發展項目中的住宅物業的面積」一節所列各相關住宅物業之實用面積包括該私人升降機大堂之樓面面積。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

Tower 1 11/F
第1座 11樓



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 11/F
第1座 11樓

	Tower 座	Floor 樓層	Unit 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	11/F 11樓	125,140,150	125,140,150	125,140,150	125,140,150	125,140,150	125, 140
Floor-to-floor height (mm) 層與層之間的高度(毫米)			3400, 3750, 3850, 4100, 4200	3400, 3450, 3750, 3900, 4100, 4200	3400, 3750, 4200, 4300	3400, 3750, 3850, 4200	3400, 3750, 4100, 4200	3400, 3750, 3950, 4100


- Notes:
1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 2. The dimensions of the floor plans are all structural dimensions in millimetre.
 3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.
 4. The areas shown marked "LIFT LOBBY" on the floor plan on page 26 of this Sales Brochure are private lift lobbies and form part of the respective residential properties, and are not part of the common areas of the Development. The saleable area of each of the relevant residential properties specified in the section "Area of Residential Properties in the Development" includes the floor area of that private lift lobby.

- 備註：
1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 2. 樓面平面圖所列之尺寸數字為毫米標示的結構尺寸。
 3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。
 4. 本售樓說明書第26頁的樓面平面圖以 "LIFT LOBBY" 標示的範圍為私人升降機大堂並屬住宅物業一部分，並非發展項目之公用地方的一部分。「發展項目中的住宅物業的面積」一節所列各相關住宅物業之實用面積包括該私人升降機大堂之樓面面積。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT
發展項目的住宅物業的樓面平面圖

Tower 1
第1座

ROOF
天台



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

Tower 1 ROOF
第1座 天台

	Tower 座	Floor 樓層	Unit 單位					
			A	B	C	D	E	F
Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度(毫米)	Tower 1 第1座	ROOF 天台	150	150	Not Applicable 不適用	150	200, 250	Not Applicable 不適用
Floor-to-floor height (mm) 層與層之間的高度(毫米)			2900, 3200	2900		2900	2900	


- Notes:
- 1. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - 2. The dimensions of the floor plans are all structural dimensions in millimetre.
 - 3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

- 備註：
- 1. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 2. 樓面平面圖所列之尺寸數字為毫米標示的結構尺寸。
 - 3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 1 洋房1



Notes:

1. The dimensions in the floor plan are all structural dimensions in millimeter.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.


備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。


FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖


House 1
洋房1




1/F
1樓



2/F
2樓



3/F
3樓



ROOF
天台



- Notes:
- The dimensions in the floor plan are all structural dimensions in millimeter.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

House 洋房	Floor 樓層	Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度 (毫米)	Floor-to-floor height (mm) 層與層之間的高度(毫米)
House 1 洋房1	B1/F 地庫1層	200	3195, 4145, 4650
	Ground Floor 地下	125, 150, 200	3900, 4200, 4450
	1/F 1樓	125, 150	3400
	2/F 2樓	125, 150, 175	3100, 3400
	3/F 3樓	125, 150	3086, 3343, 3400
	Roof 天台	Not Applicable 不適用	Not Applicable 不適用

House 2
洋房2




1. The dimensions in the floor plan are all structural dimensions in millimeter.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 2
洋房2



House 洋房	Floor 樓層	Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度 (毫米)	Floor-to-floor height (mm) 層與層之間的高度(毫米)
House 2 洋房	B1/F 地庫1層	200	4145, 4550, 4650
	Ground Floor 地下	125, 150, 200	3900, 4200, 4450
	1/F 1樓	125, 150	3400
	2/F 2樓	125, 150, 175	3100, 3400
	3/F 3樓	125, 150, 175	3086, 3343, 3400
	Roof 天台	Not Applicable 不適用	Not Applicable 不適用


- Notes:
- The dimensions in the floor plan are all structural dimensions in millimeter.
 - The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
 - Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
 - 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
 - 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 3
洋房3



Notes:

1. The dimensions in the floor plan are all structural dimensions in millimeter.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.




備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 3
洋房3



House 洋房	Floor 樓層	Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度 (毫米)	Floor-to-floor height (mm) 層與層之間的高度(毫米)
House 3 洋房3	B1/F 地庫1層	200	6450
	LG/F 地下下層	150	1668, 3062, 5850
	UG/F 地下上層	125, 150	3750, 4000, 4500
	1/F 1樓	125, 140	2900, 3150
	2/F 2樓	125, 150	3375, 3500, 3850
	Roof 天台	Not Applicable 不適用	Not Applicable 不適用

Notes:

- The dimensions in the floor plan are all structural dimensions in millimeter.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.




備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 4
洋房4



Notes:

1. The dimensions in the floor plan are all structural dimensions in millimeter.
2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
3. Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

備註：




1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
2. 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
3. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

House 4

洋房4



House 洋房	Floor 樓層	Thickness of the floor slabs (excluding plaster)(mm) 樓板(不包括灰泥)的厚度 (毫米)	Floor-to-floor height (mm) 層與層之間的高度(毫米)
House 4 洋房4	B1/F 地庫1層	200	6450
	LG/F 地下下層	150	1668, 3062, 5850
	UG/F 地下上層	125, 150, 175	3750, 4000, 4500
	1/F 1樓	125, 150	2900, 3150
	2/F 2樓	125, 150	3375, 3500, 3850
	Roof 天台	Not Applicable 不適用	Not Applicable 不適用

Notes:

- The dimensions in the floor plan are all structural dimensions in millimeter.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
- Please refer to page 21 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan above and the explanatory notes that are applicable thereto.

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。
- 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書第21頁。