

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Legend of Terms and Abbreviation used on Floor Plans: 樓面平面圖中所使用名詞及簡稱之圖例：

- A/C = AIR CONDITIONER 冷氣機
 - A.F. = ARCHITECTURAL FEATURE 建築裝飾
 - A.F. ABOVE = ARCHITECTURAL FEATURE ABOVE 建築裝飾置上
 - A.F. AT 25/F ONLY = ARCHITECTURAL FEATURE AT 25/F ONLY 建築裝飾設於25樓
 - A.F. AT 51/F ONLY = ARCHITECTURAL FEATURE AT 51/F ONLY 建築裝飾設於51樓
 - A.F. AT 55/F ONLY = ARCHITECTURAL FEATURE AT 55/F ONLY 建築裝飾設於55樓
 - ALUMINIUM GRILLE AT 78/F & 79/F 鋁質欄柵設於78樓及79樓
 - BAL. = BALCONY 露台
 - BALCONY AT 76/F ABOVE 76樓露台置上
 - BAL. ABOVE = BALCONY ABOVE 露台置上
 - B. = BATHROOM 浴室
 - B.R.1 = BEDROOM 1 睡房1
 - B.R.2 = BEDROOM 2 睡房2
 - B.R.3 = BEDROOM 3 睡房3
 - B.R.4 = BEDROOM 4 睡房4
 - B.R.5 = BEDROOM 5 睡房5
 - BUILDING LINE ABOVE 建築線置上
 - BUILDING LINE BELOW 建築線置下
 - BUILDING LINE OF 63/F ABOVE 63樓建築線置上
 - BUILDING LINE OF 73/F ABOVE 73樓建築線置上
 - BUILDING LINE OF 77/F ABOVE 77樓建築線置上
 - B.W. = BAY WINDOW 窗台
 - CABD EQUIPMENT ROOM = COMMURAL AERIAL BROADCASTING DISTRIBUTION EQUIPMENT ROOM 公共空中廣播發行設備室
 - C.L. = CAT LADDER 豎梯
 - DIN. = DINING ROOM 飯廳
 - DN = DN. = DOWN 落
 - DOG HOUSE 管道房
 - DOG HOUSE FOR E/M SERVICES = DOG HOUSE FOR ELECTRICAL & MECHANICAL SERVICES 管道房供機電服務
 - E.M.R. & E.L.V. = ELECTRIC METER ROOM & EXTRA-LOW VOLTAGE 電錶房及特低壓電
 - FILTRATION PLANT ROOM 濾水機房
 - FLAT ROOF 平台
 - F.R.(COMMON AREA) = FLAT ROOF(COMMON AREA) 平台(公共地方)
 - FLAT ROOF(FLAT A) 平台(A單位)
 - FLAT ROOF(FLAT B) 平台(B單位)
 - FLAT ROOF(FLAT C) 平台(C單位)
 - FLAT ROOF(FLAT D) 平台(D單位)
 - FLAT ROOF(FLAT E) 平台(E單位)
 - FLUSHING WATER TANK 沖廁水缸
 - F.S. PUMP RM. W/ FLOATING SLAB = FIRE SERVICE PUMP ROOM WITH FLOATING SLAB 消防泵房連浮力板
 - FS WATER TANK = F.S. WATER TANK = FIRE SERVICE WATER TANK 消防水箱
 - HR = H.R. = HOSE REEL 消防喉轆
- JACUZZI 按摩池
 - KIT. = KITCHEN 廚房
 - LAV. = LAVATORY 洗手間
 - LIFT 升降機
 - LIFT EMERGENCY ACCESS ROOM 升降機緊急入口房
 - LIFT LOBBY 升降機大堂
 - LIFT MACHINE RM. = LIFT MACHINE ROOM 升降機機房
 - LIFT MACHINE ROOM W/ FLOATING SLAB = LIFT MACHINE ROOM WITH FLOATING SLAB 升降機機房連浮力板
 - LIFT PLATFORM 升降機平台
 - LIFT SHAFT 升降機槽
 - LIV. = LIVING ROOM 客廳
 - M.B.R. 1 = MASTER BEDROOM 1 主人睡房1
 - M.B.R. 2 = MASTER BEDROOM 2 主人睡房2
 - M.B.R. 3 = MASTER BEDROOM 3 主人睡房3
 - METAL CLADDING 金屬裝飾
 - P.D. = PIPE DUCT 管道槽
 - POTABLE WATER TANK 食水缸
 - POWDER RM. = POWDER ROOM 化妝間
 - PUMP ROOM W/ FLOATING SLAB = PUMP ROOM WITH FLOATING SLAB 泵房連浮力板
 - RAMP DN. = RAMP DOWN 斜下
 - R.C. FIN = REINFORCE CONCRETE FIN 鋼筋混凝土鰭
 - R.C. FIN ABOVE 鋼筋混凝土鰭置上
 - REFUSE RM. = REFUSE ROOM 垃圾房
 - ROOF FOR BALCONY BELOW 下層的露台頂
 - SINK 洗滌盤
 - SKY RM. = SKY ROOM 天際房
 - SKYLIGHT 天窗
 - SKYLIGHT ABOVE 天窗置上
 - ST. = STORE 儲物室
 - STONE CLADDING 石材覆蓋層
 - STONE CLADDING (AT 9/F ONLY) 石材覆蓋層(只於9樓)
 - STORE = STOREROOM 儲物房
 - STUDY = STUDY ROOM 書房
 - SWIMMING POOL 游泳池
 - T.B.E. ROOM = TELE COMMUNICATION BROADCAST EQUIPMENT ROOM 電訊廣播設備室
 - UP 上
 - UTILITY PLATFORM 工作平台
 - UTL. = UTILITY ROOM 工作間
 - VOID 中空
 - W.M.R. = WM.R. = WATER METER ROOM 水錶房

Explanatory notes:

1. Symbols of fittings and fitments shown on the floor plans, such as bathtubs, sink, water closets, shower, sink counter, etc. are retrieved from the latest approved general building plans and are for general indication only.
2. There may be architectural features and exposed pipes/ductings on external walls of some of the floors.
3. There may be ceiling bulkheads and sunken slab of the above units at living room, dining room, bedrooms, study room, powder room, storeroom, kitchen, bathroom, lavatory and/or corridors of some residential units for the air-conditioning system and/or mechanical and electrical services.
4. The internal ceiling height within some units may vary due to structural, architectural and/or decoration design variations.
5. There may be communal pipes and/or mechanical and electrical services within the balcony, utility platform, flat roof and roof of some residential units.
6. Balconies and utility platforms are non-enclosed areas.

附註:

1. 樓面平面圖上所顯示的形象裝置符號，例如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃摘自最新的經批准的建築圖則，只作一般性標誌。
2. 部份樓層外牆或設有建築裝飾及外露喉管/管道。
3. 部份住宅單位之客廳、飯廳、睡房、書房、化妝間、儲物房、廚房、浴室、洗手間及/或走廊，或設有假天花及上層跌級樓板，內裝有冷氣系統及/或其他機電設備。
4. 部份單位之天花高度將會因應結構，建築設計及/或裝修設計上的需要而有差異。
5. 部份住宅單位之露台、工作平台、平台及天台內或裝有公用喉管及/或其他機電設備。
6. 露台及工作平台為不可封閉的地方。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	5/F 5樓	A	2750, 3000	125, 150
		B	2650, 2750, 3000	125, 150
		C	2750, 3000	150, 200
		D	2650, 2750, 3000	125, 150
		E	2750, 3000	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 5/F Floor Plan
第1座 5樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	6/F-13/F, 15/F-17/F & 20/F-22/F 6樓至13樓· 15樓至17樓及 20樓至22樓	A	2750, 3000	125, 150
		B	2650, 2750, 3000	125, 150
		C	2750, 3000	150, 200
		D	2650, 2750, 3000	125, 150
		E	2750, 3000	125, 150
	18/F 18樓	A	3000	150
		B	3000	150
		C	3000	150, 200
		D	3000	150
		E	3000	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 6/F-13/F, 15/F-18/F & 20/F-22/F Floor Plan
第1座 6樓至13樓、15樓至18樓及20樓至22樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	23/F 23樓	A	3050, 3225, 3475	125, 150, 325, 575
		B	3075, 3475	125, 150, 200, 600
		C	3225, 3475	150, 200
		D	3125, 3225, 3475	125, 150
		E	3225, 3475	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 23/F Floor Plan
第1座 23樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	25/F-28/F 25樓至28樓	A	2900, 3075, 3325	150, 225
		B	3075, 3325	150, 200
		C	2975, 3075, 3325	125, 150
		D	3075, 3325	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:



- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 25/F - 28/F Floor Plan

第1座 25樓至28樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	29/F 29樓	A	2900, 3075, 3325	150, 225
		B	3075, 3325	150, 200
		C	2975, 3075, 3325	125, 150
		D	3075, 3325	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 29/F Floor Plan
第1座 29樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	30/F-33/F, 35/F-39/F & 50/F 30樓至33樓· 35樓至39樓及50樓	A	2900, 3075, 3325	150, 225
		B	3075, 3325	150, 200
		C	2975, 3075, 3325	125, 150
		D	3075, 3325	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 30/F-33/F, 35/F-39/F & 50/F Floor Plan

第1座 30樓至33樓、35樓至39樓及50樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	51/F-52/F & 55/F-57/F 51樓至52樓及 55樓至57樓	A	2900, 3075, 3325	150, 225
		B	3075, 3325	150, 200
		C	2975, 3075, 3325	125, 150
		D	3075, 3325	125, 150
	59/F 59樓	A	3325	150, 225
		B	3325	150, 200
		C	3325	150
		D	3325	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:



- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 51/F-52/F, 55/F-57/F & 59/F Floor Plan

第1座 51樓至52樓、55樓至57樓及59樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	63/F 63樓	A	3000, 3150, 3250, 3500	150, 225
		B	3150, 3250, 3500	125, 150
		C	3000, 3500	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 63/F Floor Plan
第1座 63樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	65/F 65樓	A	3000, 3150, 3200, 3500	150, 225
		B	3150, 3250, 3500	125, 150
		C	3200, 3250, 3500	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 65/F Floor Plan
第1座 65樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	66/F-69/F 66樓至69樓	A	3000, 3150, 3200, 3500	150, 225
		B	3150, 3250, 3500	125, 150
		C	3200, 3250, 3500	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 66/F-69/F Floor Plan
第1座 66樓至69樓樓面平面圖



66/F Floor Part Plan in "as-is" Layout
66樓現狀部分樓面平面圖

66/F Floor Part Plan in "as-is" Layout
66樓現狀部分樓面平面圖

Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	70/F-72/F 70樓至72樓	A	3000, 3150, 3200, 3500	150, 225
		B	3150, 3250, 3500	125, 150
		C	3200, 3250, 3500	125, 150
	73/F & 75/F 73樓及75樓	A	3000, 3150, 3200, 3500	150, 225
		B	3150, 3250, 3500	125, 150
		C	3000, 3200, 3500	125, 150
	76/F 76樓	A	3450, 3500, 3800	150, 225, 450
		B	3400, 3550, 3800	125, 150, 200
		C	3500, 3800	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 70/F-73/F & 75/F-76/F Floor Plan
第1座 70樓至73樓及75樓至76樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	77/F 77樓	A	3800, 4300, 4350, 4600	150, 175, 200
		B	3800, 4620	150
		C	3800	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)



Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 77/F Floor Plan
第1座 77樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例尺: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	78/F 78樓	A	2200-2700*, 3500, 3550, 3800	150, 200, 225

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)
- * The corresponding range of floor-to-floor height of the property provided is according to the information set out in the approved building plans.

* 相關樓層之高度範圍按照批准建築圖則資料。

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.

- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.


備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。

- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 78/F Floor Plan
第1座 78樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1 第1座	79/F 79樓	A	3900	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1 79/F Floor Plan
第1座 79樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	5/F 5樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 5/F Floor Plan
第1A座 5樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	6/F-13/F, 15/F-18/F & 20/F-22/F 6樓至13樓· 15樓至18樓及 20樓至22樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

- Remarks:
- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
 - The dimensions of floor plans are all structural dimensions in millimetre.
 - Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 備註:
- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
 - 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
 - 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 6/F-13/F, 15/F-18/F & 20/F-22/F Floor Plan

第1A座 6樓至13樓、15樓至18樓及20樓至22樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	19/F 19樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 19/F Floor Plan
第1A座 19樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	23/F, 25/F-27/F, 30/F-33/F, 35/F-39/F & 50/F-51/F 23樓・25樓至27樓・ 30樓至33樓・ 35樓至39樓及 50樓至51樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200
	28/F 28樓	A	3000	150
		B	3000	150
		C	3000	150
		D	3000	150
		E	3000	200
	52/F 52樓	A	3000, 3600	150
		B	3000, 3600	150
		C	3000, 3600	150
		D	3000, 3600	150
		E	3000, 3050, 3600	150, 200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 23/F, 25/F-28/F, 30/F-33/F, 35/F-39/F & 50/F-52/F Floor Plan

第1A座 23樓、25樓至28樓、30樓至33樓、35樓至39樓及50樓至52樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	63/F 63樓	A	2825, 2900, 3250	150, 200
		B	2800, 3000, 3250	150, 250
		C	2800, 3000, 3250	150, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 63/F Floor Plan
第1A座 63樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	65/F 65樓	A	2725, 2800, 3150	150, 200
		B	2800, 2900, 3150	150
		C	2900, 3150	125, 150
		D	2900, 3150	125, 150
		E	2800, 2900, 3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 65/F Floor Plan

第1A座 65樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	66/F-72/F 66樓至72樓	A	2725, 2800, 3150	150, 200
		B	2800, 2900, 3150	150
		C	2900, 3150	125, 150
		D	2900, 3150	125, 150
		E	2800, 2900, 3150	150
	73/F 73樓	A	3075, 3150, 3250, 3500	150, 200
		B	3075, 3150, 3300, 3500	150, 350, 500
		C	3025, 3075, 3150, 3275, 3500	150, 200, 575
		D	3250, 3500	125, 150
		E	3150, 3250, 3500	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 66/F-73/F Floor Plan
第1A座 66樓至73樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	75/F 75樓	A	3075, 3150, 3250, 3500	150, 200
		B	3025, 3150, 3500	150, 225
		C	3250, 3500	125, 150
		D	3150, 3250, 3500	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 75/F Floor Plan
第1A座 75樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	76/F-78/F 76樓至78樓	A	3075, 3150, 3250, 3500	150, 200
		B	3025, 3150, 3500	150, 225
		C	3250, 3500	125, 150
		D	3150, 3250, 3500	150
	79/F 79樓	A	3500, 3800	150, 200
		B	3450, 3550, 3800	150, 225
		C	3550, 3800	125, 150
		D	3450, 3550, 3800	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 76/F-79/F Floor Plan
第1A座 76樓至79樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	80/F 80樓	A	4300, 4350, 4600	150, 200
		B	3800	150, 200
		C	3800, 4100	150


- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

- Remarks:
- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
 - The dimensions of floor plans are all structural dimensions in millimetre.
 - Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 備註:
- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
 - 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
 - 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 80/F Floor Plan
第1A座 80樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	81/F 81樓	A	2200-2700*, 3500, 3550, 3800	225, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

* The corresponding range of floor-to-floor height of the property provided is according to the information set out in the approved building plans.

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

* 相關樓層之高度範圍按照批准建築圖則資料。


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 81/F Floor Plan
第1A座 81樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 1A 第1A座	82/F 82樓	A	4000	250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 1A 82/F Floor Plan
第1A座 82樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	5/F 5樓	A	2750, 3000	125, 150
		B	2650, 3000	150
		C	2650, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 5/F Floor Plan
第2座 5樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	6/F-13/F, 15/F-17/F & 20/F-21/F 6樓至13樓· 15樓至17樓及 20樓至21樓	A	2750, 3000	125, 150
		B	2650, 3000	150
		C	2650, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150
	18/F 18樓	A	3000	150
		B	3000	150
		C	3000	150
		D	3000	150, 200
		E	3000	150, 200
		F	3000	150
		G	3000	150
		H	3000	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.


- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 6/F-13/F, 15/F-18/F & 20/F-21/F Floor Plan

第2座 6樓至13樓、15樓至18樓及20樓至21樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	22/F 22樓	A	2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 22/F Floor Plan
第2座 22樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖


Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	23/F, 25/F-28/F, 30/F-33/F, 35/F-39/F & 50/F-52/F 23樓・25樓至28樓・ 30樓至33樓・ 35樓至39樓及 50樓至52樓	A	2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

- Remarks:
- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
 - The dimensions of floor plans are all structural dimensions in millimetre.
 - Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 備註:
- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
 - 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
 - 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 23/F, 25/F-28/F, 30/F-33/F, 35/F-39/F & 50/F-52/F Floor Plan
第2座 23樓、25樓至28樓、30樓至33樓、35樓至39樓及50樓至52樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	29/F 29樓	A	2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 29/F Floor Plan
第2座 29樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	55/F 55樓	A	2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	150
		D	2750, 3000	150, 200
		E	2750, 3000	125, 150, 200
		F	2750, 3000	125, 150
		G	2750, 3000	125, 150
		H	2750, 3000	125, 150
	56/F 56樓	A	3000	150
		B	3000	150
		C	3000	150
		D	3000	150, 200
		E	3000	150
		F	3000	150
		G	3000	150
		H	3000	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 55/F-56/F Floor Plan
第2座 55樓至56樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	59/F-60/F 59樓至60樓	A	2900, 3150	125, 150
		B	2900, 3150	150
		C	2900, 3150	150
		D	2900, 3150	150, 200
		E	2900, 3150	125, 150, 200
		F	2900, 3150	125, 150
		G	2900, 3150	125, 150
		H	2900, 3150	125, 150
	61/F 61樓	A	3150	150
		B	3150	150
		C	3150	150
		D	3150	150, 200
		E	3150	150
		F	3150	150
		G	3150	150
		H	3150	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 59/F-61/F Floor Plan
第2座 59樓至61樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	63/F 63樓	A	2750, 2800, 2900, 3150	125, 150
		B	2800, 2850, 3150	150, 175
		C	2850, 2900, 3150	125, 150
		D	2900, 3150	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 63/F Floor Plan
第2座 63樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	65/F 65樓	A	2800, 2850, 2900, 3150	125, 150, 175
		B	2800, 2850, 3150	150, 175
		C	2850, 2900, 3150	125, 150
		D	2900, 3150	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 65/F Floor Plan
第2座 65樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	66/F-69/F 66樓至69樓	A	2800, 2850, 2900, 3150	125, 150, 175
		B	2800, 2850, 3150	150, 175
		C	2850, 2900, 3150	125, 150
		D	2900, 3150	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 66/F-69/F Floor Plan
第2座 66樓至69樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	70/F-72/F 70樓至72樓	A	2800, 2850, 2900, 3150	125, 150, 175
		B	2800, 2850, 3150	150, 175
		C	2850, 2900, 3150	125, 150
		D	2900, 3150	125, 150
	73/F 73樓	A	2800, 2850, 2900, 3150	125, 150, 175
		B	2800, 2900, 3150	150, 175
		C	2850, 2900, 3150	125, 150
		D	2900, 3150	125, 150
	75/F 75樓	A	2800, 2850, 2900, 3150	125, 175
		B	2800, 2900, 3150	125, 175
		C	2800, 2900, 3150	125
		D	2900, 3150	125

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 70/F-73/F & 75/F Floor Plan
第2座 70樓至73樓及75樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	76/F 76樓	A	3150, 3200, 3500	125, 150, 175
		B	3150, 3200, 3500	150, 175
		C	3200, 3250, 3500	125, 150
		D	3250, 3500	125, 150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 76/F Floor Plan
第2座 76樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	77/F 77樓	A	4150, 4300, 4600	150, 200
		B	4150, 4200, 4300, 4600	150, 200, 225
		C	3500	150
		D	3500	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 77/F Floor Plan
第2座 77樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	78/F 78樓	A	3500	200, 250
		B	3500	200, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

- Remarks:
- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.

- The dimensions of floor plans are all structural dimensions in millimetre.


- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

- 備註:
- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。

- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2 78/F Floor Plan
第2座 78樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2 第2座	79/F 79樓	A	N/A 不適用	N/A 不適用
		B	N/A 不適用	N/A 不適用

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.

- The dimensions of floor plans are all structural dimensions in millimetre.

- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.


備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。

- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。

- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

第2座 79樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例:  0M(米) 5M(米) 10M(米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	5/F 5樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 5/F Floor Plan
第2A座 5樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	6/F-13/F, 15/F-18/F & 20/F-22/F 6樓至13樓・ 15樓至18樓及 20樓至22樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 6/F-13/F, 15/F-18/F & 20/F-22/F Floor Plan
第2A座 6樓至13樓、15樓至18樓及20樓至22樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	19/F 19樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 19/F Floor Plan
第2A座 19樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	23/F, 25/F-27/F, 30/F-33/F & 35/F-39/F 23樓・25樓至27樓・ 30樓至33樓及 35樓至39樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200
	28/F 28樓	A	3000	150
		B	3000	150
		C	3000	150
		D	3000	150
		E	3000	200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 23/F, 25/F-28/F, 30/F-33/F, 35/F-39/F Floor Plan
第2A座 23樓、25樓至28樓、30樓至33樓及35樓至39樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	50/F-51/F 50樓至51樓	A	2700, 2750, 3000	125, 150
		B	2750, 3000	150, 200
		C	2750, 3000	125, 150
		D	2750, 3000	125, 150
		E	2750, 3000	200
	52/F 52樓	A	3000, 3600	150
		B	3000, 3600	150
		C	3000, 3600	150
		D	3000, 3600	150
		E	3000, 3050, 3600	150, 200

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 50/F-52/F Floor Plan
第2A座 50樓至52樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	63/F 63樓	A	2825, 2900, 3250	150, 200
		B	2800, 3000, 3250	150, 250
		C	2800, 3000, 3250	150, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 63/F Floor Plan
第2A座 63樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	65/F 65樓	A	2725, 2800, 3150	150, 200
		B	2700, 2900, 3150	150
		C	2900, 3150	125, 150
		D	2900, 3150	125, 150
		E	2700, 2900, 3150	150, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 65/F Floor Plan

第2A座 65樓樓面平面圖



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	66/F-72/F 66樓至72樓	A	2725, 2800, 3150	150, 200
		B	2700, 2900, 3150	150
		C	2900, 3150	125, 150
		D	2900, 3150	125, 150
		E	2700, 2900, 3150	150, 250
	73/F 73樓	A	3075, 3150, 3500	150, 200
		B	3075, 3150, 3300, 3500	150, 350, 500
		C	3025, 3075, 3150, 3225, 3500	150, 200, 575
		D	3250, 3500	125, 150
		E	3150, 3250, 3500	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 66/F-73/F Floor Plan
第2A座 66樓至73樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	75/F 75樓	A	3075, 3150, 3500	125, 200
		B	3025, 3150, 3500	125, 225
		C	3250, 3500	125
		D	3150, 3250, 3500	125

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 75/F Floor Plan

第2A座 75樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	76/F-78/F 76樓至78樓	A	3075, 3150, 3500	125, 200
		B	3025, 3150, 3500	125, 225
		C	3250, 3500	125
		D	3150, 3250, 3500	125
	79/F 79樓	A	3500, 3800	150, 200
		B	3450, 3550, 3800	150, 225
		C	3550, 3800	125, 150
		D	3450, 3550, 3800	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 76/F-79/F Floor Plan
第2A座 76樓至79樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註：樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	80/F 80樓	A	4300, 4350, 4600	150, 200
		B	3800	150, 200
		C	3800, 4100	150

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 80/F Floor Plan
第2A座 80樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例尺: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	81/F 81樓	A	2200-2700*, 3800, 4100	150, 225, 250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)

* The corresponding range of floor-to-floor height of the property provided is according to the information set out in the approved building plans.

- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

* 相關樓層之高度範圍按照批准建築圖則資料。


Remarks:

- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。

Block 2A 81/F Floor Plan
第2A座 81樓樓面平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.
備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

Block Name 大廈名稱	Floor 樓層	Flat 單位	Floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板的厚度 (不包括灰泥) (毫米)
Block 2A 第2A座	82/F 82樓	A	4000	250

- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors. (This does not apply to the residential properties in the Phase because the design of the Phase does not involve reducing thickness of structural walls of residential properties on the upper floors and hence internal areas of those residential properties will not be increased.)
- 因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。(不適用於期數內的住宅物業，因為期數的設計是不牽涉較高樓層的住宅物業的結構牆的厚度遞減。因此，該等住宅物業的內部面積不會增加。)

Remarks:


- According to the Sub-DMC of the Phase, the external walls of the Phase III Residential Development form part of the Phase III Residential Common Areas.
- The dimensions of floor plans are all structural dimensions in millimetre.
- Please refer to Page AL01 of this sales brochure for remarks, legend of the terms and abbreviations shown on the floor plan.

備註:

- 根據期數的分公契，「第三期住宅發展項目」之外牆構成「第三期住宅公用地方」之一部分。
- 樓層平面圖所列之尺寸數字為以毫米標示之建築結構尺寸。
- 請參閱本售樓書第AL01頁之附註及圖例以協助解讀此部份的平面圖及其顯示之名詞及簡稱。


Block 2A 82/F Floor Plan

第2A座 82樓樓面平面圖



Upper Roof Part Plan

上層天台部分平面圖



Remark: The dimensions in the floor plan are all structural dimensions in millimetre.

備註: 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸。

SCALE 比例: 0M (米) 5M (米) 10M (米)