



19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖





KEY PLAN  
指示圖



- Notes:
- <sup>1</sup> ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
  - <sup>2</sup> - - - Dotted line denotes the level of the lowest residential floor.
  - <sup>3</sup> The part of Driveway / Emergency Vehicular Access adjacent to the building is 28.00 metres to 28.50 metres above the Hong Kong Principal Datum.

- 備註：
- <sup>1</sup> ▽ 代表香港水平基準以上的高度(米)。
  - <sup>2</sup> - - - 虛線代表建築物之最低住宅樓層水平。
  - <sup>3</sup> 毗連建築物的一段行車道/緊急車輛通道為香港主水平基準以上28.00米至28.50米。

# 19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖




Notes:

- <sup>1</sup> ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- <sup>2</sup> ---- Dotted line denotes the level of the lowest residential floor.
- <sup>3</sup> The part of Driveway / Emergency Vehicular Access adjacent to the building is 27.50 metres to 28.00 metres above the Hong Kong Principal Datum.


備註：

- <sup>1</sup> ▽ 代表香港水平基準以上的高度(米)。
- <sup>2</sup> ---- 虛線代表建築物之最低住宅樓層水平。
- <sup>3</sup> 毗連建築物的一段行車道/緊急車輛通道為香港主水平基準以上27.50米至28.00米。

19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖



KEY PLAN  
指示圖





HOUSE NO. 52D Cross-section Plan A  
52D號洋房橫截面圖 A

- Notes:
- <sup>1</sup> Denotes height (in metres) above the Hong Kong Principal Datum.
  - <sup>2</sup> Dotted line denotes the level of the lowest residential floor.
  - <sup>3</sup> The part of Driveway / Emergency Vehicular Access adjacent to the building is 27.00 metres to 27.50 metres above the Hong Kong Principal Datum.

- 備註：
- <sup>1</sup> 代表香港水平基準以上的高度(米)。
  - <sup>2</sup> 虛線代表建築物之最低住宅樓層水平。
  - <sup>3</sup> 毗連建築物的一段行車道/緊急車輛通道為香港主水平基準以上27.00米至27.50米。

# 19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖




Notes:

- <sup>1</sup> ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- <sup>2</sup> ----- Dotted line denotes the level of the lowest residential floor.
- <sup>3</sup> The part of Driveway / Emergency Vehicular Access adjacent to the building is 26.50 metres to 27.00 metres above the Hong Kong Principal Datum.


備註：

- <sup>1</sup> ▽ 代表香港水平基準以上的高度(米)。
- <sup>2</sup> ----- 虛線代表建築物之最低住宅樓層水平。
- <sup>3</sup> 毗連建築物的一段行車道/緊急車輛通道為香港主水平基準以上26.50米至27.00米。

19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖




HOUSE NO. 54 Cross-section Plan A  
54號洋房橫截面圖 A




- Notes:
- <sup>1</sup> Denotes height (in metres) above the Hong Kong Principal Datum.
  - <sup>2</sup> Dotted line denotes the level of the lowest residential floor.
  - <sup>3</sup> The part of Driveway / Emergency Vehicular Access adjacent to the building is 26.10 metres to 26.50 metres above the Hong Kong Principal Datum.

- 備註：
- <sup>1</sup> 代表香港水平基準以上的高度(米)。
  - <sup>2</sup> 虛線代表建築物之最低住宅樓層水平。
  - <sup>3</sup> 毗連建築物的一段行車道/緊急車輛通道為香港主水平基準以上26.10米至26.50米。

# 19 CROSS-SECTION PLAN OF BUILDING IN THE DEVELOPMENT 發展項目中的建築物的橫截面圖



HOUSE NO. 54 Cross-section Plan B  
54號洋房橫截面圖 B



Notes:

- <sup>1</sup> ▽ Denotes height (in metres) above the Hong Kong Principal Datum.
- <sup>2</sup> ----- Dotted line denotes the level of the lowest residential floor.
- <sup>3</sup> The part of Right of way (with access from Stanley Village Road) adjacent to the building is 24.90 metres to 26.10 metres above the Hong Kong Principal Datum.

備註：

- <sup>1</sup> ▽ 代表香港水平基準以上的高度(米)。
- <sup>2</sup> ----- 虛線代表建築物之最低住宅樓層水平。
- <sup>3</sup> 毗連建築物的一段通行權(從赤柱村道進入)為香港主水平基準以上24.90米至26.10米。