


Block 32 Second Floor Plan

32 座二樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

LIV	Living Room	客廳	MASTER BEDROOM	Master Bedroom	主人睡房
DIN	Dining Room	飯廳	BATH	Bathroom	浴室
BAL	Balcony	露台	A/C	Air-conditioning Platform	冷氣機平台
BEDROOM	Bedroom	睡房			

Second Floor and Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
- 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 32 Roof Floor Plan

32 座天台平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor and Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：
(2.67 米)。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 33 Floor Plan

33 座 樓面平面圖

(Block 33 sold before commencement of Residential Properties (First-hand Sales) Ordinance, Cap.621.

No floor plan can be provided.)

(33 座在開始一手住宅物業銷售條例，第 621 章之前已經出售。樓面平面圖不能提供。)

Not Applicable


不適用

Block 33A Ground Floor Plan

33A 座地下平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱
ELECT	Electrical Cabinet	電錶箱
W.M	Water Meter	水錶箱
GARDEN	Garden	花園

LIV	Kitchen	廚房
DIN	Living Room	客廳
KIT	Dining Room	飯廳

Ground Floor, First Floor and Second Floor & Roof


- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下, 一樓及二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

33A 座一樓平面圖

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



BAL	Balcony	露台	BEDROOM	Bedroom	睡房
BATH	Bathroom	浴室			


1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
4. 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 33A Second Floor Plan

33A 座二樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	MASTER BEDROOM	Master Bedroom	主人睡房
BATH	Bathroom	浴室	BEDROOM	Bedroom	睡房
LIV 2	Living Room	偏廳			

Ground Floor, First Floor and Second Floor & Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下，一樓及二樓連天台


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
- 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 33A Roof Floor Plan

33A 座天台平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:

備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Ground Floor, First Floor and Second Floor & Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.


地下, 一樓及二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 35 Ground Floor Plan

35 座地下平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱	LIV	Kitchen	廚房
ELECT	Electrical Cabinet	電錶箱	DIN	Living Room	客廳
W.M	Water Meter	水錶箱	KIT	Dining Room	飯廳
GARDEN	Garden	花園			

Ground Floor, First Floor and Second Floor & Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans


地下，一樓及二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 35 First Floor Plan

35 座一樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	BEDROOM	Bedroom	睡房
BATH	Bathroom	浴室			
LIV 2	Living Room	偏廳			

Ground Floor, First Floor and Second Floor & Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.


地下，一樓及二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
- 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 35 Second Floor Floor Plan

35 座二樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	MASTER BEDROOM	Master Bedroom	主人睡房
BATH	Bathroom	浴室			

Ground Floor, First Floor and Second Floor & Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下, 一樓及二樓連天台


1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
4. 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 35 Roof Floor Plan

35 座天台平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Ground Floor, First Floor and Second Floor & Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下，一樓及二樓連天台


1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 37 Ground Floor Plan

37 座地下平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱	KIT	Kitchen	廚房
ELECT	Electrical Cabinet	電錶箱	LIV	Living Room	客廳
W.M	Water Meter	水錶箱	DIN	Dining Room	飯廳
GARDEN	Garden	花園	A/C	Air-conditioning Platform	冷氣機平台
STORE	Store Room	儲物房			

Ground Floor and First Floor

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下及一樓


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 37 First Floor Plan

37 座一樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	MASTER BEDROOM	Master Bedroom	主人睡房
BATH	Bathroom	浴室	BEDROOM	Bedroom	睡房
A/C	Air-conditioning Platform	冷氣機平台			

Ground Floor and First Floor

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下及一樓


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 37 Second Floor Floor Plan

37 座二樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	KIT	Kitchen	廚房
BATH	Bathroom	浴室	MASTER BEDROOM	Master Bedroom	主人睡房
LIV	Living Room	客廳	BEDROOM	Bedroom	睡房
DIN	Dining Room	飯廳	A/C	Air-conditioning Platform	冷氣機平台

Second Floor & Roof

The internal areas of the residential properties on the upper floors the same as those on the lower floors. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.

Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)

The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
- 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 37 Roof Floor Plan

37 座天台平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:

備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof

The internal areas of the residential properties on the upper floors the same as those on the lower floors. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.

Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)

The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.


二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
4. 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。

Block 38 Ground Floor Plan

38座地下平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱	KIT	Kitchen	廚房
ELECT	Electrical Cabinet	電錶箱	LIV	Living Room	客廳
W.M	Water Meter	水錶箱	DIN	Dining Room	飯廳
GARDEN	Garden	花園	A/C	Air-conditioning Platform	冷氣機平台
STORE	Store Room	儲物房			

Ground Floor and First Floor

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.


地下及一樓

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 38 First Floor Plan

38座一樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	MASTER BEDROOM	Master Bedroom	主人睡房
BATH	Bathroom	浴室	BEDROOM	Bedroom	睡房
A/C	Air-conditioning Platform	冷氣機平台			

Ground Floor and First Floor

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans


地下及一樓

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 38 Second Floor Floor Plan

38 座二樓平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)
(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

BAL	Balcony	露台	KIT	Kitchen	廚房
BATH	Bathroom	浴室	MASTER BEDROOM	Master Bedroom	主人睡房
LIV	Living Room	客廳	BEDROOM	Bedroom	睡房
DIN	Dining Room	飯廳	A/C	Air-conditioning Platform	冷氣機平台

Second Floor & Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台


- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 38 Roof Floor Plan

38 座天台平面圖

(Sold and are not owned by the Vendor. The plan shows the status of the property when it was sold.)

(已售及不屬賣方擁有。圖示該物業在出售時的狀況。)



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof


1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 41 Ground Floor Plan

41 座地下平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱
ELECT	Electrical Cabinet	電錶箱
W.M	Water Meter	水錶箱
GARDEN	Garden	花園
LIV	Living Room	客廳
DIN	Dining Room	飯廳


KIT	Kitchen	廚房
MASTER BEDROOM	Master Bedroom	主人睡房
BEDROOM	Bedroom	睡房
BATH	Bathroom	浴室
A/C	Air-conditioning Platform	冷氣機平台

Ground Floor

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。



比例 0M/米 5M/米
Scale:

備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:


LIV	Living Room	客廳	MASTER BEDROOM	Master Bedroom	主人睡房
DIN	Dining Room	飯廳	BEDROOM	Bedroom	睡房
BAL	Balcony	露台	BATH	Bathroom	浴室
KIT	Kitchen	廚房	A/C	Air-conditioning Platform	冷氣機平台

First Floor

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

一樓

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。




備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

LIV	Living Room	客廳	MASTER BEDROOM	Master Bedroom	主人睡房
DIN	Dining Room	飯廳	BEDROOM	Bedroom	睡房
BAL	Balcony	露台	BATH	Bathroom	浴室
KIT	Kitchen	廚房	A/C	Air-conditioning Platform	冷氣機平台

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度(指該樓層之石屎地台面與上一層之石屎地台面之高度距離)：(2.67 米)。
4. 按發展項目的建築圖則所規定，住宅物業的樓板(不包括灰泥)的厚度為 150 mm。



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米 5M/米
Scale:

備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 42 Ground Floor Plan

42 座地下平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱	KIT	Kitchen	廚房
ELECT	Electrical Cabinet	電錶箱	MASTER BEDROOM	Master Bedroom	主人睡房
W.M	Water Meter	水錶箱	BEDROOM	Bedroom	睡房
GARDEN	Garden	花園	BATH	Bathroom	浴室
LIV	Living Room	客廳	A/C	Air-conditioning Platform	冷氣機平台
DIN	Dining Room	飯廳			

Ground Floor

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 42 First Floor Plan

42 座一樓平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

First Floor


- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

一樓

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 42 Second Floor Floor Plan

42 座二樓平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:


LIV	Living Room	客廳	MASTER BEDROOM	Master Bedroom	主人睡房
DIN	Dining Room	飯廳	BEDROOM	Bedroom	睡房
BAL	Balcony	露台	BATH	Bathroom	浴室
KIT	Kitchen	廚房	A/C	Air-conditioning Platform	冷氣機平台

Second Floor & Roof

- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米

5M/米

Scale:



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof


1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 43 Ground Floor Plan

43 座地下平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

TEL	Telephone Cabinet	電話箱	KIT	Kitchen	廚房
ELECT	Electrical Cabinet	電錶箱	MASTER BEDROOM	Master Bedroom	主人睡房
W.M	Water Meter	水錶箱	BEDROOM	Bedroom	睡房
GARDEN	Garden	花園	BATH	Bathroom	浴室
LIV	Living Room	客廳	A/C	Air-conditioning Platform	冷氣機平台
DIN	Dining Room	飯廳			

Ground Floor


1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

地下

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 43 First Floor Plan

43 座一樓平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。
Note: The dimensions of floor plans are all structural dimensions in millimeter.

圖例 Legend:

LIV	Living Room	客廳	MASTER BEDROOM	Master Bedroom	主人睡房
DIN	Dining Room	飯廳	BEDROOM	Bedroom	睡房
BAL	Balcony	露台	BATH	Bathroom	浴室
KIT	Kitchen	廚房	A/C	Air-conditioning Platform	冷氣機平台

First Floor


- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

一樓

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 43 Second Floor Floor Plan

43 座二樓平面圖



備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof


- The internal areas of the residential properties on the upper floors the same as those on the lower floors.
- Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
- Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
- The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

- 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
- 有關之機電設計圖可向售樓處免費查閱。
- 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
- 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 43 Roof Floor Plan

43 座天台平面圖



圖例 Legend: TOP OF BAL Top Of Balcony 露台頂部

比例 0M/米 5M/米
Scale:

備註：平面圖之尺規所列數字以毫米標示之建築結構尺寸。

Note: The dimensions of floor plans are all structural dimensions in millimeter.

Second Floor & Roof

1. The internal areas of the residential properties on the upper floors the same as those on the lower floors.
2. Copies of the related electrical and mechanical design drawings are available for free inspection at the sales office.
3. Floor-to-floor height (refer to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) as provided in the building plans : (2.67 m)
4. The thickness of floor slabs (excluding plaster) of each residential property as provided in the building plans for the Development: 150 mm.

二樓連天台

1. 住宅物業的較高樓層的結構牆的厚度和內部面積與較低樓層的一樣。
2. 有關之機電設計圖可向售樓處免費查閱。
3. 單位樓面至樓面高度（指該樓層之石屎地台面與上一層之石屎地台面之高度距離）：（2.67 米）。
4. 按發展項目的建築圖則所規定，住宅物業的樓板（不包括灰泥）的厚度為 150 mm。

Block 36, 39 40 Floor Plan

36, 39, 40 座 樓面平面圖

(Block 36, 39, 40 are uncompleted building and not for sale. No floor plan can be provided.)

(36, 39, 40 座是未落成建築物並且不出售。 樓面平面圖不能提供。)

Not Applicable

不適用

Area of Residential Properties in the Development
發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有)) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
1	Ground 地下	-	61.2 (659) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	47.1 (507)	-	-	-	-	-
1	1st 一樓	-	67.0 (721) Balcony 露台: 8.0 (86) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
1	2nd 二樓	-	72.8 (784) Balcony 露台: 8.0 (86) Utility Platform 工作平台: -	-	-	-	-	-	-	54.9 (591)	5.4 (58)	-	-
2	Ground 地下	-	61.2 (659) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	43.3 (466)	-	-	-	-	-
2	1 st 一樓	-	67.0 (721) Balcony 露台: 8.0 (86) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
2	2 nd 二樓	-	72.8 (784) Balcony 露台: 8.0 (86) Utility Platform 工作平台: -	-	-	-	-	-	-	54.9 (591)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
3	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	39.9 (429)	-	-	-	-	-
3	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
3	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
3A	Ground 地下	-	60.3 (649) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	18.3 (197)	-	-	-	-	-
3A	1st 一樓	-	62.5 (673) Balcony 露台: 4.7 (51) Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-
3A	2nd 二樓	-	69.4 (747) Balcony 露台: 4.7 (51) Utility Platform 工作平台:-	-	-	-	-	-	-	53.3 (574)	5.8 (62)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
5	Ground 地下	-	60.5 (651) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	79.3 (854)	-	-	-	-	-
5	1 st 一樓	-	74.0 (797) Balcony 露台: 15.7 (169) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
5	2 nd 二樓	-	80.4 (865) Balcony 露台 : 15.7 (169) Utility Platform 工作平台: -	-	-	-	-	-	-	52.8 (568)	5.7 (61)	-	-
6	Ground 地下	-	60.8 (654) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	28.5 (307)	-	-	-	-	-
6	1 st 一樓	-	67.7 (729) Balcony 露台: 9.1 (98) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
6	2 nd 二樓	-	73.5 (791) Balcony 露台: 9.1 (98) Utility Platform 工作平台: -	-	-	-	-	-	-	53.4 (575)	5.6 (60)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎))	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
7	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	22.6 (243)	-	-	-	-	-
7	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-
7	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台:-	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
8	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	96.7 (1041)	-	-	-	-	-
8	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
8	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
9	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	42.1 (453)	-	-	-	-	-
9	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-
9	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
10	Ground 地下	-	64.9 (699) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	36.4 (392)	-	-	-	-	-
	and 及 1st 一樓	-	64.9 (699) Balcony 露台:- Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎))	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
11	Ground 地下	-	64.9 (699) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	36.7 (395)	-	-	-	-	-
	1st 一樓	-	64.9 (699) Balcony 露台:- Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-
12	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	55.6 (598)	-	-	-	-	-
12	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台:-	-	-	-	-	-	-	-	-	-	-
12	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台:-	-	-	-	-	-	-	52.6 (566)	5.5 (59)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
12A	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	44.0 (474)	-	-	-	-	-
12A	1st 一樓	-	68.3 (735) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
12A	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
12B	Ground 地下	-	58.4 (629) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	27.7 (298)	-	-	-	-	-
12B	1st 一樓	-	63.5 (683) Balcony 露台: 7.4 (80) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
12B	2nd 二樓	-	69.7 (750) Balcony 露台: 7.4 (80) Utility Platform 工作平台: -	-	-	-	-	-	-	50.6 (545)	5.6 (60)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
15	Ground 地下	-	58.4 (629) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	34.0 (366)	-	-	-	-	-
15	1st 一樓	-	63.5 (684) Balcony 露台: 7.4 (80) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
15	2nd 二樓	-	69.7 (750) Balcony 露台: 7.4 (80) Utility Platform 工作平台: -	-	-	-	-	-	-	50.6 (545)	5.6 (60)	-	-
16	Ground 地下	-	56 (603) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	76.4 [◇] (822)	-	-	-	-	-
16	1st 一樓	-	68.3 (735) Balcony 露台: 12.3 (132) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
16	2nd 二樓	-	69.3 (746) Balcony 露台: 12.3 (132) Utility Platform 工作平台: -	-	-	-	-	-	-	49.7 (535)	5.6 (60)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎))	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
17	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	107.3 (1155)	-	-	-	-	-
	and 及 1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
17	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
18	Ground 地下	-	61.3 (660) Balcony 露台: - Utility Platform 工作平台: -		-	-	-	32.7 (352)	-	-	-	-	-
18	1st 一樓	-	65.3 (703) Balcony 露台: 6.5 (70) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
18	2nd 二樓	-	71.5 (770) Balcony 露台: 6.5 (70) Utility Platform 工作平台: -	-	-	-	-	-	-	53.0 (570)	5.6 (60)	-	-
19	Ground 地下	-	61.3 (660) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	13.6 (146)	-	-	-	-	-
19	1st 一樓	-	62.5 (673) Balcony 露台: 3.7 (40) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
19	2nd 二樓	-	68.7 (739) Balcony 露台: 3.7 (40) Utility Platform 工作平台: -	-	-	-	-	-	-	53.0 (570)	5.6 (60)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
20	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	99.1 (1067)	-	-	-	-	-
20	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
20	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
21	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	49.3 (531)	-	-	-	-	-
21	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
21	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.4 (564)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎))	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
22	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	27.6 (297)	-	-	-	-	-
22	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
22	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.4 (564)	5.4 (58)	-	-
23	Ground 地下	-	56.9 (612) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	43.2 (465)	-	-	-	-	-
23	1st 一樓	-	69.2 (745) Balcony 露台: 12.3 (132) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
23	2nd 二樓	-	70.1 (755) Balcony 露台: 12.3 (132) Utility Platform 工作平台: -	-	-	-	-	-	-	51.7 (556)	5.6 (60)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
23A	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	43.7 (470)	-	-	-	-	-
23A	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
23A	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
25	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	59.4 (639)	-	-	-	-	-
25	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
25	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.4 (564)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
26	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	72.7 (783)	-	-	-	-	-
26	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
26	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
27	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	121.0 (1302)	-	-	-	-	-
27	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
27	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-

Area of Residential Properties in the Development

發展項目的住宅物業的面積

Description of Residential Property 物業的描述			Saleable Area (including balcony, utility platform and verandah, if any) sq. metre (sq.ft.) 實用面積 (包括露台, 工作平台及陽台(如有) 平方米(平方呎)	Area of other specified items (Not included in the Saleable Area) sq. metre (sq.ft.) 其他指明項目的面積(不計算入實用面積) 平方米(平方呎)									
Block Name 大廈名稱	Floor 樓層	Unit 單位		Air-conditioning plant room 空調機房	Bay window 窗台	Cockloft 閣樓	Flat roof 平台	Garden 花園	Parking space 停車位	Roof 天台	Stairhood 梯屋	Terrace 前庭	Yard 庭院
28	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台: -	-	-	-	-	113.6 (1223)	-	-	-	-	-
28	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
28	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.3 (563)	5.4 (58)	-	-
29	Ground 地下	-	60.2 (648) Balcony 露台: - Utility Platform 工作平台:-	-	-	-	-	67.7 (729)	-	-	-	-	-
29	1st 一樓	-	70.3 (757) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	-	-	-	-
29	2nd 二樓	-	76.4 (822) Balcony 露台: 12.6 (136) Utility Platform 工作平台: -	-	-	-	-	-	-	52.4 (564)	5.4 (58)	-	-