


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

TOWER 1A 第1A座 2/F 二樓

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	2/F 二樓	A	2600	3.300*, 3.350*, 3.400*, 3.450*, 3.625^, 3.700*
		B	2600	3.300*, 3.350*, 3.400*, 3.450*, 3.625^, 3.700*
		C	2600	3.350*, 3.450*, 3.625^, 3.700*
		D	2600	3.350*, 3.400*, 3.450*, 3.700*
		E	2600	3.350*, 3.400*, 3.450*, 3.700*
		F	2600	3.350*, 3.450*, 3.700*
		G	2600	3.350*, 3.450*, 3.625^, 3.700*
		H	2600	3.350*, 3.450*, 3.625^, 3.700*
		J	2600	3.350*, 3.450*, 3.625^, 3.700*

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 Unit A and Unit B on 2/F (As-is Floor Plan) 二樓A單位及B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 2/F of Tower 1A. For the floor plans of the other units on 2/F of Tower 1A, please refer to page 23 of this sales brochure.
此圖旨在顯示第1A座二樓A單位及B單位的現狀布局。有關第1A座二樓其他單位的樓面平面圖請參閱本售樓說明書第23頁。

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 2/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

- a. Installation of new door.

第1A座第二樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：


- a. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座
3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F
三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓

Tower 1B
第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 32/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十二樓	A	150, 175	3.150
		B	150, 175	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150
		G	150	3.150
		H	150	3.150
		J	150	3.150
	33/F 三十三樓	A	150, 175	3.100, 3.150, 3.200, 3.365, 3.500, 3.750, 3.850
		B	150, 175	3.100, 3.150, 3.365, 3.400, 3.500, 3.750, 3.850, 3.900
		C	150	3.100, 3.150, 3.225, 3.450, 3.500, 3.575, 3.750, 3.850
		D	150	3.500
		E	150	3.150
		F	150	3.150
		G	150	3.150
		H	150	3.500
		J	150	3.150, 3.250, 3.500, 3.575, 3.750, 3.850


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 Unit A and Unit B on 17/F (As-is Floor Plan) 十七樓A單位及B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名稱及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 17/F of Tower 1A. For the floor plans of the other units on 17/F of Tower 1A, please refer to page 27 of this sales brochure.
此圖旨在顯示第1A座十七樓A單位及B單位的現狀布局。有關第1A座十七樓其他單位的樓面平面圖請參閱本售樓說明書第27頁。

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 17/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

- a. Removal of a part of non-load bearing wall and erection of new glass partition.
- b. Installation of new door.

第1A座十七樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：

- a. 移除部份非承重牆及豎立新玻璃間隔。
- b. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE


期數的住宅物業的樓面平面圖

Tower 1A 第1A座

Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F (As-is Floor Plan)

三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓A單位和B單位(現狀樓面平面圖)

Tower 1B 第1B座



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) This plan is for showing the as-is layout of Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A.
For the floor plans of the other units on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A, please refer to page 29 of this sales brochure.
此圖旨在顯示第1A座三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓A單位和B單位的現狀布局。
有關第1A座三樓、五樓至十二樓、十五樓至十六樓、十八樓至二十三樓、二十五樓至三十三樓其他單位的樓面平面圖請參閱本售樓說明書第29頁。

Scale 比例
Metre 米 0 1 5

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Unit A and Unit B on 3/F, 5/F to 12/F, 15/F to 16/F, 18/F to 23/F, 25/F to 33/F of Tower 1A has been altered by way of exempted works or minor works under the Buildings Ordinance after completion of the Development. The approximate location of the alterations is indicated on the as-is floor plan and the details of the alterations are set out below (the below numbering refers to the marked alteration on the plan):

a. Installation of new door.

第1A座三樓，五樓至十二樓，十五樓至十六樓，十八樓至二十三樓，二十五樓至三十三樓A單位及B單位在發展項目落成後經獲《建築物條例》豁免工程或小型工程改動。該等改動的大約位置於現狀樓面平面圖中標出。該等改動詳情列出如下(下文編號對應圖中改動編號)：


a. 安裝新門。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 35/F 三十五樓

Tower 1B 第1B座



Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	35/F 三十五樓	A	150, 175	3.300, 3.550, 3.600, 3.650, 3.700
		D	150	3.300, 3.550, 3.600, 3.650
		E	150	3.650, 3.900, 3.950, 4.000
		F	150	3.650, 3.900, 4.000
		G	150	3.650, 3.900, 4.000
		H	150	3.300, 3.550, 3.650

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 | FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1A 第1A座 Roof 天台



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。
- (3) The description of "Private Flat Roof" as shown on the floor plan corresponds to the description in the latest approved building plans of the Phase but such Private Flat Roof is for actual use as Roof. In this connection, such Private Flat Roof has been treated as part of the "Roof" specified in Part 1 of Schedule 2 of the Residential Properties (First-hand Sales) Ordinance (Cap.621) of Unit A on 35/F of Tower 1A.
樓面平面圖上顯示為「私人平台」之描述，與發展期數批准的最新建築圖則上所描述的一致，惟有關私人平台實際用途為天台。因此，有關私人平台已根據《一手住宅物業銷售條例》(第621章)附表2第1部份，計入第1A座35樓A單位所指明的「天台」。

Scale 比例
Metre 米 0 1 5

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1A 第1A座	Roof 天台	A	Not Applicable 不適用	Not Applicable 不適用


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

TOWER 1B 第1B座 2/F 二樓

Tower 1C 第1C座



Tower 1A 第1A座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	2/F 二樓	A	2600	3.350*, 3.450*, 3.700*
		B	2600	3.350*, 3.450*, 3.700*
		C	2600	3.300*, 3.350*, 3.450*, 3.700*
		D	2600	3.350*, 3.450*, 3.625^, 3.700*
		E	2600	3.350*, 3.450*, 3.700*
		F	2600	3.350*, 3.450*, 3.700*


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE 期數的住宅物業的樓面平面圖

Tower 1B 第1B座
3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F
三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓

Tower 1C 第1C座



Tower 1A 第1A座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十三樓	A	150	3.150
		B	150	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1B 第1B座
35/F 三十五樓

Tower 1C 第1C座

Tower 1A 第1A座



Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1B 第1B座	35/F 三十五樓	A	150	3.650, 3.900, 4.000
		B	150	3.650, 3.900, 4.000
		C	150	3.650, 3.900, 4.000, 4.050
		D	150	3.650, 3.900, 4.000
		E	150	3.650, 3.900, 4.000
		F	150	3.650, 3.900, 4.000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1C 第1C座 2/F 二樓



Tower 1B 第1B座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	2/F 二樓	A	2600	3.350*, 3.700*
		B	2600	3.350*, 3.400*, 3.450*, 3.700*
		C	2600	3.350*, 3.450*, 3.625^, 3.700*
		D	2600	3.350*, 3.450*, 3.625^, 3.700*
		E	2600	3.350*, 3.450*, 3.625^, 3.700*
		F	2600	3.350*, 3.450*, 3.700*
		G	2600	3.350*, 3.450*, 3.700*


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- * Inclusive of the depth of mass concrete fill on the floor of this floor (550 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (550 毫米)
- ^ Inclusive of the depth of mass concrete fill on the floor of this floor (475 mm)
包括本層地台樓板之無鋼筋混凝土填料深度 (475 毫米)

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1C 第1C座
3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F
三樓、五樓至十二樓、十五樓至二十三樓、二十五樓至三十三樓



Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：


Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	3/F, 5/F to 12/F, 15/F to 23/F, 25/F to 33/F 三樓、 五樓至十二樓、 十五至二十三樓、 二十五至三十三樓	A	150	3.150
		B	150	3.150
		C	150	3.150
		D	150	3.150
		E	150	3.150
		F	150	3.150
		G	150	3.150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE

期數的住宅物業的樓面平面圖

Tower 1C 第1C座
35/F 三十五樓



Tower 1B
第1B座

Scale 比例
Metre 米 0 1 5

Notes 附註:

- (1) The dimensions on the floor plans are all in millimetre.
樓面平面圖所列之所有尺寸均以毫米標示。
- (2) Please refer to page 19 of this sales brochure for legend of the terms and abbreviations shown on the floor plans.
平面圖中顯示之名詞及簡稱請參閱本售樓說明書第19頁。

11

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE PHASE
期數的住宅物業的樓面平面圖

The thickness of the floor slabs (excluding plaster) and floor-to-floor height of each residential property of the Phase as provided in the approved building plans are:
按期數的經批准的建築圖則所規定，期數每個住宅單位的樓板(不包括灰泥)的厚度及層與層之間的高度為：

Tower 大廈	Floor 樓層	Unit 單位	The thickness of the floor slabs (excluding plaster) of the residential property (mm) 住宅物業的樓板(不包括灰泥)的厚度 (毫米)	The floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of the residential property (m) 住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)
Tower 1C 第1C座	35/F 三十五樓	A	150	3.650, 4.000
		B	150	3.650, 3.900, 3.950, 4.000
		C	150	3.650, 3.900, 4.000
		D	150	3.650, 3.900, 4.000
		E	150	3.650, 3.900, 4.000
		F	150	3.650, 3.900, 4.000
		G	150	3.650, 3.900, 4.000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。