

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Remarks applicable to the floor plans in this section:

1. There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans and/or approved drainage plans and/or other relevant plans.
2. Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or utility platform and/or flat roof and/or air-conditioner platform and/or external wall of some residential properties. For details, please refer to the latest approved building plans and/or approved drainage plans and/or other relevant plans.
3. There are sunken slabs for mechanical and electrical services and/or false ceiling/bulkheads for the air-conditioning fittings and/or mechanical and electrical services at some residential properties.
4. There are exposed pipes installed in some stores, utility rooms, bathrooms, and toilets.
5. There are pipes enclosed by the fittings and finishes in some residential properties. For details, please refer to the latest approved drainage plans and/or other relevant plans.
6. The air-conditioner (outdoor unit) at air-conditioner platform may emit sounds.
7. Balconies and utility platforms are non-enclosed areas.
8. There are non-structural prefabricated external walls in some residential properties. The Saleable Area as defined in the formal Agreement for Sale and Purchase of a residential property has included the non-structural prefabricated external walls and is measured from the exterior of such non-structural prefabricated external walls.
9. The ceiling height of some residential properties may vary due to structural, architectural and/or decoration design variations.
10. During the necessary maintenance of the external walls of towers arranged by Manager of the Phase, suspended working platform will be operating in the airspace outside windows of the residential properties and above flat roof / roof of such towers.
11. Symbols of fittings and fitments such as bath tub, sink, water closet, shower, sink counter, etc. in the floor plans are prepared based on the latest approved building plans and are for general indication only.

適用於本節之樓面平面圖之備註：

1. 部分樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新經批准的建築圖則及/或經批准的排水設施圖則及/或其他相關圖則。
2. 部分住宅物業的露台及/或工作平台及/或平台及/或空調機平台及/或外牆上/附近設有外露及/或外牆覆蓋板內藏之公用喉管，詳細資料請參考最新經批准的建築圖則及/或經批准的排水設施圖則及/或其他相關圖則。
3. 部分住宅物業有用以安裝機電設備的跌級樓板及/或用以裝置空調裝備及/或其他機電設備的假天花/裝飾橫樑。
4. 部分儲物房、工作間、浴室及洗手間內裝有外露喉管。
5. 部分住宅物業於裝置及裝修物料內設有喉管。詳細資料請參考經批准的排水設施圖則及其他相關圖則。
6. 空調機(室外機) 於空調機平台可能釋放聲音。
7. 露台及工作平台為不可封閉的地方。
8. 部分住宅物業有非結構預製外牆。正式買賣合約之實用面積之計算包括非結構預製外牆，並由非結構預製外牆之外圍起計。
9. 部分住宅物業之天花高度將會因應結構、建築設計及/或裝修設計上的需要有差異。
10. 在期數管理人安排於大廈外牆之必要維修進行期間，吊船將在該等大廈的住宅物業之窗戶外及平台/天台上之空間運作。
11. 樓面平面圖上所顯示的裝置符號，如浴缸、洗滌盆、坐廁、花灑、洗滌盆櫃等乃按最新的經批准的建築圖則繪製，只作一般示意用途。

Legend for floor plans of residential properties in the Phase
期數的住宅物業的樓面平面圖圖例

ACOUSTIC BALCONY (BAFFLE TYPE)	=	減音露台 (擋音式)
ACOUSTIC DOOR (BAFFLE TYPE)	=	減音門 (擋音式)
ACOUSTIC WINDOW (BAFFLE TYPE)	=	減音窗戶 (擋音式)
ACOUSTIC UP (BAFFLE TYPE)	=	減音工作平台 (擋音式)
A/C	=	空調機平台
AD	=	通風槽
AF	=	建築裝飾
ALUM AF	=	鋁質建築裝飾
ALUM AF WITH CW BELOW	=	鋁質建築裝飾與設於下方的玻璃幕牆
BATH	=	浴室
BAL	=	露台
BAL ABOVE	=	露台設於上方
BR	=	睡房
CANOPY	=	簷篷
CORRIDOR	=	走廊
CFR	=	公用平台
D	=	下
DOGHOUSE	=	連接下層的機電設施管道
		Floor below
DIN	=	飯廳
EAD	=	抽風槽
ELV	=	低電壓槽
ELE	=	電線槽/電錶房
FR	=	平台
HR	=	消防喉轆
KIT	=	廚房
LIFT	=	升降機
LIFT LOBBY	=	升降機大堂
LIV	=	客廳
MAINTENANCE ACCESS	=	檢修通道
MBR	=	主人睡房
OPEN KIT	=	開放式廚房
PD	=	管道槽
PLANTER	=	花槽
PW	=	管道井
ROOF	=	天台
RSMRR	=	垃圾及物料回收室
SERVICE LIFT	=	服務升降機
SERVICE LIFT LOBBY	=	服務升降機大堂
ST	=	儲物房
T	=	洗手間
T1A	=	第1座 (1A)
T1B	=	第1座 (1B)
T8A	=	第8座 (8A)
T8B	=	第8座 (8B)
U	=	上
UP	=	工作平台
UP ABOVE	=	工作平台設於上方
UTL	=	工作間
WMC	=	水錶箱
		Acoustic Utility Platform (Baffle Type)
		Air-conditioner Platform
		Air Duct
		Architectural Feature
		Aluminium Architectural Feature
		Aluminium Architectural Feature with Curtain Wall below
		Bathroom
		Balcony
		Balcony above
		Bedroom
		Common Flat Roof
		Down
		Mechanical and Electrical Services Duct connecting to the Floor below
		Dining Room
		Exhaust Air Duct
		Extra Low Voltage Riser Duct
		Electrical Duct / Meter Room
		Flat Roof
		Hose Reel
		Kitchen
		Living Room
		Master Bedroom
		Open Kitchen
		Pipe Duct
		Pipe Well
		Refuse Storage and Material Recovery Room
		Store
		Toilet
		Tower 1 (1A)
		Tower 1 (1B)
		Tower 8 (8A)
		Tower 8 (8B)
		Up
		Utility Platform
		Utility Platform above
		Utility Room
		Water Meter Cabinet

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B) 7/F
第1座 (1A及1B) 7樓

Description 描述	Tower 1 (1A) 第1座 (1A)					Tower 1 (1B) 第1座 (1B)			
	Flat 單位					Flat 單位			
	A	B	C	D	E	A	B	C	D
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	2.700	2.675							
	3.035	2.700							
	3.150	3.035	3.035		2.760	3.035		2.685	2.760
	3.175	3.175	3.185	3.035	2.935	3.185	3.035	2.835	
	3.200	3.200	3.185	3.185	3.035	3.260	3.185	3.035	3.035
	3.260	3.235	3.260	3.335	3.260	3.335	3.435	3.185	3.185
	3.435	3.260	3.335	3.435	3.335	3.435	3.535	3.260	3.260
	3.535	3.285	3.435	3.535	3.435	3.535		3.335	3.435
		3.335	3.535		3.535			3.435	3.535
		3.435						3.535	
		3.535							
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	150	150	150	150	150	150	150	150	150
	175	175	300	175		175	200		175
	300	200				200	200		200
						300			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
7/F

第1座 (1A及1B)
7樓



Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
第1座 (1A及1B)

8/F-12/F, 15/F-23/F & 25/F-29/F (13/F, 14/F and 24/F are omitted)
8樓至12樓、15樓至23樓及25樓至29樓 (不設13樓、14樓及24樓)

Description 描述	Floor 樓層	Tower 1 (1A) 第1座 (1A)					Tower 1 (1B) 第1座 (1B)			
		Flat 單位					Flat 單位			
		A	B	C	D	E	A	B	C	D
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、15樓至23樓及25樓至28樓	3.035					3.035			
	29/F 29樓	3.035	3.035	3.035	3.035	3.035	3.035	3.035	3.035	3.035
		3.135	3.135		3.110		3.085			
		3.310	3.235		3.135		3.185			
		3.370	3.285		3.210		3.235			
		3.395	3.310		3.235		3.310			
		3.420	3.385		3.310		3.360			
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	8/F-12/F, 15/F-23/F & 25/F-28/F 8樓至12樓、15樓至23樓及25樓至28樓	150	150	150	150	150	150	150	150	
	29/F 29樓	175	175	150	175	150	175	150	175	
		300	200		300		200			
		150	150		150		150			
		175	175		200		200			
		300	200		300		200			
		300	250		300		250			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。

- Remarks :
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.

3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。

3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
8/F-12/F, 15/F-23/F & 25/F-29/F
(13/F, 14/F and 24/F are omitted)

第1座 (1A及1B)
8樓至12樓、15樓至23樓及
25樓至29樓
(不設13樓、14樓及24樓)



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B) 31/F-33/F, 35/F-43/F & 45/F-50/F (34/F and 44/F are omitted)
第1座 (1A及1B) 31樓至33樓、35樓至43樓及45樓至50樓 (不設34樓及44樓)

Description 描述	Floor 樓層	Tower 1 (1A) 第1座 (1A)				Tower 1 (1B) 第1座 (1B)			
		Flat 單位				Flat 單位			
		A	B	C	E	A	B	C	D
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	31/F-33/F, 35/F-43/F & 45/F-49/F 31樓至33樓、35樓至43樓及45樓至49樓	3.035				3.035			
	50/F 50樓	3.035				2.925 3.035 3.175 3.200 3.275 3.375 3.475 3.550 3.625	3.175 3.275 3.375 3.525 3.625	3.275	
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	31/F-33/F, 35/F-43/F & 45/F-49/F 31樓至33樓、35樓至43樓及45樓至49樓	150 175 300	150 175 200	150 300		150 175 200 300	150 200	150	150 175 200
	50/F 50樓	150 175 300	150 175 200	150 300		150 200 300	150 200	150	150 175 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
31/F-33/F, 35/F-43/F & 45/F-50/F
(34/F and 44/F are omitted)

第1座 (1A及1B)
31樓至33樓、35樓至43樓及
45樓至50樓
(不設34樓及44樓)



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B) 51/F
第1座 (1A及1B) 51樓

Description 描述	Tower 1 (1A) 第1座 (1A)				Tower 1 (1B) 第1座 (1B)		
	Flat 單位				Flat 單位		
	A	B	C	E	A	C	D
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.035				3.400 3.500 3.600 3.700 3.750 3.800 3.850	3.500 3.600 3.700 3.775 3.850	3.500 3.600 3.775 3.850
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	150 175 300	150 175 200	150 300		150 200	150 200	150 200 250

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
51/F

第1座 (1A及1B)
51樓



Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B) 52/F
第1座 (1A及1B) 52樓

Description 描述	Tower 1 (1A) 第1座 (1A)				Tower 1 (1B) 第1座 (1B)		
	Flat 單位				Flat 單位		
	A	B	C	E	A	C	D
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.035 3.135 3.310 3.370 3.395 3.420	3.035 3.135 3.235 3.285 3.310 3.335 3.370 3.395	3.035 3.385 3.420	3.035 3.135 3.235 3.310	Not Applicable 不適用		
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	150 175 300	150 200	150 300	150 250 300	Not Applicable 不適用		

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A & 1B)
52/F

第1座 (1A及1B)
52樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A) 55/F-61/F
第1座 (1A) 55樓至61樓

Description 描述	Floor 樓層	Tower 1 (1A) 第1座 (1A)		
		Flat 單位		
		A	C	E
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	55/F-60/F 55樓至60樓	3.035		
	61/F 61樓	3.390	3.040 3.390 3.740 3.775	3.390 3.490 3.590 3.665
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	55/F-60/F 55樓至60樓	150 175 200	150 300	
	61/F 61樓	150 175 200	150 300	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A)
第1座 (1A)

55/F-61/F
55樓至61樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A) 62/F
第1座 (1A) 62樓

Description 描述	Tower 1 (1A) 第1座 (1A)	
	Flat 單位	
	A	C
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.500 3.600 3.850	3.500 3.775 3.850
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	200 300	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A)
第1座 (1A)

62/F
62樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A) ROOF
第1座 (1A) 天台

Description 描述	Tower 1 (1A) 第1座 (1A)	
	Flat 單位	
	A	C
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	Not Applicable 不適用	
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	Not Applicable 不適用	

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 1 (1A)
第1座 (1A)

ROOF
天台



Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B) 7/F
第8座 (8A及8B) 7樓

Description 描述	Tower 8 (8A) 第8座 (8A)						Tower 8 (8B) 第8座 (8B)					
	Flat 單位						Flat 單位					
	A	B	C	D	E	F	A	B	C	D	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.035	2.760	2.685			2.785			2.685		2.735	
	3.150	3.035	3.035	3.035	2.685	3.035	3.035		3.035	2.685	3.035	3.035
	3.175	3.185	3.185	3.150	3.035	3.260	3.185	3.035	3.185	3.035	3.200	3.185
	3.200	3.260	3.260	3.200	3.185	3.285	3.260	3.260	3.235	3.185	3.235	3.260
	3.435	3.335	3.335	3.435	3.260	3.435	3.435	3.535	3.435	3.260	3.260	3.535
	3.535	3.435	3.435	3.535	3.535	3.535	3.535		3.535	3.535	3.535	
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	150 300	150 200			150 175	150	150 300			150 175 300	150 200 300	150 175

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

7/F
7樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

8/F-12/F, 15/F-16/F, 18/F-23/F, 25/F-33/F & 35/F-39/F (13/F, 14/F, 24/F and 34/F are omitted)
8樓至12樓、15樓至16樓、18樓至23樓、25樓至33樓及35樓至39樓 (不設13樓、14樓、24樓及34樓)

Description 描述	Floor 樓層	Tower 8 (8A) 第8座 (8A)						Tower 8 (8B) 第8座 (8B)					
		Flat 單位						Flat 單位					
		A	B	C	D	E	F	A	B	C	D	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	8/F-12/F, 15/F, 19/F-23/F, 25/F-33/F & 35/F-38/F 8樓至12樓、15樓、19樓至23樓、25樓至33樓及35樓至38樓	3.035						3.035					
	16/F 16樓	3.035 3.135 3.235 3.395 3.470 3.495 3.520	3.035 3.135 3.235 3.310 3.385	3.035 3.135 3.235 3.310 3.385	3.035 3.135 3.370 3.420	3.035 3.310 3.385	3.035 3.135 3.285 3.310	3.035 3.135 3.310 3.385	3.035 3.310 3.385	3.035 3.135 3.335 3.385	3.035 3.310 3.385	3.035 3.310 3.335 3.370	3.035 3.310 3.385
	18/F 18樓	3.035				2.685 3.035 3.310 3.385	3.035	3.035					
	39/F 39樓	3.035 3.135 3.370 3.395 3.420	3.035 3.135 3.235 3.310 3.385	3.035 3.135 3.235 3.310 3.385	3.035 3.135 3.370 3.420	3.035 3.310 3.385	3.035 3.135 3.285 3.310	3.035 3.135 3.235 3.410 3.485	3.035 3.135 3.385 3.410 3.485	3.035 3.135 3.335 3.385	3.035 3.310 3.385	3.035 3.310 3.335 3.370	3.035 3.310 3.385
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	8/F-12/F, 15/F, 19/F-23/F, 25/F-33/F & 35/F-38/F 8樓至12樓、15樓、19樓至23樓、25樓至33樓及35樓至38樓	150 300	150 200		150 175 200	150 175	150	150 300			150 175 300	150 200 300	150 175
	16/F 16樓	150 250 300	150 200		150 175 200	150 175	150	150 300			150 175 300	150 200 300	150 175
	18/F 18樓	150 300	150 200		150 175 200	150 175	150	150 300			150 175 300	150 200 300	150 175
	39/F 39樓	150 300	150 200		150 175 200	150 175	150	150 250 300		150 300	150 175 300	150 200 300	150 175

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。


- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
8/F-12/F, 15/F-16/F, 18/F-23/F,
25/F-33/F & 35/F-39/F
(13/F, 14/F, 24/F and 34/F are omitted)

第8座 (8A及8B)
8樓至12樓、15樓至16樓、18樓至23樓、
25樓至33樓及35樓至39樓
(不設13樓、14樓、24樓及34樓)



Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

41/F-43/F, 45/F-53/F & 55/F-60/F (44/F and 54/F are omitted)
41樓至43樓、45樓至53樓及55樓至60樓 (不設44樓及54樓)

Description 描述	Floor 樓層	Tower 8 (8A) 第8座 (8A)				Tower 8 (8B) 第8座 (8B)					
		Flat 單位				Flat 單位					
		A	B	D	F	A	B	C	D	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	41/F 41樓	3.035		3.035 3.135	3.035	3.035					
	42/F-43/F, 45/F-53/F & 55/F-60/F 42樓至43樓、45樓至53樓及55樓至60樓	3.035				3.035					
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	41/F 41樓	150 175 300	150 200 300		150	150 300		150 175 300	150 200 300	150 175 300	150 175
	42/F-43/F, 45/F-53/F & 55/F-60/F 42樓至43樓、45樓至53樓及55樓至60樓	150 175 300	150 200 300		150	150 300		150 175 300	150 200 300	150 175 300	150 175

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。

- Remarks :
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.

3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。



2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。

3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

41/F-43/F, 45/F-53/F & 55/F-60/F (44/F and 54/F are omitted)
41樓至43樓、45樓至53樓及55樓至60樓 (不設44樓及54樓)



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B) 61/F
第8座 (8A及8B) 61樓

Description 描述	Tower 8 (8A) 第8座 (8A)				Tower 8 (8B) 第8座 (8B)					
	Flat 單位				Flat 單位					
	A	B	D	F	A	B	C	D	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.390				3.040 3.090 3.290 3.315 3.390 3.440 3.490 3.640 3.665 3.740	3.040 3.390 3.665 3.740	3.115 3.290 3.340 3.390 3.490 3.740	3.290 3.390 3.565 3.665 3.740	3.390	
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	150 175 300	150 200 300		150	150 300			150 175 300	150 200 300	150 175

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

61/F
61樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B) 62/F
第8座 (8A及8B) 62樓

Description 描述	Tower 8 (8A) 第8座 (8A)				Tower 8 (8B) 第8座 (8B)			
	Flat 單位				Flat 單位			
	A	B	D	F	A	C	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	3.500 3.600 3.800 3.835 3.850 3.860	3.500 3.600 3.800 3.850	3.500 3.600 3.735 3.835 3.850	3.500 3.600 3.750 3.775	3.500 3.600 3.800 3.850	3.500 3.600 3.775 3.850	3.500 3.775 3.800 3.835	3.500 3.775 3.850
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	200 225 300		200 250 300	200	200 300		200 250 300	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

62/F
62樓



SCALE
比例 0 1 2 3 4 5m(米)

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

ROOF
天台

Description 描述	Tower 8 (8A) 第8座 (8A)				Tower 8 (8B) 第8座 (8B)			
	Flat 單位				Flat 單位			
	A	B	D	F	A	C	E	F
Floor-to-floor height (refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property (m) 每個住宅物業的層與層之間的高度 (指該樓層之石屎地台面與上一層石屎地台面之高度距離) (米)	Not Applicable 不適用				Not Applicable 不適用			
Thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 厚度 (毫米)	Not Applicable 不適用				Not Applicable 不適用			

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors (Note: This statement as required under section 10(2)(e) of Part 1 of Schedule 1 to the Residential Properties (First-hand Sales) Ordinance is not applicable to the Phase).

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大(備註：此《一手住宅物業銷售條例》附表1第1部第10(2)(e)條規定之陳述並不適用於期數)。



- Remarks :
- 1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - 2. For details of the noise mitigation measures, please refer to the Relevant Information section in this sales brochure.
 - 3. Please refer to Page 21 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

- 備註：
- 1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 2. 有關紓緩噪音措施之詳情，請參閱本售樓說明書的有關資料章節。
 - 3. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第21頁。

Floor plans of residential properties in the phase
期數的住宅物業的樓面平面圖

Tower 8 (8A & 8B)
第8座 (8A及8B)

ROOF
天台



SCALE
比例 0 1 2 3 4 5m(米)